

**Client:** Higham Miller Coffee Limited  
 14 Cranleigh Road  
 London  
 N15 3AD  
 UNITED KINGDOM

**Certificate Code:** AR-22-UD-374923-01  
**Page Number:** Page 1 of 1  
**Reported On:** 28/07/2022  
**PO reference:** PO12013  
**Reported By:** Manpreet Sagoo  
 Analytical Service Manager

## Certificate of Analysis

Sample number	400-2022-00380890	Received on	25/07/2022
Your sample code	22-AJH-441	Analysis started on	25/07/2022
Your sample reference	Coffee Beans - Sample 429		
Batch Code	11	Use By Date	31/01/2023
Product code	429	Production Date	15/07/2022

Test Code	Analyte	Results	Units	Method Ref.
UD401	Arsenic (As)	0.002	mg/kg	ICPMS/010
UD033	Cadmium	0.006	mg/kg	ICPMS/010
UD032	Lead	<0.005	mg/kg	ICPMS/010
UD579	Mercury	<0.001	mg/kg	ICPMS/010

Opinions and interpretations within this report are outside our accreditation scope.  
 Pass/Fail criteria or other comments where shown are based on specifications agreed with client or Eurofins general limits and do not take in to account measurement of uncertainty, unless stated  
 Unless otherwise stated, all results are expressed on a sample as received basis.  
 This certificate of analysis shall not be reproduced except in full, without the written permission of the laboratory.

**Key:** cfu colony forming units  
 < denotes less than  
 > denotes greater than  
 ~ estimated value



0342

**Eurofins Food Testing UK Limited**

i54 Business Park  
 Valiant Way  
 Wolverhampton  
 WV9 5GB

T +44 1902 627200

F +44 1902 627296

[www.eurofins.co.uk](http://www.eurofins.co.uk)

Registered Office:  
 i54 Business Park  
 Valiant Way  
 Wolverhampton  
 WV9 5GB  
 Regd in England No: 5009315