

**Client:** Higham Miller Coffee Limited  
14 Cranleigh Road  
London  
N15 3AD  
UNITED KINGDOM

**Certificate Code:** AR-21-UD-463226-01

**Page Number:** Page 1 of 1

**Reported On:** 17/08/2021

**PO reference:** PO10006

**Reported By:** Marek Papuga  
Analytical Service Manager -  
Chemistry

## Certificate of Analysis

Sample number	400-2021-00468403	Received on	12/08/2021
Your sample code	21-APF-205	Analysis started on	12/08/2021
Your sample reference	Sample 690		
Batch Code	5	Use By Date	2022-02-11
Product code	690	Production Date	2021-08-11

Test Code	Analyte	Results	Units	Method Ref.
UD142	Aflatoxin B1	<0.1	µg/kg	CHROM/120
UD142	Aflatoxin B2	<0.1	µg/kg	CHROM/120
UD142	Aflatoxin G1	<0.1	µg/kg	CHROM/120
UD142	Aflatoxin G2	<0.1	µg/kg	CHROM/120
UD142	Total aflatoxin	<0.1	µg/kg	CHROM/120

### Comments

Mycotoxin results for test (UD142) are Recovery Corrected

Opinions and interpretations within this report are outside our accreditation scope.  
Pass/Fail criteria or other comments where shown are based on specifications agreed with client or Eurofins general limits and do not take in to account measurement of uncertainty, unless stated  
Unless otherwise stated, all results are expressed on a sample as received basis.  
This certificate of analysis shall not be reproduced except in full, without the written permission of the laboratory.

**Key:** cfu colony forming units  
< denotes less than  
> denotes greater than  
~ estimated value



0342

### Eurofins Food Testing UK Limited

i54 Business Park  
Valiant Way  
Wolverhampton  
WV9 5GB

T +44 1902 627200

F +44 1902 627296

[www.eurofins.co.uk](http://www.eurofins.co.uk)

Registered Office:  
i54 Business Park  
Valiant Way  
Wolverhampton  
WV9 5GB  
Regd in England No: 5009315