

ALG OUT ULTRA 60%

1. IDENTIFICATION

Product name : ALG OUT ULTRA 60%

Product code : 30-07042 Other means of identification : Not available.

Supplier : Sani-Marc Inc. Manufacturer : Sani-Marc Inc.

 42 rue de l'Artisan
 42 rue de l'Artisan

 Victoriaville, Qc
 Victoriaville, Qc

 G6P 7E3
 G6P 7E3

 1-819-758-1541
 1-819-758-1541

This SDS is provided as information only. The product

is not WHIMS regulated. The product is regulated under the PCP act and packaged as a consumer

product. PCP 33539.

Date of issue (YYYY-MM-DD) : 2019-11-14

In case of emergency : Emergency phone: CANUTEC (613) 996-6666 (Collect calls accepted)

2. HAZARDS IDENTIFICATION

Information in this section only concerns the product as supplied. Contact your account manager to get more information on diluted form hazards identification.

Product Classification : EYE IRRITATION - Category 2B

Signal word : Warning

Hazard statements : Causes eye irritation.

Precautionary statements

General : Read label before use. Keep out of reach of children.

Prevention: Specific protective equipment is suggested for this product. See section 8 for details.

Response : Rinse with water. IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

attention.

Storage: No specific measure needed. See section 7 for more information on handling and storage.

Disposal : No specific measure needed. See section 13 for waste disposal information.

Supplemental label elements : No additional information.

Other hazards which do not result in : None known.

classification

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture : Mixture

Name CAS number % (w/w) 1,2-Ethanediamine, N1,N1,N2,N2-tetramethyl-, polymer with 1,1'-oxybis 31075-24-8 30 - 60

[2-chloroethane]

Occupational exposure limits, if available, are listed in Section 8.



ALG OUT ULTRA 60% Page: 1/5

4. FIRST AID MEASURES

Description of required first aid measures

In case of contact with eyes, flush with fresh water. Check for and remove any contact lenses. Continue rinsing. If irritation persists, get Eve contact

medical attention.

Skin contact In case of irritation, rinse with water. Get medical attention if irritation persist.

Ingestion Rinse mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Inhalation Move victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if adverse health effects persist or

are severe. Maintain an open airway.

Most important symptoms/effects, acute and delayed

Adverse symptoms may include the following: Eve contact

irritation watering redness

Skin contact No specific symptoms under normal use conditions.

Ingestion No specific symptoms under normal use conditions. Inhalation No specific symptoms under normal use conditions.

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Notes to physician

See toxicological information (Section 11)

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media None known.

Specific hazards arising from the

chemical

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides halogenated compounds

Special fire-fighting procedures

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action should be taken

involving any personal risk or without suitable training

Special protective equipment for fire-

fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode

6. ACCIDENTAL RELEASE MEASURES

Personal precautions No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and

unprotected personnel from entering. Do not touch or walk through spilled material. Initiate spill response procedures if required.

Personal protection Put on appropriate personal protective equipment (see Section 8).

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in Cleaning method

container for disposal according to local regulations (see Section 13). Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands

and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See

Section 8 for additional information on hygiene measures.

Store in accordance with local regulations. Keep container tightly closed and sealed until ready for use. Containers that have been opened Storage and must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid Incompatibility

environmental contamination. Keep out of reach of children. Store away from incompatible materials (see Section 10).



ALG OUT ULTRA 60% Page: 2/5

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

None.

Appropriate engineering controls Good general ventilation should be sufficient to control worker exposure to airborne contaminants that could arise from the use if

this product.

Individual protection measures

Eye/face protection Continued or intense exposures might required to wear safety glasses. It is minimally suggested to wear safety glasses while

using or handling this product.

Hands and Body protection No specific protective equipment required under normal use conditions. Prolonged or severe exposures might require to wear

chemical-resistant gloves.

No special protective clothing is required.

Respiratory protection No specific protective equipment required under normal use conditions.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Liquid. [Limpid liquid] pH 7 Flash point [Product does not sustain

combustion.]

Color Amber. Relative density 1.15 Melting point Not available.

Odor Characteristic. Viscosity Not available. Boiling point Not available.

Odor threshold Not available. Vapor pressure Not available. Fire point : Not available.

Solubility in water : Not available. Vapor density : Not available. Evaporation rate : Not available.

Decomposition temperature : Not available. Auto-ignition temperature : Not available.

Partition coefficient: n-octanol/ water

Lower and upper explosive (flammable) limits : Not available.

: Not available.

Flammability (solid, gas) : Not available.

10. STABILITY AND REACTIVITY

ReactivityNo specific test data related to reactivity available for this product or its ingredients.

Chemical stability The product is stable.

Incompatible materials No specific data.

Conditions to avoid No specific data.

Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Route of exposure Not available.

Potential acute health effects Symptoms

Eye contact May cause eye irritation. Adverse symptoms may include the following:

irritation watering redness

Skin contact No known significant effects or critical hazards. No specific symptoms under normal use conditions.

Ingestion No known significant effects or critical hazards. No specific symptoms under normal use conditions.

Inhalation No known significant effects or critical hazards. No specific symptoms under normal use conditions.

Toxicity data

Product/ingredient name	Result	Species	Dose	Exposure



ALG OUT ULTRA 60% Page: 3/5

1,2-Ethanediamine, N1,N1,N2, N2-tetramethyl-, polymer with 1,1'-oxybis		Rat	2.9 g/m ³	4 hours	
[2-chloroethane]					
	LD50 Dermal	Rabbit	2001 mg/kg	-	
	LD50 Oral	Rat - Male	1951 mg/kg	-	
	LD50 Oral	Rat -	2587 mg/kg	-	
		Female			

Information on toxicological effects

Mutagenicity No known significant effects or critical hazards. Teratogenicity No known significant effects or critical hazards. **Developmental effects** No known significant effects or critical hazards.

Fertility effects No known significant effects or critical hazards.

1,2-Ethanediamine, N1,N1,N2, skin N2-tetramethyl-, polymer with 1,1'-oxybis [2-chloroethane] Sensitization Guinea pig

Carcinogenicity No known significant effects or critical hazards.

12. ECOLOGICAL INFORMATION						
Ecotoxicity data						
Product/ingredient name	Result	Species	Exposure			
1,2-Ethanediamine, N1,N1,N2, N2-tetramethyl-, polymer with 1,1'- oxybis[2-chloroethane]	Acute EC50 0.28 mg/l	Daphnia	48 hours			
, .	Acute LC50 7.8 mg/l Marine water	Crustaceans	96 days			
	Acute LC50 0.047 mg/l Fresh water	Fish	96 hours			

	13. DISPOSAL CONSIDERATIONS
Disposal methods	Dispose content and container in accordance with local, regional and national regulation in force.

14. TRANSPORT INFORMATION					
	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	TDG Placard
TDG Classification	Not regulated.	-	-	-	
-					
Additional information	See shipping docume	nts for specific information on DOT	, IMDG or IATA		

	15. REGULATORY INFORMATION		
Canadian lists			
Canadian NPRI	None of the components are listed.		
CEPA Toxic substances	None of the components are listed.		
Canada inventory	All components are listed or exempted.		
International lists			
United States All components are lis	ted or exempted.		



ALG OUT ULTRA 60% Page: 4/5

Not sensitizing

16. OTHER INFORMATION				ON		
Hazardous Mat	eria	l Information System (U.S.A.)	Health Hazard Fire Hazard Reactivity	1 0 0)	
Date of issue/IDD) Prepared by	Date :	of revision (YYYY-MM- : 2019-11	Personal Protection	B	3	<u>5</u>
,		Sani-Marc Inc. 42 rue de l'Artisan Victoriaville, Qc G6P 7E3 1-819-758-1541				

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



ALG OUT ULTRA 60% Page: 5/5