

SHINE[®]
D E C O R



SHINE DECOR[®]



COMPANY WEBSITE

www.shine-decor.com

info@shine-decor.com

TABLE OF CONTENTS



120V WATERPROOF SERIES

1-8

Single Color LED Strip Light

1-4

RGB LED Strip Light

5-8



120V DOUBLE ROW SERIES

9-11

Double Row Single Color Strip Light

9-11



120V 12.5x23MM NEON FLEX SERIES

12-19

12.5x23mm Single Color Neon Light

12-15

12.5x23mm RGB Neon Light

16-19




120V 7x14.5MM NEON FLEX SERIES

20-23

7x14.5mm Single Color Neon Light

20-23



12V 6x12MM SILICONE DIY NEON SERIES

24-30

Single Color 12V Silicone Neon Rope Light

24-27

RGB 12V Silicone Neon Rope Light

28-30



120V FEMALE-MALE MOLDED ROPE LIGHT

31-40

7x13mm Single Color Strip Light

31-34

7x13mm RGB Strip Light

35-37

14x26mm RGB Neon Rope Light

38-40




120V SIMPLE ASSEMBLED LED STRIP LIGHT

41-44

7x13mm Single Color Strip Light

41-44





COMPANY INTRODUCTION

Shine Decor has been focused on studying and developing LED Lighting and Home Decoration products since 2002, it has been over 15 years for us to learn valuable experience in the design of circuit, special outlook housing material and enhance our capacity to make corresponding changes to the market's demand trend.

Now **Shine Decor** is one of the main manufacturers of LED NEON ROPE LIGHT, LED STRIP LIGHT, DECORATION AND HOLIDAY STRING LIGHTS in the LED lighting industry, we have gained UL, CSA, ETL, CE, GS, RoHS approval for most of our lighting products and warehouse in NY, LA and Shen Zhen, we always provide customers swift shipping and aftersales service.

With the principle of not gaining short high profit with poor quality or market vicious competition like price war, we highly coordinate and supply our customers with completely satisfied solution for their lighting design project and establish long-term cooperation relationship with them. Never stop and always doing the right things.



info@shine-decor.com



www.shine-decor.com

SHINE DECOR[®]

120V WATERPROOF SERIES



120V SINGLE COLOR LED STRIP LIGHT



SPECIFICATIONS

POWER CONSUMPTION

Up to 5.3W/M

WATERPROOF GRADE

IP65 Waterproof

SUPER BRIGHTNESS

120LED/M with 430Lumen

STEPLESS DIMMING MODE

RF 360° control range up to 60ft

- ETL listed.
- IP65 Waterproof: one-shot extrusion process, no need of further waterproofing, ideal for outdoor use.
- **Cuttable and Linkable:** Cuttable every 1.64ft, connect up to 150ft, accessories available.
- **Fused Plug:** UL standard power cord with replaceable fuse inside, more safe and reliable.
- **Series-parallel Configuration:** requires higher manufacturing skills and has higher fault tolerance and higher efficiency.
- **Anti-UV and heat-resistant:** UL94 V-0 flame retardant coating, working temperature from 37°F to 140°F.


SINGLE COLOR




TECHNICAL DATA

PRODUCT	LENGTH	COLOR	AMAZON ASIN	CONTENT	SPECIFICATIONS
SINGLE COLOR LED STRIP LIGHT	5m 16.4ft	3000K warm white	B07QB2VKLT	1 X strip light 1 X 10in heat shrink tube 10 X plastic mounting clip 20 X screw	Voltage: 120V Power: 5.3W/M Size: 6*10MM Tubing Material: transparent PVC Waterproof Grade: IP65 LED Type: SMD2835 LED Quantity: 120LED/M Max Length per Input: 150FT Cutting Intervals: 0.5M
		4000K neutral white	B07QB2FLZF		
		6500K cool white	B07Q9ZPKZJ		
	15m 50ft	3000K warm white	B07QBZBXWD	1 X strip light 1 X 10in heat shrink tube 30 X plastic mounting clip 60 X screw	
		6500K cool white	B07QB23W87		
	45m 150ft	3000K warm white	B07QB1NWK4	1 X strip light 1 X 20in heat shrink tube 90 X plastic mounting clip 180 X screw	
		4000K neutral white	B07QBY9LT3		
		6500K cool white	B07QB1YFQ4		


CONNECTION DIAGRAM



MOUNTING STEPS



PRODUCT SIZE




SINGLE COLOR




TECHNICAL DATA

PRODUCT	LENGTH	COLOR	AMAZON ASIN	CONTENT	SPECIFICATIONS
SINGLE COLOR LED STRIP LIGHT	5m 16.4ft	3000K warm white	B07QB2VKLT	1 X strip light 1 X 10in heat shrink tube 10 X plastic mounting clip 20 X screw	Voltage: 120V Power: 5.3W/M Size: 6*10MM Tubing Material: transparent PVC Waterproof Grade: IP65 LED Type: SMD2835 LED Quantity: 120LED/M Max Length per Input: 150FT Cutting Intervals: 0.5M
		4000K neutral white	B07QB2FLZF		
		6500K cool white	B07Q9ZPKZJ		
	15m 50ft	3000K warm white	B07QBZBXWD	1 X strip light 1 X 10in heat shrink tube 30 X plastic mounting clip 60 X screw	
		6500K cool white	B07QB23W87		
	45m 150ft	3000K warm white	B07QB1NWK4	1 X strip light 1 X 20in heat shrink tube 90 X plastic mounting clip 180 X screw	
		4000K neutral white	B07QBY9LT3		
		6500K cool white	B07QB1YFQ4		


CONNECTION DIAGRAM



MOUNTING STEPS



PRODUCT SIZE



ACCESSORIES >>

SINGLE COLOR LED STRIP LIGHT

A collection of accessories for a single color LED strip light, including a white dimmer controller with a power cord and a USB cable, a white remote control, a white LED strip light, and two white plastic mounting clips.

DIMMER PACK

AMAZON ASIN: B07VGDJ6R1

- 1 X RF controller
- 1 X remote panel
- 2 X pin
- 1 X 10in heat shrink tube

A collection of accessories for a single color LED strip light, including two white power cords, two white two-prong pins, two white end caps, one white 20in heat shrink tube, 50 white plastic mounting clips, and 100 white screws.


POWER CORD

AMAZON ASIN: B07Q5166NL

- 2 X power cord,
- 2 X two-prong pin
- 2 X end cap
- 1 X 20in heat shrink tube
- 50 X plastic mounting clip
- 100 X screw

SHINE DECOR[®]

120V WATERPROOF SERIES



120V RGB LED STRIP LIGHT



SPECIFICATIONS

POWER CONSUMPTION

Up to 8.5W/M

WATERPROOF GRADE

IP65 Waterproof

DIMMABLE

14 Colors and 4 modes for choice

CUTTABLE AND LINKABLE

Cuttable every 1.64ft, connect up to 150ft.

- ETL listed.
- **Anti-UV and heat-resistant:** UL94 V-0 flame retardant coating, working temperature from 37°F to 140°F.
- **Cuttable and Linkable:** Cuttable every 1.64ft, connect up to 150ft, accessories available.
- **Multicolor and Dimmable:** 14 colors and 4 modes for choice.
- **Series-parallel Configuration:** requires higher manufacturing skills and has higher fault tolerance and higher efficiency.
- **IP65 Waterproof:** one-shot extrusion process, no need of further waterproofing, with sealed controller box, ideal for outdoor use

RGB COLOR



TECHNICAL DATA

PRODUCT	LENGTH	COLOR	AMAZON ASIN	CONTENT	SPECIFICATIONS
RGB LED STRIP LIGHT	5m/16.4ft	RGB	B07QB1GNW4	1 X strip light 1 X IR remote (batteries not included) 1 X IR waterproof controller 1 X 10in heat shrink tube 10 X plastic mounting clip 20 X screw	Voltage: 120V Power: 8.5W/M Size: 8*15.5MM Tubing Material: transparent PVC Waterproof Grade: IP65 LED Type: SMD2835 LED Quantity: 60LED/M Max Length per Input: 150FT Cutting Intervals: 0.5M
	10m/32.8ft	RGB	B07Q9LMYYZ	1 X strip light 1 X IR remote (batteries not included) 1 X IR waterproof controller 1 X 10in heat shrink tube 20 X plastic mounting clip 40 X screw	
	15m/50ft	RGB	B07Q9ZZ1LF	1 X strip light 1 X IR remote (batteries not included) 1 X IR waterproof controller 1 X 10in heat shrink tube 30 X plastic mounting clip 60 X screw	
	25m/82ft	RGB	B07QB1LJ4S	1 X strip light 1 X IR remote (batteries not included) 1 X IR waterproof controller 1 X 10in heat shrink tube 50 X plastic mounting clip 100 X screw	
	45m/150ft	RGB	B07QBZV9Y4	1 X strip light 1 X IR remote (batteries not included) 1 X IR waterproof controller 1 X 10in heat shrink tube 90 X plastic mounting clip 180 X screw	

ACCESSORIES >>

RGB COLOR LED STRIP LIGHT



CONTROLLER

AMAZON ASIN: B07QB263R1

Max Power: 400W
Input: AC100-240V
Output: DC100-240V
Fuse: 8A
Rectifier: 8A
Power Cord Length: 5ft
Working Distance: 10-16ft

1 X IR waterproof controller

1 X IR remote (batteries not included)

100 X screw


1 X 20in heat shrink tube

50 X plastic mounting clip


1 X end cap

1 X four-prong pin


CONNECTION DIAGRAM



MOUNTING STEPS




PRODUCT SIZE



SHINE DECOR[®]

120V 12.5x23MM NEON FLEX SERIES



120V^{12.5x23MM} SINGLE COLOR NEON LIGHT



SPECIFICATIONS

POWER CONSUMPTION

Up to 7W/M

WATERPROOF GRADE

IP65 Waterproof

STEPLESS DIMMING MODE

RF 360° control range up to 60ft

CUTTABLE AND LINKABLE

Cutttable every 1.64ft, connect up to 150ft

- ETL listed.
- **IP65 Waterproof:** IP65 tubing, connections are sealed by adhesive and covered with heat shrink tube. Need to check waterproof ability before used outdoors.
- **Anti-UV and heat-resistant:** UL94 V-0 flame retardant coating, working temperature from 37°F to 140°F.
- **Fused Plug:** UL standard power cord with replaceable fuse inside, more safe and reliable.
- **Series-parallel Configuration:** requires higher manufacturing skills and has higher fault tolerance and higher efficiency.

SINGLE COLOR




TECHNICAL DATA

PRODUCT	LENGTH	COLOR	AMAZON ASIN	CONTENT	SPECIFICATIONS
12.5x23MM Single Color Neon Light	15m/50ft	3000K warm white	B07QB22LKR	1 X neon light 1 X 10in heat shrink tube 30 X aluminum mounting clip 60 X screw	Voltage: 120V Power: 7W/M Size: 12.5*23MM Tubing Material: milky white PVC Waterproof Grade: IP65 LED Type: SMD2835 LED Quantity: 120LED/M Max Length per Input: 150FT Cutting Intervals: 0.5M
		6500K cool white	B07QB19LZ6		
	45m/150ft	3000K warm white	B07QB2BP7G	1 X neon light 1 X 20in heat shrink tube 90 X aluminum mounting clip 180 X screw	
		6500K cool white	B07QBZR17Z		
		red	B07QB1C7GD		


CONNECTION DIAGRAM



MOUNTING STEPS



PRODUCT SIZE



ACCESSORIES >>>

SINGLE COLOR NEON LIGHT



MOUNTING CLIP

AMAZON ASIN: B07QB17MR7


40 X screw
20 X aluminum mounting clip



MOUNTING TRACK

AMAZON ASIN: B07QB1QGYL

8 X 1meter aluminum track



DIMMER PACK

AMAZON ASIN: B07QB1QGYL

1 X RF controller
1 X remote panel
2 X pin
1 X 10in heat shrink tube




POWER CORD

AMAZON ASIN: B07Q9L9SKT

3 X power Cord
3 X two-prong pin
3 X end cap
1 X 20in heat shrink tube

SHINE DECOR[®]

120V 12.5x23MM NEON FLEX SERIES



120V_{12.5x23MM} RGB Neon Light



SPECIFICATIONS

POWER CONSUMPTION

Up to 8.5W/M

WORKING TEMPERATURE

working temperature from 37°F to 140°F

CUTTABLE AND LINKABLE

Cutable every 1.64ft

MULTICOLOR AND DIMMABLE

8 colors and 3 modes for choice

- ETL listed.
- RF Control: 24 key RF remote can be used 360° and it's working distance is up to 30-50FT, strong signal even penetrate walls, doors and cabinet.
- **Cutable and Linkable:** Cutable every 0.5m, connect up to 150ft, accessories available.
- **Series-parallel Configuration:** requires higher manufacturing skills and has higher fault tolerance and higher efficiency.
- **Anti-UV and heat-resistant:** UL94 V-0 flame retardant coating, working temperature from 37°F to 140°F .

RGB COLOR



TECHNICAL DATA


PRODUCT	LENGTH	COLOR	AMAZON ASIN	CONTENT	SPECIFICATIONS
12.5x23MM RGB Neon Light	5m/16.4ft	RGB	B07Q9ZZ9R6	1 X rgb neon light 1 X rgb controller 1 X rgb remote (2 AAA batteries not included) 1 X 10in heat shrink tube 10 X aluminum mounting clip 20 X screw	Voltage: AC110-130V Power: 8.5W/M Size: 12.5*23MM Waterproof Grade: IP65 LED Type: SMD 5050 LED Quantity: 60 LEDs/M Max Run Length: 150FT Cutting Unit Length: 0.5M
	10m/32.8ft	RGB	B07QB1SN8X	1 X rgb neon light 1 X rgb controller 1 X rgb remote (2 AAA batteries not included) 1 X 10in heat shrink tube 20 X aluminum mounting clip 40 X screw	
	15m/50ft	RGB	B07Q78V4KK	1 X rgb neon light 1 X rgb controller 1 X rgb remote (2 AAA batteries not included) 1 X 10in heat shrink tube 30 X aluminum mounting clip 60 X screw	
	25m/82ft	RGB	B07Q9ZT2ZX	1 X rgb neon light 1 X rgb controller 1 X rgb remote (2 AAA batteries not included) 1 X 10in heat shrink tube 50 X aluminum mounting clip 100 X screw	
	45m/150ft	RGB	B07QB2LLBV	1 X rgb neon light 1 X rgb controller 1 X rgb remote (2 AAA batteries not included) 1 X 10in heat shrink tube 90 X aluminum mounting clip 180 X screw	

ACCESSORIES >>


12.5x23MM RGB Neon Light




CONNECTION DIAGRAM



MOUNTING STEPS



PRODUCT SIZE



SHINE DECOR[®]

120V 7x14.5MM NEON FLEX SERIES



120V 7x14.5MM NEON FLEX SERIES



SPECIFICATIONS

POWER CONSUMPTION

Up to 7W/M

WATERPROOF GRADE

IP65 Waterproof

STEPLESS DIMMING MODE

RF 360° control range up to 60ft

CUTTABLE AND LINKABLE

Cutttable every 1.64ft, connect up to 150ft

- ETL listed.
- IP65 Waterproof: IP65 tubing, connections are sealed by adhesive and covered with heat shrink tube. Need to check waterproof ability before used outdoors.
- Anti-UV and heat-resistant: UL94 V-0 flame retardant coating, working temperature from 37°F to 140°F
- Fused Plug: UL standard power cord with replaceable fuse inside, more safe and reliable.
- Series-parallel Configuration: requires higher manufacturing skills and has higher fault tolerance and higher efficiency.

SINGLE COLOR




TECHNICAL DATA

PRODUCT	LENGTH	COLOR	AMAZON ASIN	CONTENT	SPECIFICATIONS
7x14.5MM Single Color Neon Light	5m/16.4ft	3000K warm white	B07Q9LWQ35	1 X neon light 1 X 10in heat shrink tube 10 X aluminum mounting clip 20 X screw	Voltage: AC110-130V Power: 7W/M Size: 7*14.5MM Waterproof Grade: IP65 LED Type: SMD 2835 LED Quantity: 120 LEDs/M Max Run Length: 150FT Cutting Unit Length: 0.5M
		6500K cool white	B07QB1R8DD		
	15m/50ft	3000K warm white	B07QB284GB	1 X neon light 1 X 10in heat shrink tube 30 X aluminum mounting clip 60 X screw	
		6500K cool white	B07QB2CW8V		
		blue	B07QC2KHB2		
		green	B07QBP4CC		
		pink	B07QB1TH13		
	25m/82ft	3000K warm white	B07QB1P8X4	1 X neon light 1 X 10in heat shrink tube 50 X aluminum mounting clip 100 X screw	
		6500K cool white	B07QB1MKY8		
		blue	B07Q9ZN5P3		


CONNECTION DIAGRAM



MOUNTING STEPS



PRODUCT SIZE



ACCESSORIES >>>

SINGLE COLOR NEON LIGHT



MOUNTING CLIP

AMAZON ASIN:B07QB17ZM9

40 X screw
20 X aluminum mounting clip



MOUNTING TRACK

AMAZON ASIN:B01N9OU93Z

8 X 1meter aluminum track



DIMMER PACK

AMAZON ASIN:B07VDCJCVP

1 X RF controller
1 X remote panel
2 X pin
1 X 10in heat shrink tube



POWER CORD

AMAZON ASIN:B07Q9LSHRR

3 X power Cord
3 X two-prong pin
3 X end cap
1 X 20in heat shrink tube

SHINE DECOR[®]

12V SILICONE DIY NEON SERIES



12V 6x12MM SINGLE COLOR SILICONE NEON



SPECIFICATIONS

POWER CONSUMPTION

Up to 12W/M

WATERPROOF GRADE


IP65 Waterproof

CUTTABLE AND LINKABLE

Cutttable every 1", connectable up to 16.4ft

- **Safe:** 12V input voltage.
- **Flexible:** easy to cut, bend, and shape unlike glass neon.
- **Super Brightness:** using only premium 2835 chips, 120LED/M, 90RA.
- **Silicone Material:** flame retardant, anti-UV, eco-friendly, more durable than glass and PVC tube.


SINGLE COLOR




TECHNICAL DATA

PRODUCT	LENGTH	COLOR	AMAZON ASIN	CONTENT	SPECIFICATIONS
Single Color 12V Silicone Neon Rope Light	5m/16.4ft	3000K warm white	B07PMRM2RM	1 X silicone neon rope light 2 X 7.8in 2-core cable without plug	Voltage: 12V Power: 12W/M Size: 6*12MM Tubing Material: milky silicone Waterproof Grade: IP65 LED Type: SMD2835 LED Quantity: 120LED/M Max Length per Input: 16.4FT Cutting Intervals: 1 INCH
		6500K cool white	B07PNNDQ7Q		
		red	B07PMRDTLK	2 X end cap 2 X cable cap 10 X mounting clip 10 X screw	
		green	B07PNPRG73		
		blue	B07PMRHT84		
		pink	B07PPSX654		

CONNECTION DIAGRAM



PRODUCT SIZE



ACCESSORIES ▶▶

SINGLE COLOR SILICONE NEON LIGHT



SHINE DECOR[®]

12V SILICONE DIY NEON SERIES



12V 6x12MM

RGB COLOR SILICONE NEON



CE



SPECIFICATIONS

POWER CONSUMPTION

Up to 12W/M

WATERPROOF GRADE


IP65 Waterproof

CUTTABLE AND LINKABLE

Cutttable every 1", connectable up to 16.4ft

- **Super Brightness:** using only premium 2835 chips, 120LED/M, 90RA.
- **Multicolor and Dimmable:** 8 colors and 4 modes for choice.
- **RF Control:** 24 key RF remote can be used 360° and it's working distance is up to 30-50FT, strong signal even penetrate walls, doors and cabinet.
- **Silicone Material:** flame retardant, anti-UV, eco-friendly, more durable than glass and PVC tube.
- **Flexible:** easy to cut, bend, and shape unlike glass neon.
- **Safe:** 12V input voltage.


RGB COLOR




TECHNICAL DATA

PRODUCT	LENGTH	COLOR	AMAZON ASIN	CONTENT	SPECIFICATIONS
RGB 12V Silicone Neon Rope Light	5m/16.4ft	RGB	B07RWGDMP5	<ul style="list-style-type: none"> 1 X silicone neon rope light 1 X 3.3ft 4-core cable 1 X 3.3ft 2-core cable 1 X RF Controller 1 X remote panel 2 X end cap 2 X cable cap 10 X mounting clip 10 X screw 	<ul style="list-style-type: none"> Voltage: 12V Power: 12W/M Size: 6*12MM Tubing Material: milky silicone Waterproof Grade: IP65 LED Type: SMD3838 LED Quantity: 120LED/M Max Length per Input: 16.4FT Cutting Intervals: 1 INCH

CONNECTION DIAGRAM



PRODUCT SIZE



ACCESSORIES >>>

RGB 12V NEON ROPE LIGHT



SHINE DECOR[®]

FEMALE-MALE MOLDED ROPE LIGHT SERIES



120V 7x13MM SINGLE COLOR STRIP LIGHT



SPECIFICATIONS

POWER CONSUMPTION

Up to 4.8W/M

WATERPROOF GRADE

IP65 Waterproof

LED QUANTITY

60 LEDs/M

MAX RUN LENGTH:

Max Run Length 164FT

- **Easy to Install:** with molded female-male connectors on both ends, plug and play, install in a second.
- **Dimmable:** dimmer available, stepless dimming mode.
- **Cuttable and Linkable:** Cuttable every 1.64ft, connect up to 164ft, accessories available.
- **IP65 Waterproof:** IP65 tubing, need further waterproof before used outdoors.


SINGLE COLOR




TECHNICAL DATA

PRODUCT	LENGTH	COLOR	AMAZON ASIN	CONTENT	SPECIFICATIONS
7x13MM Single Color Strip Light	5m 16.4ft	3000K warm white	B07FD4P6BR	1 X led strip light 1 X power cord 10 X plastic mounting clip 20 X screw	Voltage: AC110-130V Power: 4.8W/M Size: 7*13MM Waterproof Grade: IP65 LED Type: SMD2835 LED Quantity: 60 LEDs/M Max Run Length: 164FT Cutting Unit Length: 0.5M
		4000K neutral white	B07FDB8D4N		
		6500K cool white	B07FD9KXBB		
	10m 32.8ft	3000K warm white	B07FDBGN4B	1 X led strip light 1 X power cord 20 X plastic mounting clip 40 X screw	
		4000K neutral white	B07FDB662Y		
		6500K cool white	B07FDB2B7W		

CONNECTION DIAGRAM



MOUNTING STEPS



PRODUCT SIZE



ACCESSORIES ▶▶

7x13MM Single Color Strip Light



SHINE DECOR[®]

FEMALE-MALE MOLDED ROPE LIGHT SERIES



120V 7x15MM RGB LED STRIP LIGHT



SPECIFICATIONS

POWER CONSUMPTION

Up to 12W/M

WATERPROOF GRADE

IP65 Waterproof

LED QUANTITY

60 LEDs/M

MAX RUN LENGTH

Max Run Length 82FT

- **Easy to Install:**
with molded female-male connectors on both ends, plug and play, install in a second.
- **Multicolor and Dimmable:**
8 colors and 4 modes for choice.
- **IP65 Waterproof:** IP65 tubing, need further waterproof before used outdoors.


RGB COLOR




TECHNICAL DATA

PRODUCT	LENGTH	COLOR	AMAZON ASIN	CONTENT	SPECIFICATIONS
7x15MM RGB Strip Light	5m 16.4ft	RGB	B07FD6BQNS	1 X LED RGB Strip Light 1 X power cord, 20 X screw 1 X 20 keys remote panel 10 X mounting clip	Voltage: AC110-130V Power: 12W/M Size: 7*15MM Waterproof Grade: IP65 LED Type: SMD5050 LED Quantity: 60 LEDs/M Max Run Length: 82FT Cutting Unit Length: 1M
	10m 32.8ft	RGB	B07FD54LT2	1 X LED RGB Strip Light 1 X power cord, 40 X screw 1 X 20 keys remote panel 20 X mounting clip	
	25m 82ft	RGB	B07FJQ58CZ	1 X LED RGB Strip Light 1 X power cord, 100 X screw 1 X 20 keys remote panel 50 X mounting clip	

CONNECTION DIAGRAM



MOUNTING STEPS



PRODUCT SIZE



SHINE DECOR[®]

FEMALE-MALE MOLDED ROPE LIGHT SERIES



120V RGB COLOR LED NEON ROPE LIGHT



SPECIFICATIONS

POWER CONSUMPTION

Up to 12W/M

WATERPROOF GRADE

IP65 Waterproof

LED QUANTITY


60 LEDs/M

MAX RUN LENGTH

Max Run Length 82FT

- **Easy to Install:**
with molded female-male connectors on both ends, plug and play, install in a second.
- **Multicolor and Dimmable:**
8 colors and 4 modes for choice.
- **IP65 Waterproof:**
IP65 tubing, need further waterproof before used outdoors.


RGB COLOR




TECHNICAL DATA

PRODUCT	LENGTH	COLOR	AMAZON ASIN	CONTENT	SPECIFICATIONS
14x26MM RGB Neon Rope Light	5m 16.4ft	RGB	B07FM7TKSC	1 X RGB Neon Rope Light 1 X power cord, 20 X screw 1 X 20 keys remote panel 10 X mounting clip	Voltage: AC110-130V Power: 12W/M Size: 14*26MM Waterproof Grade: IP65 LED Type: SMD5050 LED Quantity: 60 LEDs/M Max Run Length: 82FT Cutting Unit Length: 1M
	10m 32.8ft	RGB	B07FMFZ551	1 X RGB Neon Rope Light 1 X power cord, 40 X screw 1 X 20 keys remote panel 20 X mounting clip	
	25m 82ft	RGB	B07FLYJMB8	1 X RGB Neon Rope Light 1 X power cord, 100 X screw 1 X 20 keys remote panel 50 X mounting clip	


CONNECTION DIAGRAM



MOUNTING STEPS



PRODUCT SIZE



SHINE DECOR[®]

FEMALE-MALE MOLDED ROPE LIGHT SERIES



120V 7x13MM SINGLE COLOR STRIP LIGHT



SPECIFICATIONS

POWER CONSUMPTION

Up to 4.8W/M

WATERPROOF GRADE

IP65 Waterproof

LED QUANTITY

60 LEDs/M

MAX RUN LENGTH:

Max Run Length 164FT

- **Cuttable and Linkable:** Cuttable every 1.64ft, connect up to 164ft accessories available.
- **IP65 Waterproof:** IP65 tubing, need further waterproof before used outdoors.


SINGLE COLOR




TECHNICAL DATA

PRODUCT	LENGTH	COLOR	AMAZON ASIN	CONTENT	SPECIFICATIONS
7x13MM Single Color Strip Light	25m/82ft	3000K warm white	B07FD6MJ6S	1 X led strip light 1 X power cord 50 X plastic mounting clip 100 X screw	Voltage: AC110-130V Power: 4.8W/M Size: 7*13MM Waterproof Grade: IP65 LED Type: SMD2835 LED Quantity: 60 LEDs/M Max Run Length: 164FT Cutting Unit Length: 0.5M
		4000K neutral white	B07WMNWDGG		
		6500K cool white	B07FDB4F2H		
	50m/164ft	3000K warm white	B07FD6KPYW	1 X led strip light 1 X power cord 10 X plastic mounting clip 200 X screw	
		4000K neutral white	B07FD58975		
		6500K cool white	B07FD9KVJ2		


CONNECTING METHOD



Copper Pin




Power Cord



Silicone Sealant

MOUNTING STEPS



PRODUCT SIZE



ACCESSORIES ▶▶

7x13MM Single Color Strip Light

POWER CORD

AMAZON ASIN: B07QJFQKCX

CONTENT: 2 X power cord

2 X two-prong pin

2 X end cap

1 X 20in heat shrink tube

50 X plastic mounting clip

100 X screw

