

Cable Connection

4-Wire Shielded Micro Cables, M12 Black shielded cable assemblies that are lightweight and flexible



BSEC-6
6' (1.8m) cable with connector

BSEC-15
15' (4.6m) cable with connector

BSEC-25
25' (7.6m) cable with connector



BRSEC-6
6' (1.8m) cable / right angle conn.

BRSEC-15
15' (4.6m) cable / right angle conn.

BRSEC-25
25' (7.6m) cable / right angle conn.

4-Wire Yellow Shielded Cables, M12



SEC-6
6' (1.8m) cable with connector

SEC-15
15' (4.6m) cable with connector

SEC-25
25' (7.6m) cable with connector



RSEC-6
6' (1.8m) cable / right angle conn.

RSEC-15
15' (4.6m) cable / right angle conn.

RSEC-25
25' (7.6m) cable / right angle conn.

4-Wire Extension Cable, M12



BX-10
10' (3.1m) Extension cable

BX-25
25' (7.6m) Extension cable

4-Wire, Unshielded, M12



SEC-2MU
6.5' (2.0m) Low-cost

SEC-5MU
16.4' (5.0m) Low-cost

M-12 Field Replaceable 4-wire Connectors (waterproof)



M12-4F
4-Wire, Female Receptacle

M12-4M
4-Wire, Male Plug

Cable Connection

4-Wire Nano Cable, M8



GEC-6
6' (1.8m) cable with connector



GEC-15
15' (4.6m) cable with connector



GEC-25
25' (7.6m) cable with connector



RGEC-6
6' (1.8m) cable / right angle conn.



RGEC-15
15' (4.6m) cable / right angle conn.



GEX-9
9' (2.7m) extension cable

4-Wire, AC Only Mity•Eye Cable



CAC15
AC Mity•Eye
15' (4.6m) cable,
AC only

M-8 Field Replaceable 4-wire Connectors (waterproof)




M8-4F
4-Wire, Female Receptacle

M8-4M
4-Wire, Male Plug


M8-3M
4-Wire, Male Plug

M8-3M
4-Wire, Male Plug

XPC Specialty Cables



(8-Pin) (4-Pin) (9-Pin DIN)
TJC-2
"T" Junction Splitter Cable,
4-Pin Output



(8-Pin) (5-Pin) (9-Pin DIN)
TJC-3
"T" Junction Splitter Cable,
5-Pin Output



DCS8-2M
8-wire (2m), M12
Non-metallic shell

Cable Connection

5-Wire Shielded Micro Cables, M12



GSEC-6
6' (1.8m) cable with connector



GSEC-15
15' (4.6m) cable with connector

GSEC-25
25' (7.6m) cable with connector



GRSEC-6
6' (1.8m) cable / right angle conn.

GRSEC-15
15' (4.6m) cable / right angle conn.

GRSEC-25
25' (7.6m) cable / right angle conn.

GPSEC-15
15' (4.6m) Non-metallic shell

Field Replaceable 5-wire Connectors (waterproof)



M12-5F
5-Wire, Female Receptacle

M12-5M
5-Wire, Male Plug

5-Wire Unshielded Cable, M12, low cost



GSEC-2MU
6.5' (2.0m) Low-cost

GSEC-5MU
16.4' (5.0m) Low-cost

5-Wire Extension Cable, M12



GX-25
25' (7.6m) Extension cable