



according to Regulation (EC) No 1907/2006

HighPower Cleaner

Revision date: 18.11.2019 Product code: 2199 Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HighPower Cleaner (Product code: 2199)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaner.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: igepa chemie GmbH Street: Mitterfeldstr. 7a Place: D-93077 Bad Abbach

Telephone: +49 (0) 9405 – 9525-0 Telefax: +49 (0) 9405 – 9525-25

e-mail: info@igepa-chemie.de

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de

Chemieberatung GmbH Tel.: +49(0)251/394868-69 Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

1.4. Emergency telephone Poison Center Berlin - phone: +49 (0) 30-30686 700

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to local/regional/national/international regulations.

Special labelling of certain mixtures

EUH208 Contains (R)-p-mentha-1,8-diene, d-limonene. May produce an allergic reaction.



according to Regulation (EC) No 1907/2006

HighPower Cleaner

Revision date: 18.11.2019 Product code: 2199 Page 2 of 13

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification				
	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs hvdroxides. inner salts				
	931-296-8		01-2119488533-30		
	Eye Dam. 1, Aquatic Chronic 3; H3	318 H412			
68439-46-3	Alcohols C9-11, ethoxylated			1 - < 3	
	Acute Tox. 4, Eye Dam. 1; H302 H	318			
308062-28-4	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides			0.3 - < 0.5	
	931-292-6		01-2119490061-47		
	Acute Tox. 4, Skin Irrit. 2, Eye Dan H315 H318 H400 H411	n. 1, Aquatic Acute 1 (M-Factor = 1), A	equatic Chronic 2; H302		
5989-27-5	(R)-p-mentha-1,8-diene, d-limonene				
	227-813-5	601-029-00-7	01-2119529223-47		
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H226 H315 H317 H304 H400 H410				

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % phosphonates, < 5 % amphoteric surfactants, < 5 % non-ionic surfactants, perfumes (Limonene).

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.



igepa chemie GmbH

according to Regulation (EC) No 1907/2006

HighPower Cleaner

Revision date: 18.11.2019 Product code: 2199 Page 3 of 13

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Phosphorus oxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Safe handling: see section 7

Personal protection equipment: see section 8

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.



according to Regulation (EC) No 1907/2006

HighPower Cleaner

Revision date: 18.11.2019 Product code: 2199 Page 4 of 13

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20°C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No Substance			
DNEL type	Exposure route	Effect	Value
1-Propanaminium, 3-amino-N-(carb inner salts	poxymethyl)-N,N-dimethyl-, N-C8-18(even nu	mbered) acyl derivs.	, hydroxides,
Worker DNEL, long-term	inhalation	systemic	44 mg/m³
Worker DNEL, long-term	dermal	systemic	12,5 mg/kg bw/dav
308062-28-4 Amines, C12-14 (even numbered)-	alkyldimethyl, N-oxides		_
Worker DNEL, long-term	inhalation	systemic	6.2 mg/m ³
Worker DNEL, long-term	dermal	systemic	11 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	1.53 mg/m ³
Consumer DNEL, long-term	dermal	systemic	5.5 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0.44 mg/kg bw/dav
5989-27-5 (R)-p-mentha-1,8-diene, d-limonen	e	_	_
Worker DNEL, long-term	inhalation	systemic	66,7 mg/m ³
Worker DNEL, long-term	dermal	systemic	9,5 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	16,6 mg/m³
Consumer DNEL, long-term	dermal	systemic	4,8 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	4,8 mg/kg bw/day

PNEC values

CAS No	Substance	
Environment	al compartment	Value
	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even inner salts	n numbered) acyl derivs., hydroxides,
Freshwater		0.0135 mg/l
Micro-organi	sms in sewage treatment plants (STP)	3000 mg/l
Soil		0.8 mg/kg
308062-28-4	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	
Freshwater		0.034 mg/l
Freshwater (intermittent releases)	0.034 mg/l
Marine wate	г	0.003 mg/l
Freshwater	sediment	5.24 mg/kg
Marine sedir	nent	0.524 mg/kg
Secondary p	oisoning	24 mg/l



according to Regulation (EC) No 1907/2006

HighPower Cleaner

Revision date: 18.11.2019 Product code: 2199 Page 5 of 13

Soil		1.02 mg/kg
5989-27-5	(R)-p-mentha-1,8-diene, d-limonene	
Freshwater		0,014 mg/l
Marine water	r	0,0014 mg/l
Freshwater s	sediment	3,85 mg/kg
Marine sedim	nent	0,385 mg/kg
Secondary p	oisoning	133 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	1,8 mg/l
Soil		0,763 mg/kg

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls







Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). DIN EN 166

Hand protection

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection


Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:





according to Regulation (EC) No 1907/2006

HighPower Cleaner

Revision date: 18.11.2019 Product code: 2199 Page 6 of 13

- -exceeding exposure limit values
- -insufficient ventilation and aerosol or mist formation

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). Type: P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No special precautionary measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: red

Odour: characteristic

pH-Value (at 20 °C): Conc: 10,9; 9,8 (~10% in aqueous

solution)

Changes in the physical state

Melting point: ~-5 °C
Initial boiling point and boiling range: >100 °C
Sublimation point: not determined
Softening point: not determined
Pour point: not determined
Flash point: not determined
Sustaining combustion: Not sustaining combustion

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

Auto-ignition temperature

Gas: not determined

Decomposition temperature: not determined

Oxidizing properties

none

Vapour pressure: not determined

Density (at 20 °C): 1,06 g/cm³

Water solubility: miscible.

Solubility in other solvents

not determined

Partition coefficient:

Viscosity / dynamic:

Not determined

Viscosity / kinematic:

Not determined

Flow time:

Not determined

vapour density:

Not determined

Evaporation rate:

Not determined

not determined

not determined

not determined

not determined



according to Regulation (EC) No 1907/2006

HighPower Cleaner

Revision date: 18.11.2019 Product code: 2199 Page 7 of 13

Solvent content: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Refer to chapter 10.5.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Phosphorus oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts					
		LD50 >5000 mg/ ka	Rat	ECHA Dossier		
	dermal	LD50 >2000 mg/ ka	Rat	ECHA Dossier		
68439-46-3	Alcohols C9-11, ethoxylat	ed				
		ATE 500 ma/ka				
308062-28-4	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides					
	oral	LD50 1064 mg/ ka	Rat	ECHA Dossier		

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs.,

hydroxides, inner salts

Specific concentration limit (SCL):

>= 10 % (Eye Dam. 1)

>= 4 - < 10 % (Eye Irrit. 2)





according to Regulation (EC) No 1907/2006

HighPower Cleaner

Revision date: 18.11.2019 Product code: 2199 Page 8 of 13

Sensitising effects

Contains (R)-p-mentha-1,8-diene, d-limonene. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs.,

hydroxides, inner salts

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 476

Result: negative.

Literature information: ECHA Dossier Developmental toxicity/teratogenicity:

Method: OECD Guideline 408

Species: Rat Exposure route: oral

Result: NOEL >= 300/1000 mg/Kg Literature information: ECHA Dossier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides:

In-vitro mutagenicity:

Method:

-EU Method B.17 (Mutagenicity - In Vitro Mammalian Cell Gene Mutation Test)

-OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative.

Literature information: ECHA Dossier

Subacute oral toxicity:

Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction /

Developmental Toxicity Screening Test)

Species: Rat

Exposure duration: 28 d.

Results:

NOAEL = 40 mg/kg (Toxicity)

NOAEL = 100 mg/kg (Developmental toxicity/teratogenicity)

Literature information: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs.,

hydroxides, inner salts Subchronic oral toxicity: Method: OECD Guideline 408

Species: Rat
Exposure time: 90d
Exposure route: oral
Result: NOFL > = 300

Result: NOEL > = 300 mg/Kg Literature information: ECHA Dossier

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides:

Subchronic oral toxicity:

Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Species: Sprague-Dawley Rat Exposure duration: 90 d. Results: NOAEL = 88 mg/kg.

Literature information: ECHA Dossier



according to Regulation (EC) No 1907/2006

HighPower Cleaner

Revision date: 18.11.2019 Product code: 2199 Page 9 of 13

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
	1-Propanaminium, 3-amin inner salts	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides,						
	Acute fish toxicity	LC50	1.11 ma/l	96	Pimephales promelas	ECHA Dossier		
	Acute algae toxicity	ErC50	1,5 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier		
	Acute crustacea toxicity	EC50	6,5 mg/l	48	Daphnia magna	ECHA Dossier		
	Fish toxicity	NOEC mg/l	0,135	100 d	Oncorhynchus mykiss	ECHA Dossier		
	Crustacea toxicity	NOEC ma/l	0,32	21 d	Daphnia magna	ECHA Dossier		
308062-28-4	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides							
	Acute fish toxicity	LC50 3.46 mg/l	2,67-	96 h	Pimephales promelas	ECHA Dossier		
	Acute crustacea toxicity	EC50 mg/l	10,5	48 h	Daphnia magna	ECHA Dossier		
	Algea toxicity	NOEC mg/l	0,067	28 d		ECHA Dossier		

12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts					
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	92%	28	ECHA Dossier		
	Readily biodegradable (according to OECD criteria).					
308062-28-4	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides					
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	>70	28	ECHA Dossier		
	Readily biodegradable (according to OECD criteria).					

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	4,1
308062-28-4	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	0,93

12.4. Mobility in soil

No data available.





according to Regulation (EC) No 1907/2006

HighPower Cleaner

Revision date: 18.11.2019 Product code: 2199 Page 10 of 13

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

The product is an alkali. Before discharge into sewage plants the product normally needs to be neutralised. The product does not contribute to the AOX value of the wastewater (DIN EN 1485) and does not contain any heavy metals in relevant concentrations.

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

200130 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents other than those mentioned in 20 01 29

List of Wastes Code - used product

200130 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately

collected fractions (except 15 01); detergents other than those mentioned in 20 01 29

List of Wastes Code - contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); mixed packaging

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/I	RID)	١
-----------------------	------	---

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number: No dangerous good in sense of this transport regulation.
 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
 14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.





according to Regulation (EC) No 1907/2006

HighPower Cleaner

Revision date: 18.11.2019 Product code: 2199 Page 11 of 13

14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Refer to section 6-8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): 2004/42/

No information available.

EC (VOC):

No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2019/957)

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs.,

hydroxides, inner salts

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

(R)-p-mentha-1,8-diene, d-limonene

SECTION 16: Other information

Changes

Rev.: 1.0; Initial release: 28.04.2017

Rev.: 2,0; Revision: 18.11.2019 (Changes in chapter: 2, 3, 5, 8, 10, 11, 13, 15, 16)

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

AGW: Arbeitsplatzgrenzwert AVV: Abfallverzeichnisverordnung CAS Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EAKV: Europäisches Abfallverzeichnis gemäß Entwurf Abfallverzeichnisverordnung

EINECS: European INventory of Existing Commercial chemical Substances



according to Regulation (EC) No 1907/2006

HighPower Cleaner

Revision date: 18.11.2019 Product code: 2199 Page 12 of 13

ELINCS: European LIst of Notified Chemical Substances

ECHA: European Chemicals Agency EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern TRGS Technische Regeln fuer Gefahrstoffe

UN: United Nations

VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

11302	Haiffiui ii Swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
E1 11 10 0 0	0 () (D) (1 (0))

Flammable liquid and vapour.

Harmful if ewallowed

EUH208 Contains (R)-p-mentha-1,8-diene, d-limonene. May produce an allergic reaction.

Further Information


H226

⊔2∩2

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.





according to Regulation (EC) No 1907/2006

HighPower Cleaner

Revision date: 18.11.2019 Product code: 2199 Page 13 of 13

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)