

Summary of Allergen Testing

Name: KOLLO Premium Liquid Marine Collagen 21.5g

Batch: D326

Sample date: 18/02/21

Results Summary:

Allergen Tested For	Method and Range of Testing*	Result	Certificate Ref
0	DOO 00 400		450.44.00.4
Crustacean	ROQ 20 – 160 ppm	<20 ppm	4594169-1
Parall seed on	1.000.4	Not Detected (<0.4	45044.00 4
Mollusc	LOD 0.4 ppm	ppm)	4594169-1
Sesame	ROQ 2.5 – 20 ppm	<2.5 ppm	4594169-1
		Not Detected (<40	
Pecan Nut	LOD 40 ppm	ppm)	4594172-1
		Not Detected (<1.0	
Hazelnut	LOD 1.0 ppm	ppm)	4594172-1
		Not Detected (<1.0	
Peanut	LOD 1.0 ppm	ppm)	4594172-1
		Not Detected (<40	
Macadamia Nut	LOD 40 ppm	ppm)	4594172-1
		Not Detected (<10	
Cashew Nut	LOD 10 ppm	ppm)	4594172-1
		Not Detected (<8.0	
Brazil Nut	LOD 8.0 ppm	ppm)	4594172-1
		Not Detected (<1.0	
Pistachio Nut	LOD 1.0 ppm	ppm) `	4594172-1
Walnut	LOD 10 ppm	Not Detected (<10 ppm)	4594172-1
		Not Detected (<10	
Almond	LOD 10 ppm	ppm)	4594172-1

^{*}LOD - limit of detection - Qualitative PCR Testing

^{*}ROQ - range of quantification. Quantitative Eliza Testing