KARCHER

NT 22/1 AP TE L *110V

The NT 22/1 Ap is the new Professional entry class of wet and dry vacuum cleaners. It offers professional quality and provides the ideal cleaning solution to tradesmen.





Order no.

1.378-614.0

- Efficient semi-automatic filter cleaning
- Socket with automatic start-up for electric tools
- Moisture-resistant PES cartridge filter

Technical data		
EAN code		4054278290546
Current type	Ph / V / Hz	1 / 120 - 120 / 50 - 60
Air flow	I/s	71
Vacuum	mbar / kPa	245 / 24.5
Container content	1	22
Container material		Plastic
Rated input power	W	max. 1200
Standard nominal size		ID 35
Cable length	m	6
Sound pressure level	dB(A)	72
Weight without accessories	kg	6.7
Weight incl. packaging	kg	9.5
Dimensions (L × W × H)	mm	380 × 372 × 503

Equipment		
Suction hose	m	1.9 / with bend
Suction Tube	Piece(s) × m	2 × 0.5 / Metal
Filter bag	Piece(s)	1 / Fleece
Wet and dry floor tool	mm	300
Crevice nozzle		
Connector for electric tools		
Automatic on/off control for electric power tools		•
Cartridge filter		PES
Safety class		I
Caster with brake		•
Included in delivery.		

KARCHER



Lightweight with compact dimensions

■ The machine is easy and convenient to transport and store.

Semi-automatic filter cleaning system

• Semi-automatic filter cleaning effectively ensures constantly high suction power.

Moisture-resistant PES cartridge filter

 It is possible to change from wet to dry vacuum cleaning easily without having to dry the PES cartridge filter first.

KARCHER

EQUIPMENT FOR NT 22/1 AP TE L *110V 1.378-614.0





























				\top
		Order no.	Description	
CARTRIDGE FILTER, STANDARD, BIA C OR UP T	O DUS	T CLASS M		
Cartridge filter PES				
Cartridge filter packaged PES	1	2.889-219.0	Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified.	
BENDS				
Plastic bend				
Elbow packaged NW35 1K	2	2.889-199.0	Plastic elbow, grey, with C-35 clip system.	
Elbow electrically conducting packaged N	3	2.889-148.0	Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	
Elbow complete packaged NW35 2K	4	2.889-168.0	Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	
Elbow packaged NW35 2K	5	2.889-170.0	Ergonomic bend for the new clip system.	
SUCTION NOZZLES				
All-purpose nozzles (wet/dry)				
Floor tool packaged grey DN 35 300mm	6	2.889-263.0	Wet/Dry floor nozzle, NW 35, 300 millimetre wide, grey. Incl. brush strips and squeegees. Easy-to-change inserts.	-
Floor tool packaged NW35 360mm	7	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	
Crevice nozzles				
Crevice nozzle wet and dry packaged NW35	8	2.889-159.0	Crevice nozzle ID 35, for new Tact range.	
Car cleaning nozzles				
Car nozzle DN35	9	6.906-108.0	Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	
Car nozzle packaged with Signet	10	2.889-356.0		
SUCTION TUBES				
Suction tubes metal				
Suction tube chromed NW35 - 505mm	11	6.902-074.0	Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres.	
Suction tubes plastic	•			
Set suction tube DN35 505mm	12	2.889-218.0	Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres.	
CONNECTING SLEEVES				Ť
Adapter for electric power tools, screwable				
Attachment rubber sleeve	13	5.303-877.0		
Connecting sleeve C-DN (clip on taper), EL (ele	ctroco	nductive)		
Connection cone NW35	14	5.407-005.0		
■ Included in delivery □ Available access			-	

 \blacksquare Included in delivery. \qed Available accessories.



EQUIPMENT FOR NT 22/1 AP TE L *110V 1.378-614.0















	Order no.	Description	
15	2.889-151.0	Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for a current electric tools.	ill [
16	2.889-217.0	Fleece filter bag, tear-resistant, for NT 22/1 Ap and NT 22/1 Ap Te machines. Dust class-L-certified	d. 🗆
with	vacuum cleane	rs from model year 2017 on)	
17	2.889-134.0	2.5 m suction hose with new bayonet and clip fastener.	
18	2.889-136.0	Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	
19	2.889-145.0	Extension hose for new clip system ID 35. Length: 2.5 m.	
20	2.679-000.0	Drilling dust nozzle for dust-free vacuuming. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	
21	2.889-312.0		
	16 with 17 18 19	15 2.889-151.0 16 2.889-217.0 with vacuum cleane 17 2.889-136.0 18 2.889-145.0 20 2.679-000.0	15 2.889-151.0 Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for a current electric tools. 16 2.889-217.0 Fleece filter bag, tear-resistant, for NT 22/1 Ap and NT 22/1 Ap Te machines. Dust class-L-certified with vacuum cleaners from model year 2017 on) 17 2.889-134.0 2.5 m suction hose with new bayonet and clip fastener. 18 2.889-136.0 Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m. 19 2.889-145.0 Extension hose for new clip system ID 35. Length: 2.5 m. 20 2.679-000.0 Drilling dust nozzle for dust-free vacuuming. Suitable for dry and wet and dry vacuum cleaners from Kärcher.

 \blacksquare Included in delivery. $\hfill\Box$ Available accessories.