

Product Code: EP700SL

Low height freezer suitable for wheeling through standard doorways



Features & Benefits

- Suitable for low ceiling height applications & smaller footprint.
- Fitted with our award winning +StayClear Condenser. Ensures equipment works more efficiently for longer.
- Lower energy consumption & 33% energy saving vs previous model
- Greater usable internal storage capacity: increase of 28ltrs over previous model

Base Fittings		Doors		Refrigeration	
Castors 80mm	Standard	Solid	Standard	R290 - Energy Efficient	Standard
Legs 150mm	Option	Left Hand Hinged Door	Option	Integral Refrigeration System	Standard
Electrical & Service Data		Product Extras		Less Condensing Unit	Option
230/50/1	Standard	Helicoil Mains Lead	Option	Specification	
Fuse Required (A)	10	Energy		Gross volume (ltrs)	550
Finish		37		Freezer -18/-21°C	Standard
		AEC	1683	Width (mm)	700
304 s/s ext & alu int	Standard	Nett Volume	439.4	Depth (mm)	855
304 s/s	Option	Energy Grade	С	Height (mm)	1955
		Energy Efficiency Index	46.4	•	

Footnotes

- Requires 100mm free space above product
- Image only shown for representative purposes

Energy Performance Data and information



Application

This appliance is intended for use in ambient temperatures up to $\{1\}^{\circ}C$

Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit our policies













ın Hygi

After Care

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU Phone 08432 168800 | Email sales@foster-uk.com | Visit www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.