

# LAZER MENADA LINEAR LUMINAIRE



# TABLE OF CONTENTS

LAZER MENADA SURFACE MOUNT LED	5
30mm x 30mm	6-7
30mm x 45mm	8-9
60mm x 70mm	10-11
60mm x 90mm	12-13
80mm x 90mm	14-15
90mm x 90mm	16-17
LAZER MENADA RECESSED LED	19
60mm x 90mm	20-21
90mm x 90mm	22-23
LAZER MENADA SUSPENDED LED	25
60mm x 90mm	26-27
90mm x 90mm	28-29

# TABLE OF CONTENTS

LED STRIP LIGHTING	31
300K LED	32- 33
5000K LED	34-35
RGB LED	36-37






# LAZER MENADA

## SURFACE MOUNT LED

# LAZER MENADA SURFACE MOUNT LED




<b>Product Name</b>	Lazer Menada Surface Mount LED
<b>Type</b>	LED Surface Mount 
<b>Colour</b>	Aluminium extrusion available in Anodised finish, White, Black or can match to "Dulux" colour range (additional charges apply)
<b>Colour Temperature</b>	830 warm white, 840 cool white, 865 day light
<b>Description</b>	Architectural design for Commercial and Domestic buildings 1.2m stainless steel wire Osram modular High-Efficiency LED technology Dali-Dimmable Control Gear ICE diffuser
<b>Accessories (Optional)</b>	LED Suspension Kit available to suit aluminium profile 

Item No.	Length	Outer Dimensions (W x H)
<b>LAZER30x30/SM-LED</b>	<ul style="list-style-type: none"> <li>LED extrusion can be supplied in different lengths to suit any project requirement</li> <li>Max length with no joins is a 6m extrusion</li> <li><b>Custom lengths available to suit individual project requirements</b></li> </ul>	30mm x 30mm 

Single Module Size 560mm





6m continuous extrusion with no visible joins




# LAZER MENADA SURFACE MOUNT LED






<b>Product Name</b>	Lazer Menada Surface Mount LED	
<b>Type</b>	LED Surface Mount	
<b>Colour</b>	Aluminium extrusion available in Anodised finish, White, Black or can match to "Dulux" colour range (additional charges apply)	
<b>Colour Temperature</b>	830 warm white, 840 cool white, 865 day light	
<b>Description</b>	<p>Architectural design for Commercial and Domestic buildings</p> <p>1.2m stainless steel wire</p> <p>Osram modular High-Efficiency LED technology</p> <p>Dali-Dimmable Control Gear</p> <p>ICE diffuser</p>	
<b>Accessories (Optional)</b>	LED Suspension Kit available to suit aluminium profile	

Item No.	Length	Outer Dimensions
<b>LAZER30x45/ SM-LED</b>	<ul style="list-style-type: none"> <li>LED luminaire can be supplied in different lengths to suit any project requirement</li> <li>Maximum 6m length with no visible joins Australian made</li> <li><b>Custom lengths available to suit individual project requirements</b></li> </ul>	<p>30mm x 45mm</p> 

Single Module Size 560mm






6m continuous extrusion with no visible joins



# LAZER MENADA SURFACE MOUNT LED




<b>Product Name</b>	Lazer Menada Surface Mount LED	
<b>Type</b>	LED Surface Mount	
<b>Colour</b>	Aluminium extrusion available in Anodised finish, White, Black or can match to "Dulux" colour range (additional charges apply)	
<b>Colour Temperature</b>	830 warm white, 840 cool white, 865 day light	
<b>Description</b>	<p>Architectural design for Commercial and Domestic buildings</p> <p>1.2m stainless steel wire</p> <p>Osram modular High-Efficiency LED technology</p> <p>Dali-Dimmable Control Gear</p> <p>ICE diffuser</p>	
<b>Accessories (Optional)</b>	LED Suspension Kit available to suit aluminium profile	

Item No.	Length	Outer Dimensions (W x H)
<b>LAZER60x70/ SM-LED</b>	<ul style="list-style-type: none"> <li>LED extrusion can be supplied in different lengths to suit any project requirement</li> <li>Max length with no joins is a 6m extrusion</li> <li><b>Custom lengths available to suit individual project requirements</b></li> </ul>	<p>60mm x 70mm</p> 

**Single Module Size 560mm**






**6m continuous extrusion with no visible joins**



# LAZER MENADA SURFACE MOUNT LED



<b>Product Name</b>	Lazer Menada Surface Mount LED	
<b>Type</b>	LED Surface Mount	
<b>Colour</b>	Aluminium extrusion available in Anodised finish, White, Black or can match to "Dulux" colour range (additional charges apply)	
<b>Colour Temperature</b>	830 warm white, 840 cool white, 865 day light	
<b>Description</b>	Architectural design for Commercial and Domestic buildings 1.2m stainless steel wire Osram modular High-Efficiency LED technology Dali-Dimmable Control Gear ICE diffuser	
<b>Accessories (Optional)</b>	LED Suspension Kit available to suit aluminium profile	

Item No.	Length	Outer Dimensions (W x H)
<b>LAZER60x90/ SM-LED</b>	<ul style="list-style-type: none"> <li>LED luminaire can be supplied in different lengths to suit any project requirement</li> <li>Maximum 3m length with no visible joins Australian made</li> <li><b>Custom lengths available to suit individual project requirements</b></li> </ul>	60mm x 90mm 

**Single Module Size**






**3m continuous extrusion with no visible joins**



# LAZER MENADA SURFACE MOUNT LED




<b>Product Name</b>	Lazer Menada Surface Mount LED	
<b>Type</b>	LED Surface Mount	
<b>Colour</b>	Aluminium extrusion available in Anodised finish, White, Black or can match to "Dulux" colour range (additional charges apply)	
<b>Colour Temperature</b>	830 warm white, 840 cool white, 865 day light	
<b>Description</b>	<p>Architectural design for Commercial and Domestic buildings</p> <p>1.2m stainless steel wire</p> <p>Osram modular High-Efficiency LED technology</p> <p>Dali-Dimmable Control Gear</p> <p>ICE diffuser</p>	
<b>Accessories (Optional)</b>	LED Suspension Kit available to suit aluminium profile	

Item No.	Length	Outer Dimensions
<b>LAZER80x90/ SM-LED</b>	<ul style="list-style-type: none"> <li>LED extrusion can be supplied in different lengths to suit any project requirement</li> <li>Max length with no joins is a 6m extrusion</li> <li><b>Custom lengths available to suit individual project requirements</b></li> </ul>	<p>80mm x 90mm</p> 

Single Module Size 560mm





6m continuous extrusion with no visible joins




# LAZER MENADA SURFACE MOUNT LED





<b>Product Name</b>	Lazer Menada Surface Mount LED
<b>Type</b>	LED Surface Mount 
<b>Colour</b>	Aluminium extrusion available in Anodised finish, White, Black or can match to "Dulux" colour range (additional charges apply)
<b>Colour Temperature</b>	830 warm white, 840 cool white, 865 day light
<b>Description</b>	Architectural design for Commercial and Domestic buildings 1.2m stainless steel wire Osram modular High-Efficiency LED technology Dali-Dimmable Control Gear ICE diffuser
<b>Accessories (Optional)</b>	LED Suspension Kit available to suit aluminium profile 

Item No.	Length	Outer Dimensions (W x H)
<b>LAZER90x90/ SM-LED</b>	<ul style="list-style-type: none"> <li>LED luminaire can be supplied in different lengths to suit any project requirement</li> <li>Maximum 3m length with no visible joints Australian made</li> <li><b>Custom lengths available to suit individual project</b></li> </ul>	90mm x 90mm 

Single Module Size 560mm




3m continuous extrusion with no visible joints







# LAZER MENADA RECESSED LED

# LAZER MENADA RECESSED LED



<b>Product Name</b>	Lazer Menada Recessed LED
<b>Type</b>	LED Recessed 
<b>Colour</b>	Aluminium extrusion available in Anodised finish, White, Black or can match to "Dulux" colour range (additional charges apply)
<b>Colour Temperature</b>	830 warm white, 840 cool white, 865 day light
<b>Description</b>	Architectural design for Commercial and Domestic buildings 1.2m stainless steel wire Osram modular High-Efficiency LED technology Dali-Dimmable Control Gear ICE diffuser

Item No.	Length	Outer Dimensions
<b>LAZER60x90/ R-LED</b>	<ul style="list-style-type: none"> <li>LED luminaire can be supplied in different lengths to suit any project requirement</li> <li>Maximum 3m length with no visible joins Australian made</li> <li><b>Custom lengths available to suit individual project requirements</b></li> </ul>	<p>60mm x 90mm</p> 

**Single Module Size 560mm**





**3m continuous extrusion with no visible joins**




# LAZER MENADA RECESSED LED




<b>Product Name</b>	Lazer Menada Recessed LED
<b>Type</b>	LED Recessed 
<b>Colour</b>	Aluminium extrusion available in Anodised finish, White, Black or can match to "Dulux" colour range (additional charges apply)
<b>Colour Temperature</b>	830 warm white, 840 cool white, 865 day light
<b>Description</b>	Architectural design for Commercial and Domestic buildings 1.2m stainless steel wire Osram modular High-Efficiency LED technology Dali-Dimmable Control Gear ICE diffuser

Item No.	Length	Outer Dimensions ( W x H )
<b>LAZER90x90/ R-LED</b>	<ul style="list-style-type: none"> <li>LED luminaire can be supplied in different lengths to suit any project requirement</li> <li>Maximum 6m length with no visible joints Australian made</li> <li><b>Custom lengths available to suit individual project requirements</b></li> </ul>	<p>90mm x 90mm</p> 

Single Module Size 560mm



6m continuous extrusion with no visible joints









LAZER MENADA

SUSPENDED LED

# LAZER MENADA SUSPENDED LED




<b>Product Name</b>	Lazer Menada Suspended LED
<b>Type</b>	LED Suspended 
<b>Colour</b>	Aluminium extrusion available in Anodised finish, White, Black or can match to "Dulux" colour range (additional charges apply)
<b>Colour Temperature</b>	830 warm white, 840 cool white, 865 day light
<b>Description</b>	Architectural design for Commercial and Domestic buildings 1.2m stainless steel wire Osram modular High-Efficiency LED technology Dali-Dimmable Control Gear ICE diffuser

Item No.	Length	Outer Dimensions (W x H)
<b>LAZER60x90/ SP-LED</b>	<ul style="list-style-type: none"> <li>LED luminaire can be supplied in different lengths to suit any project requirement</li> <li>Maximum 3m length with no visible joins Australian made</li> <li><b>Custom lengths available to suit individual project requirements</b></li> </ul>	60mm x 90mm 



**Single Module Size 560mm**





**3m continuous extrusion with no visible joins**



# LAZER MENADA SUSPENDED LED




<b>Product Name</b>	Lazer Menada Suspended LED
<b>Type</b>	LED Suspended 
<b>Colour</b>	Aluminium extrusion available in Anodised finish, White, Black or can match to "Dulux" colour range (additional charges apply)
<b>Colour Temperature</b>	830 warm white, 840 cool white, 865 day light
<b>Description</b>	Architectural design for Commercial and Domestic buildings 1.2m stainless steel wire Osram modular High-Efficiency LED technology Dali-Dimmable Control Gear ICE diffuser

Item No.	Length	Outer Dimensions (W x H)
<b>LAZER90x90/ SM-LED</b>	<ul style="list-style-type: none"> <li>LED luminaire can be supplied in different lengths to suit any project requirement</li> <li>Maximum 3m length with no visible joints Australian made</li> <li><b>Custom lengths available to suit individual project requirements</b></li> </ul>	90mm x 90mm 

Single Module Size 560mm



3m continuous extrusion with no visible joints





# LED STRIP LIGHTING






# 3000K LED










Item No	SMD	Wattage Per Metre	LED Per Metre	Voltage	Lumens Per Metre	Colour Temperature	IP Rating
LA-LED/4.8-3K	3528	4.8w	60	12v DC	390lm	3k	IP20 IP54 IP67
LA-LED/6-3K	2835	6w	60	12v DC	300lm	3k	IP20
LA-LED/9.6-3K	3528	9.6w	120	12v DC	780lm	3k	IP20 IP54
LA-LED/19.2-3K	3528	19.2w	240	24v DC	1560lm	3k	IP20
LA-LED/14.4-3K	2835	14.4w	60	12v DC	1200lm	3k	IP20 IP54 IP67
LA-LED/24-3K	2835	24w	120	12v DC	2400lm	3k	IP20
LA-LED/32.6-3K	2835	32.6w	168	24v DC	3260lm	3k	IP20
LA-LED/46-3K	2835	46w	252	24v DC	4140lm	3k	IP20



# 5000K LED



Item No	SMD	Wattage Per Metre	LED Per Metre	Voltage	Lumens Per Metre	Colour Temperature	IP Rating
LA-LED/4.8/5k-IP20 LA-LED/4.8/5k-IP54 LA-LED/4.8/5k-IP67	3528	4.8w	60	12v DC	430lm	5k	IP20 IP54 IP67
LA-LED/9.6/5k-IP20 LA-LED/9.6/5k-IP54	3528	9.6w	120	12v DC	860lm	5k	IP20 IP54
LA-LED/19.2/5k-IP20	3528	19.2w	240	24v DC	1640lm	5k	IP20
LA-LED/14.4/5k-IP20 LA-LED/14.4/5k-IP54 LA-LED/14.4/5k-IP67	2835	14.4w	60	12v DC	1320lm	5k	IP20 IP54 IP67
LA-LED/24-5k	2835	24w	120	12v DC	2400lm	5k	IP20
LA-LED/32.6-5k	2835	32.6w	168	24v DC	4075lm	5k	IP20
LA-LED/46-5k	2835	46w	252	24v DC	4600lm	5k	IP20



# RGB LED



Item No	SMD	Wattage Per Metre	LED Per Metre	Voltage	Lumens Per Metre	Colour	IP Rating
LA-RGB/14.4	5050	14.4w	60	12v DC	1290lm	RGB Multicolour + Cool White	IP20 INDOOR
LA-RGB/14.4W	5050	14.4w	60	12v DC	1170lm	RGB Multicolour + Warm White	IP20 INDOOR
LA-RGB/24	5050	24w	120	12v DC	2580lm	RGB Multicolour + Cool White	IP20 INDOOR
LA-RGB/24W	5050	24w	120	12v DC	2340lm	RGB Multicolour + Warm White	IP20 INDOOR
LA-RGB/14.4-1290	5050	14.4w	60	12v DC	1290lm	RGB Multicolour + Cool White	IP54 WATER RESISTENT
LA-RGB/14.4-1170	5050	14.4w	60	12v DC	1170lm	RGB Multicolour + Cool White	IP54 WATER RESISTENT