JOYORGANICS

CERTIFICATE OF ANALYSIS

PRODUCT NAME: PRODUCT STRENGTH TINCTURE BATCH: BEST BY DATE: HEMP EXTRACT LOT:

Organic Full Spectrum CBD Tincture - Lime

H:	1350mg
	231220A
	12/20/25
:	221207A

Physical Atttributes

Test	Method	Specification	Results
Color	Joy Internal	Golden to Amber	PASS
Odor	Joy Internal	Characteristic - Coconut and Hemp, Tropical	PASS
Appearance	Joy Internal	Golden to Amber oil in brown glass bottle with dropper.	PASS
Primary Package Eval.	Joy Internal	Container clean and free of filth. Container caps tight and shrink bands intact	PASS
Secondary Package Eval.	Joy Internal	Labeling Compliance Checked, Cartons sturdy and clean. Sufficient cushion material exists. Box taped and secure.	PASS

Review of Third-Party Analysis

Panel	Method	Specification	Results*	Pass/Fail
Potency - Total CBD	HPLC-UV DAD	LOQ*: ≥ product strength mg / bottle	1575mg	PASS
Potency - D9-THC	HPLC-UV DAD	LOQ: <0.3% total THC (Full spectrum)	46mg	PASS
Expanded Pesticide Panel	HPLC-QQQ	LOQ: Complies with CDPHE 6 CCR 1010-21 Industrial Hemp Extract	Below LOQ	PASS
Microbial Escherichia coli (STEC)	PCR	Complies with CDPHE 6 CCR 1010-21 - LOQ 1 CFU/25 gram**	Absent	PASS
Microbial Salmonella	PCR	Complies with CDPHE 6 CCR 1010-21 - LOQ 1 CFU/25 gram	Absent	PASS
Microbial Yeast and Mold	Culture Plating	Complies with CDPHE 6 CCR 1010-21 - LOQ 10^2 CFU/gram	Below LOQ	PASS
Microbial Total Coliforms	Culture Plating	Complies with CDPHE 6 CCR 1010-21 - LOQ 10^2 CFU/gram	Below LOQ	PASS
Microbial Total Aerobic Count	Culture Plating	Complies with CDPHE 6 CCR 1010-21 - LOQ 10^3 CFU/gram	Below LOQ	PASS
Heavy Metals	ICP-MS	Arsenic (As): ≤1.5 ppm† Cadmium (Cd): ≤0.5 ppm Lead (Pb): ≤0.5 ppm Mercury (Hg): ≤1.5 ppm	Below LOQ	PASS
Mycotoxins	ICP-MS	Total Aflatoxins <20 ppb†† Afltoxin B1 < 5 ppb Ochratoxin < 5ppb	Below LOQ	PASS
Residual Solvents	GC-HS-MSD	LOQ: Complies with CDPHE 6 CCR 1010-21 Industrial Hemp Extract	Below LOQ	PASS

† Parts Per Million †† Part Per Billion

Values expressed in scientific notation. Examples: 10^2=100 10^3=1,000

Quality Certified

Date

Name



Organic 1350mg Lime Tincture

Batch ID or Lot Number:	Test:	USDA License:
231220A	Potency	N/A
Matrix:	Test ID:	Sampler ID:
Concentrate	T000230173	N/A
	Method(s): TM14 (HPLC-DAD): Potency – Standard Cannabinoid Analysis	Status: Active

Cannabinoids	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
Cannabichromene (CBC)	0.006	0.022	0.210	2.10
Cannabichromenic Acid (CBCA)	0.006	0.020	ND	ND
Cannabidiol (CBD)	0.018	0.058	5.527	55.27
Cannabidiolic Acid (CBDA)	0.019	0.060	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Cannabidivarin (CBDV)	0.004	0.014	0.040	0.40
Cannabidivarinic Acid (CBDVA)	0.008	0.025	ND	ND
Cannabigerol (CBG)	0.004	0.012	0.120	1.20
Cannabigerolic Acid (CBGA)	0.015	0.052	ND	ND
Cannabinol (CBN)	0.005	0.016	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Cannabinolic Acid (CBNA)	0.010	0.035	ND	ND
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.017	0.061	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.016	0.056	0.164	1.64
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.014	0.049	ND	ND
Tetrahydrocannabivarin (THCV)	0.003	0.011	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Tetrahydrocannabivarinic Acid (THCVA)	0.012	0.044	ND	ND
Total Cannabinoids			6.061	60.61
Total Potential THC			0.164	1.64
Total Potential CBD			5.527	55.27

Final Approval

Karen Winternheimer 01:35:00 PM MST

mantha

Sam Smith 01:37:00 PM MST



PREPARED BY

APPROVED BY / DATE

https://results.botanacor.com/api/v1/coas/uuid/92fe9e23-4c7f-4ea0-85fc-046a20f5ccb0

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.





Organic 1350mg LimeTincture

Batch ID: 231220A		Test ID:	T000126133	
Туре:	Concentrate			
Test:	Metals			
Method:	TM19			

HEAVY METALS

Analyte	Dynamic Range (ppm)	Result (ppm)
Arsenic	0.092 - 9.20	ND
Cadmium	0.095 - 9.53	ND
Mercury	0.095 - 9.55	ND
Lead	0.095 - 9.52	ND

* ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL

Daniel Wardans

Daniel Weidensaul

Den Minton

Ben Minton

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.



Organic 1350mg Lime Tincture

Batch ID:23	1220A	Test ID:	T000126134	
Туре:	Concentrate			
Test:	Residual Solvents			
Method:	TM04			

RESIDUAL SOLVENTS

Solvent	Dynamic Range (ppm)	Result (ppm)
Propane	96 - 1911	*ND
Butanes (Isobutane, n-Butane)	178 - 3556	*ND
Methanol	53 - 1054	*ND
Pentane	91 - 1816	*ND
Ethanol	92 - 1838	*ND
Acetone	92 - 1849	*ND
Isopropyl Alcohol	97 - 1933	*ND
Hexane	6 - 116	*ND
Ethyl Acetate	96 - 1919	*ND
Benzene	0.2 - 3.7	*ND
Heptanes	92 - 1838	*ND
Toluene	17 - 335	*ND
Xylenes (m,p,o-Xylenes)	118 - 2359	*ND

* ND = None Detected (Defined by Dynamic Range of the method)

NOTES:

N/A

FINAL APPROVAL

Hygen Deus

Ryan Weems

Den Minton

Ben Minton

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Botanacor Laboratories™, All Rights Reserved | 1301 S Jason St Unit K, Denver, CO 80223 | 888.800.8223 | www.botanacor.com



Dynamic Range (ppb)

291 - 2468

39 - 2468

38 - 2468

42 - 2468

160 - 2468

101 - 2468

38 - 2468

41 - 2468

38 - 2468

40 - 2468

269 - 2468

41 - 2468

298 - 2468

38 - 2468

281 - 2468

30 - 2468

76 - 2468

22 - 2468

285 - 2468

42 - 2468

38 - 2468

40 - 2468

>273

>299 17 - 2468 Result (ppb)

ND*

ND*

ND*

ND*

ND*

ND'

ND*

Organic 1350mg Lime Tincture

Batch ID:23	1220A	Test ID:	T000126131	
Туре:	Concentrate			
Test:	Pesticides			
Method:	TM17			

PESTICIDE RESIDUE

Compound	Dynamic Range (ppb)	Result (ppb)	Compound
Acephate	34 - 2468	ND*	Malathion
Acetamiprid	40 - 2468	ND*	Metalaxyl
Abamectin	>342	ND*	Methiocarb
Azoxystrobin	42 - 2468	ND*	Methomyl
Bifenazate	28 - 2468	ND*	MGK 264 1
Boscalid	42 - 2468	ND*	MGK 264 2
Carbaryl	38 - 2468	ND*	Myclobutanil
Carbofuran	39 - 2468	ND*	Naled
Chlorantraniliprole	37 - 2468	ND*	Oxamyl
Chlorpyrifos	42 - 2468	ND*	Paclobutrazol
Clofentezine	269 - 2468	ND*	Permethrin
Diazinon	280 - 2468	ND*	Phosmet
Dichlorvos	>286	ND*	Prophos
Dimethoate	40 - 2468	ND*	Propoxur
E-Fenpyroximate	279 - 2468	ND*	Pyridaben
Etofenprox	41 - 2468	ND*	Spinosad A
Etoxazole	289 - 2468	ND*	Spinosad D
Fenoxycarb	>31	ND*	Spiromesifen
Fipronil	38 - 2468	ND*	Spirotetramat
Flonicamid	38 - 2468	ND*	Spiroxamine 1
Fludioxonil	>286	ND*	Spiroxamine 2
Hexythiazox	36 - 2468	ND*	Tebuconazole
Imazalil	272 - 2468	ND*	Thiacloprid
Imidacloprid	41 - 2468	ND*	Thiamethoxam
Kresoxim-methyl	43 - 2468	ND*	Trifloxystrobin

* ND = None Detected (Defined by Dynamic Range of the method)

N/A

FINAL APPROVAL

Wie

Tyler Wiese

Den Minton

Ben Minton

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.



Organic 1350mg Lime Tincture

Batch ID or Lot Number: 231220A	Test: Mycotoxins		USDA License: N/A	
Matrix:	Test ID:		Sampler ID:	
Concentrate	T000223802		N/A	
	Method(s):		Status:	
	TM18 (UHPLC-QQQ LCMS/MS)	:	Active	
	Mycotoxins			
Mycotoxins	Dynamic Range (ppb)	Result (ppb)	Notes	
Ochratoxin A	1.29 - 118.48	ND	N/A	
Aflatoxin B1	0.85 - 30.17	ND		
Aflatoxin B2	2.29 - 29.70	ND		
Aflatoxin G1	0.97 - 29.91	ND		
Aflatoxin G2	1.18 - 29.79	ND		
Total Aflatoxins (B1, B2, G1, an	d G2)	ND		

Final Approval

Samantha Smo

Sam Smith

APPROVED BY / DATE

Karen Winternheimer



PREPARED BY / DATE

https://results.botanacor.com/api/v1/coas/uuid/8ccc393e-3ea3-4eb0-90d5-8e4c9ec4fb5e

Definitions ND = None Detected (defined by dynamic range of the method) Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



SC Laboratories, Inc. | © All Rights Reserved | 1301 S Jason St Unit K, Denver, CO 80223 | 888.800.8223 | www.sclabs.com



1350mg Lime Tincture

Tost:				
Test: Microbial Contaminants		Reported: 29Dec2023		USDA License: N/A
Test ID:	Test ID:			Sampler ID:
T000265673		26Dec2023		N/A
Method(s):		Received:		Status:
TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorado Panel)		21Dec2023 o		Active
		0		
Method	LOD	Range	Result	Notes
TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
	Test ID: T000265673 Method(s): TM25 (qPCR) TM (Culture Plating): Panel) Method TM25: PCR TM25: PCR TM25: PCR TM24: Culture Plating TM26: Culture Plating TM27: Culture	Test ID: T000265673 Method(s): TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorad Panel) Method LOD TM25: PCR 10 ⁰ CFU/25g TM25: PCR 10 ⁰ CFU/25g TM25: PCR 10 ⁰ CFU/25g TM24: Culture Plating 10 ¹ CFU/g TM26: Culture Plating 10 ² CFU/g TM27: Culture 10 ¹ CFU/g	Microbial Contart29Dec2023Test ID: T000265673Started: 26Dec2023Method(s): TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorado Panel)Received: 21Dec2023MethodLODQuantitation RangeMethod10° CFU/25gNATM25: PCR10° CFU/25gNATM25: PCR10° CFU/25gNATM25: PCR10° CFU/25gNATM24: Culture Plating10° CFU/25gNATM26: Culture Plating10° CFU/g1.0x10² - 1.5x10⁴TM27: Culture Plating10° CFU/g1.0x10² - 1.5x10⁴	Microbial Contart29Dec2023Test ID: T000265673Started: 26Dec2023Method(s): TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorado Panel)Received: 21Dec2023MethodLODQuantitation RangeResultTM25: PCR10° CFU/25gNAAbsentTM25: PCR10° CFU/25gNAAbsentTM25: PCR10° CFU/25gNAAbsentTM25: PCR10° CFU/25gNAAbsentTM26: Culture Plating10° CFU/g1.0x10°2-1.5x10°None DetectedTM26: Culture Plating10° CFU/g1.0x10°3-1.5x10°None Detected

Final Approval

Kit 1/2 hun

Brett Hudson 29Dec2023

Brianne Maillot

Brianne Maillot 29Dec2023 01:24:00 PM MST



PREPARED BY / DATE

11:36:00 AM MST

APPROVED BY / DATE



https://results.botanacor.com/api/v1/coas/uuid/60eaccc0-a3d8-4889-91e5-a76eea821de2

Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: $10^2 = 100 \text{ CFU}$, $10^3 = 1,000 \text{ CFU}$, $10^4 = 10,000 \text{ CFU}$, $10^5 = 100,000 \text{ CFU}$ CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection

ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation STEC = Shiga Toxin-Producing E. coli

> Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.

