JOYORGANICS

CERTIFICATE OF ANALYSIS

PRODUCT NAME: **PRODUCT STRENGTH:** TINCTURE BATCH: **BEST BY DATE: HEMP EXTRACT LOT:**

Organic CBD Full Spectrum Tincture - Key Lime
2250mg
221017A
2/23/2024
BCA-000409-220624

Physical Atttributes

Test	Method	Specification	Results
Color	Joy Internal	Golden to Amber	PASS
Odor	Joy Internal	Characteristic - Coconut and hemp, lime	PASS
Appearance	Joy Internal	Golden to Amber oil in brown glass bottle with dropper.	PASS
Primary Package Eval.	Joy Internal	Container clean and free of filth. Container caps tight and shrink bands intact	PASS
Secondary Package Eval.	Joy Internal	Labeling Compliance Checked, Cartons sturdy and clean. Sufficient cushion material exists. Box taped and secure.	PASS

Review of Third-Party Analysis

Panel	Method	Specification	Results*	Pass/Fail
Potency - Total CBD	HPLC-UV DAD	*NLT (product strength) mg / bottle	2314mg	PASS
Potency - D9-THC	HPLC-UV DAD	LOQ: 10 ppm (.001-0.3%)	795mg	PASS
Expanded Pesticide Panel	HPLC-QQQ	LOQ: Complies with CDPHE 6 CCR 1010-21 Industrial Hemp Extract	ND	PASS
Microbial Escherichia coli (STEC)	PCR	Complies with CDPHE 6 CCR 1010-21 - LOQ 1 CFU/25 gram	Below LOQ	PASS
Microbial Salmonella	PCR	Complies with CDPHE 6 CCR 1010-21 - LOQ 1 CFU/25 gram	Below LOQ	PASS
Microbial Yeast and Mold	Culture Plating	Complies with CDPHE 6 CCR 1010-21 - LOQ 10^2 CFU/gram		
Microbial Total Coliforms*	Culture Plating	Complies with CDPHE 6 CCR Below LOQ 010-21 - LOQ 10^2 CFU/gram Below LOQ		PASS
Microbial Total Aerobic Count*	Culture Plating	Complies with CDPHE 6 CCR 1010-21 - LOQ 10^3 CFU/gram	Below LOQ	PASS
Heavy Metals Panel	ICP-MS	Arsenic (As): ≤1.5 ppm Cadmium (Cd): ≤0.5 ppm Lead (Pb): ≤0.5 ppm Mercury (Hg): ≤1.5 ppm	ND	PASS
Mycotoxins	ICP-MS	Total Aflatoxins <20 ppb† Afltoxin B1 < 5 ppb Ochratoxin < 5ppb	ND	PASS
Residual Solvents	GC-HS-MSD	LOQ: Complies with CDPHE 6 CCR 1010-21 Industrial Hemp Extract	ND	PASS

**Level of Quantitation, † Parts Per Million † Part Per Billion CFU/g=Colony Forming Units per Gram *nothing Less Than 10°2=100 CFU 10°3=1,000 CFU

6

Name

Quality Certified

Date

10/28/2022

2519 S Shields St. #1042, Fort Collins, CO 80526 Tel: (833) 569-7223 www.joyorganics.com

FO-106 Certificate of Analysis Rev. 1.1 - Effective Date: 6/29/2022





Report Number: 22-007617/D003.R000 07/07/2022 **Report Date: ORELAP#:** OR100028 **Purchase Order: Received:** 06/29/22 11:00

Product identity:	OFTKL2250-221017A
Client/Metrc ID:	BCA-000409-220624 .
Laboratory ID:	22-007617-0001

Summary

				ummary 		
Analyte	Result	Limits	Units	Status		81.2 mg/1g
CBC	0.0211		%			
CBD	8.12		%		+	
CBDV [†]	0.0360		%		THC-Total per 1g	2.79 mg/1g
CBE [†]	0.0973		%		(Poported in milli	grams per serving)
CBG [†]	0.439		%		(Reported in mini	grams per serving)
CBL [†]	0.0145		%			
CBN	0.0227		%			
CBT [†]	0.345		%			
∆9-THC	0.279		%			
Analyte per 1g	Result	Limits	Units	Status		
CBC per 1g [†]	0.211		mg/1g			
CBD per 1g	81.2		mg/1g			
CBDV per 1g [†]	0.360		mg/1g			
CBE per 1g [†]	0.973		mg/1g			
CBG per 1g [†]	4.39		mg/1g			
CBL per 1g [†]	0.145		mg/1g			
CBN per 1g	0.227		mg/1g			
CBT per 1g [†]	3.45		mg/1g			
∆9-THC per 1g	2.79		mg/1g			

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



OFTKL2250

Batch ID or Lot Number: 221017A	Test: Microbial Contaminants				USDA License: N/A		
Matrix:	Test ID:	Test ID:			Sampler ID:		
Finished Product	T000224972		18Oct2022		N/A		
	Method(s):		Received:		Status:		
	-	TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorado Panel)			Active		
Microbial			•				
Contaminants	Method	LOD	Quantitation Range	Result	Notes		
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and		
Salmonella	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	— foreign matter		
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected			
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected			
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected			

Final Approval

Eden Thompson

Eden Thompson-Wright 21Oct2022 03:19:00 PM MDT


Branne Maillot

Brianne Maillot 21Oct2022 04:17:00 PM MDT



PREPARED BY / DATE

APPROVED BY / DATE



Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: $10^2 = 100 \text{ CFU}$, $10^3 = 1,000 \text{ CFU}$, $10^4 = 10,000 \text{ CFU}$, $10^5 = 100,000 \text{ CFU}$ CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection

ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



SC Laboratories, Inc. | © All Rights Reserved | 1301 S Jason St Unit K, Denver, CO 80223 | 888.800.8223 | www.sclabs.com





Report Number:	22-007617/D003.R000
Report Date:	07/07/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	06/29/22 11:00

Product identity:	BCA-000409-220624.
Client/Metrc ID:	
Sample Date:	OFTKL2250-221017A
Laboratory ID:	
Evidence of Cooling:	22-007617-0001
Temp: Relinquished	No
by: Serving Size #1:	26.2 °C
	UPS
	1 g

Sample Results

Potency	Method: J AOAC 2015 V98	3-6 (mod)	Units %	Batch: 2205650	Analyze: 7/2/22 3:45:00 AM
Analyte	Result	Limits	Units	LOQ	Notes
CBC	0.0211		%	0.00321	
CBC-A [†]	< LOQ		%	0.00321	
CBC-Total [†]	0.0211		%	0.00603	
CBD	8.12		%	0.0321	
CBD-A	< LOQ		%	0.00321	
CBD-Total	8.12		%	0.0349	
CBDV [†]	0.0360		%	0.00321	
CBDV-A [†]	< LOQ		%	0.00321	
CBDV-Total [†]	0.0360		%	0.00600	
CBE [†]	0.0973		%	0.00321	
CBG [†]	0.439		%	0.00321	
CBG-A [†]	< LOQ		%	0.00321	
CBG-Total	0.439		%	0.00600	
CBL [†]	0.0145		%	0.00321	
CBL-A [†]	< LOQ		%	0.00321	
CBL-Total [†]	0.0145		%	0.00603	
CBN	0.0227		%	0.00321	
CBT [†]	0.345		%	0.00321	
∆8-THCV	< LOQ		%	0.00321	
$\Delta 8$ -THC	< LOQ		%	0.00321	
∆9-THC	0.279		%	0.00321	
exo-THC	< LOQ		%	0.00321	
THC-A	< LOQ		%	0.00321	
THC-Total	0.279		%	0.00603	
THCV [†]	< LOQ		%	0.00321	
THCV-A [†]	< LOQ		%	0.00321	
THCV-Total [†]	< LOQ		%	0.00600	
Total Cannabinoids [†]	9.37		%		
Potency per 1g	Method: J AOAC 2015 V98	3-6 (mod)	Units mg/se	e Batch: 2205650	Analyze: 7/2/22 3:45:00 AM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 1g [†]	0.211		mg/1g	0.0321	

Page 2 of 15 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430



.

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number:	22-007617/D003.R000
Report Date:	07/07/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	06/29/22 11:00

Potency per 1g	Method: J AOAC 2015	V98-6 (mod)	Units mg/se Ba	tch: 2205650	Analyze: 7/2/22 3:45:00 AM
Analyte	Result	Limits	Units	LOQ	Notes
CBC-A per 1g [†]	< LOQ		mg/1g	0.0321	
CBC-Total per 1g [†]	0.211		mg/1g	0.0603	
CBD per 1g	81.2		mg/1g	0.321	
CBD-A per 1g	< LOQ		mg/1g	0.0321	
CBD-Total per 1g	81.2		mg/1g	0.349	
CBDV per 1g⁺	0.360		mg/1g	0.0321	
CBDV-A per 1g [†]	< LOQ		mg/1g	0.0321	
CBDV-Total per 1g [†]	0.360		mg/1g	0.0600	
CBE per 1g⁺	0.973		mg/1g	0.0321	
CBG per 1g⁺	4.39		mg/1g	0.0321	
CBG-A per 1g⁺	< LOQ		mg/1g	0.0321	
CBG-Total per 1g [†]	4.39		mg/1g	0.0600	
CBL per 1g [†]	0.145		mg/1g	0.0321	
CBL-A per 1g⁺	< LOQ		mg/1g	0.0321	
CBL-Total per 1g [†]	0.145		mg/1g	0.0603	
CBN per 1g	0.227		mg/1g	0.0321	
CBT per 1g [†]	3.45		mg/1g	0.0321	
∆8-THCV per 1g [†]	< LOQ		mg/1g	0.0321	
∆8-THC per 1g⁺	< LOQ		mg/1g	0.0321	
∆9-THC per 1g	2.79		mg/1g	0.0321	
exo-THC per 1g⁺	< LOQ		mg/1g	0.0321	
THC-A per 1g	< LOQ		mg/1g	0.0321	
THC-Total per 1g	2.79		mg/1g	0.0603	
THCV per 1g⁺	< LOQ		mg/1g	0.0321	
THCV-A per 1g⁺	< LOQ		mg/1g	0.0321	
THCV-Total per 1g [†]	< LOQ		mg/1g	0.0603	
Total Cannabinoids per 1g	93.7		mg/1g		

Microbiology									
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes
Aerobic Plate Count	< LOQ	10,000.00) cfu/g	10	2205548	07/02/22	AOAC 990.12 (Petrifilm)	pass	Х
E.coli	< LOQ	100.00	cfu/g	10	2205546	07/02/22	AOAC 991.14 (Petrifilm)	pass	Х
Total Coliforms	< LOQ	100.00	cfu/g	10	2205546	07/02/22	AOAC 991.14 (Petrifilm)	pass	Х
Mold (RAPID Petrifilm)	< LOQ	1,000.00	cfu/g	10	2205547	07/03/22	AOAC 2014.05 (RAPID)	pass	Х
Yeast (RAPID Petrifilm)	< LOQ	1,000.00	cfu/g	10	2205547	07/03/22	AOAC 2014.05 (RAPID)	pass	Х
Salmonella spp. by PCR	Negative		/25g		2205551	07/01/22	AOAC 2020.02		Х
EHEC including STEC	Negative		/25g		2205553	07/01/22	AOAC RI 121806		Х

 www.columbialaboratories.com
 Page 3 of 15

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390
 OAR 333-007-0430





Report Number:	22-007617/D003.R000
Report Date:	07/07/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	06/29/22 11:00

Solvents	Method:	Residua	I Solve	ents by C	GC/MS	Units µg/g Batch	2205605	Analyz	ze 07/0	01/22 1	12:42 PM
Analyte	Result	Limits	LOQ	Status I	Notes	Analyte	Result	Limits	LOQ	Status	Notes
2-Methylbutane	< LOQ	1000	200	pass		2-Methylpentane	< LOQ	60.0	30.0	pass	
2-Propanol (IPA)	< LOQ	1000	200	pass		2,2-Dimethylbutane	< LOQ	60.0	30.0	pass	
2,2-Dimethylpropane	< LOQ	1000	200	pass		2,3-Dimethylbutane	< LOQ	60.0	30.0	pass	
3-Methylpentane	< LOQ	60.0	30.0	pass		Acetone	< LOQ	1000	200	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	1000	400	pass	
Ethanol [†]	< LOQ	1000	200	pass		Ethyl acetate	< LOQ	1000	200	pass	
Hexanes (sum)	< LOQ	60.0	150	pass		m,p-Xylene	< LOQ	430	200	pass	
Methanol	< LOQ	600	200	pass		Methylpropane	< LOQ	1000	200	pass	
n-Butane	< LOQ	1000	200	pass		n-Heptane	< LOQ	1000	200	pass	
n-Hexane	< LOQ	60.0	30.0	pass		n-Pentane	< LOQ	1000	200	pass	
o-Xylene	< LOQ	430	200	pass		Pentanes (sum)	< LOQ	1000	600	pass	
Propane	< LOQ	1000	200	pass		Toluene	< LOQ	180	100	pass	
Total Xylenes	< LOQ	430	400	pass							

Page 4 of 15

 Www.columbialaboratories.com
 Page 4 of 15

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430





Report Number:	22-007617/D003.R000
Report Date:	07/07/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	06/29/22 11:00

Pesticides	Method: AOA	AC 2007.01 & EN 15662 (mod) Units mg/kg Batch	2205582	Analyze 06/30/22 04:15 PM			
Analyte	Result	Limits LOQ Status Not		Result	Limits LOQ Status Notes			
Abamectin	< LOQ	0.25 0.070 pass	Acephate	< LOQ	0.050 0.020 pass			
Acequinocyl	< LOQ	0.030 0.025 pass	Acetamiprid	< LOQ	0.050 0.050 pass			
Aldicarb	< LOQ	0.50 0.100 pass	Allethrin	< LOQ	0.10 0.100 pass			
Atrazine	< LOQ	0.0250 0.025 pass	Azadirachtin	< LOQ	1.0 0.500 pass			
Azoxystrobin	< LOQ	0.010 0.010 pass	Benzovindiflupyr	< LOQ	0.010 0.010 pass			
Bifenazate	< LOQ	0.010 0.010 pass	Bifenthrin	< LOQ	1.0 0.100 pass			
Boscalid	< LOQ	0.010 0.010 pass	Buprofezin	< LOQ	0.020 0.010 pass			
Carbaryl	< LOQ	0.025 0.025 pass	Carbofuran	< LOQ	0.010 0.010 pass			
Chlorantraniliprole	< LOQ	0.020 0.010 pass	Chlorfenapyr	< LOQ	1.5 0.100 pass			
Chlorpyrifos	< LOQ	0.50 0.010 pass	Clofentezine	< LOQ	0.010 0.010 pass			
Clothianidin	< LOQ	0.025 0.025 pass	Coumaphos	< LOQ	0.010 0.010 pass			
Cyantraniliprole	< LOQ	0.010 0.010 pass	Cyfluthrin	< LOQ	0.20 0.200 pass			
Cyhalothrin, lambda	< LOQ	0.0200 0.250 pass	Cypermethrin	< LOQ	0.30 0.300 pass			
Cyprodinil	< LOQ	0.010 0.010 pass	Daminozide	< LOQ	0.10 0.050 pass			
Deltamethrin	< LOQ	0.50 0.500 pass	Diazinon	< LOQ	0.020 0.010 pass			
Dichlorvos	< LOQ	0.050 0.050 pass	Dimethoate	< LOQ	0.010 0.010 pass			
Dimethomorph	< LOQ	0.050 0.050 pass	Dinotefuran	< LOQ	0.050 0.050 pass			
Diuron	< LOQ	0.125 0.125 pass	Dodemorph	< LOQ	0.050 0.050 pass			
Endosulfan I (alpha)	< LOQ	2.5 0.050 pass	Endosulfan II (beta)	< LOQ	2.5 0.050 pass			
Endosulfan sulfate	< LOQ	2.5 0.050 pass	Ethoprophos	< LOQ	0.010 0.010 pass			
Etofenprox	< LOQ	0.050 0.010 pass	Etoxazole	< LOQ	0.020 0.010 pass			
Etridiazole	< LOQ	0.15 0.050 pass	Fenhexamid	< LOQ	0.13 0.100 pass			
Fenoxycarb	< LOQ	0.010 0.010 pass	Fenpyroximate	< LOQ	0.020 0.020 pass			
Fensulfothion	< LOQ	0.010 0.010 pass	Fenthion	< LOQ	0.010 0.010 pass			
Fenvalerate	< LOQ	0.200	Fipronil	< LOQ	0.010 0.010 pass			
Flonicamid	< LOQ	0.025 0.025 pass	Fludioxonil	< LOQ	0.010 0.010 pass			
Fluopyram	< LOQ	0.010 0.010 pass	Hexythiazox	< LOQ	0.010 0.010 pass			
Imazalil	< LOQ	0.010 0.010 pass	Imidacloprid	< LOQ	0.010 0.010 pass			
Iprodione	< LOQ	0.50 0.500 pass	Kinoprene	< LOQ	1.3 0.200 pass			
Kresoxim-methyl	< LOQ	0.15 0.010 pass	Malathion	< LOQ	0.010 0.010 pass			
Metalaxyl	< LOQ	0.010 0.010 pass	Methiocarb	< LOQ	0.010 0.010 pass			
Methomyl	< LOQ	0.025 0.025 pass	Methoprene	< LOQ	2.0 1.00 pass			
Mevinphos	< LOQ	0.025 0.025 pass	MGK-264	< LOQ	0.050 0.050 pass			
Myclobutanil	< LOQ	0.010 0.010 pass	Naled	< LOQ	0.10 0.100 pass			
Novaluron	< LOQ	0.025 0.025 pass	Oxamyl	< LOQ	1.5 0.500 pass			
Paclobutrazole	< LOQ	0.010 0.010 pass	Parathion-Methyl	< LOQ	0.050 0.030 pass			
Permethrin	< LOQ	0.50 0.040 pass	Phenothrin	< LOQ	0.050 0.025 pass			
Phosmet	< LOQ	0.020 0.010 pass	Piperonyl butoxide	< LOQ	1.3 0.200 pass			
Pirimicarb	< LOQ	0.010 0.010 pass	Prallethrin	< LOQ	0.050 0.050 pass			
Propiconazole	< LOQ	0.10 0.010 pass	Propoxur	< LOQ	0.010 0.010 pass			
Pyraclostrobin	< LOQ	0.010 0.010 pass	Pyrethrins (total)	< LOQ	0.050 0.025 pass			
Pyridaben	< LOQ	0.020 0.020 pass	Pyriproxyfen	< LOQ	0.0100 0.010 pass			
Quintozene	< LOQ	0.020 0.020 pass	Resmethrin	< LOQ	0.050 0.020 pass			
Spinetoram	< LOQ	0.010 0.010 pass	Spinosad	< LOQ	0.010 0.010 pass			
Spirodiclofen	< LOQ	0.25 0.250 pass	Spiromesifen	< LOQ	3.0 0.030 pass			
Spirotetramat	< LOQ	0.010 0.010 pass	Spiroxamine	< LOQ	0.10 0.010 pass			

Page 5 of 15

 Www.columbialaboratories.com
 Page 5 of 15

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430

6	Columbia LABORATORIES
	A Tentamus Company



Report Number:	22-007617/D003.R000
Report Date:	07/07/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	06/29/22 11:00

Pesticides	Method: AOA	AC 2007	.01 & EN	15662 (mo	d) U	Inits mg/kg	Batch 22	05582	Analy	ze 06/30	0/22 04:	15 PM
Analyte	Result	Limits	LOQ Sta	tus Notes	A	nalyte		Result	Limits	LOQ S	status N	otes
Tebuconazole	< LOQ	0.010	0.010 pas	S	Т	ebufenozide		< LOQ	0.010	0.010 p	ass	
Teflubenzuron	< LOQ	0.025	0.025 pas	s	Т	etrachlorvinp	hos	< LOQ	0.010	0.010 p	ass	
Tetramethrin	< LOQ	0.10	0.050 pas	S	Т	hiacloprid		< LOQ	0.010	0.010 p	ass	
Thiamethoxam	< LOQ	0.010	0.010 pas	S	Т	hiophanate-I	Methyl	< LOQ	0.050	0.030 p	ass	
Trifloxystrobin	< LOQ	0.010	0.010 pas	s								
Metals												
Analyte	Re	esult	Limits	Units	LOQ	Batch	Analyze	Method			Status	Notes
Arsenic	<	LOQ	1.50	mg/kg	0.0978	2205591	06/30/22	AOAC 20	013.06 (ı	nod.)	pass	Х
Cadmium	<	LOQ	0.50	mg/kg	0.0978	2205591	06/30/22	AOAC 20	013.06 (1	mod.)	pass	Х
Lead	<	LOQ	0.50	mg/kg	0.0978	2205591	06/30/22	AOAC 20	013.06 (1	nod.)	pass	Х
Mercury	>	LOQ	1.50	mg/kg	0.0489	2205591	06/30/22	AOAC 20	013.06 (1	nod.)	pass	X
Mycotoxins												
Analyte	Re	esult	Limits	Units	LOQ	Batch	Analyze	Method			Status	Notes
Aflatoxin B2 [†]	<	LOQ	5.00	µg/kg	5.00	2205724	07/07/22	AOAC 20	007.01 &	EN	pass	
Aflatoxin B1 [†]	<	LOQ	5.00	µg/kg	5.00	2205724	07/07/22	AOAC 20	007.01 &	EN	pass	
Aflatoxin G1 [†]	<	LOQ	5.00	µg/kg	5.00	2205724	07/07/22	AOAC 20	007.01 &	EN	pass	
Aflatoxin G2 [†]	<	LOQ	5.00	µg/kg	5.00	2205724	07/07/22	AOAC 20	007.01 &	EN	pass	
Ochratoxin A [†]	<	LOQ	5.00	µg/kg	5.00	2205724	07/07/22	AOAC 20	007.01 &	EN	pass	
Ochratoxin B [†]	<	LOQ		µg/kg	2.00	2205724	07/07/22	AOAC 20	007.01 &	EN		

 Www.columbialaboratories.com
 Page 6 of 15

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430