Customer: NUNC NUTRITION

ACCURATE TEST LAB

Report Issue Date 06/04/2021

Extraction Technician: HP Analytical Chemist: HP

Hernan Pristo

19052021-4 / Pink Lemonade

Sample ID: Laboratory Number: ATL-518

Sample Description/Size:

Gummies / 25mg D8



Order Date 06/02/2021

Analysis Date 06/04/2021

CANNABINOID PROFILE

Cannabinoids (HPLC)		Results		Cannabinoid (%)					
Test	LOD (mg/g)	mg/gummy	%	0	20	40	60	80	100
Cannabidivarin (CBDV)	<2.0	0	0						
Cannabidiolic Acid (CBD-A)	N/A	0	0						
Cannabigerolic Acid (CBG-A)	N/A	0	0						
Cannabigerol (CBG)	<2.0	0	0						
Cannabidiol (CBD)	<2.0	0	0						
Tetrahydrocannabivarin (THCV)	<2.0	0	0						
Cannabinol (CBN)	<2.0	0	0						
delta 9-Tetrahydrocannabinol (THC)	<2.0	0	0	1. 1					
delta 8-Tetrahydrocannabidol	<2.0	25.0	0.57						
delta 10-Tetrahydrocannabinol (THC)	<2.0	0	0	XX					
delta-9-Tetrahydrocannabinolic Acid (THC-A)	N/A	0	0		M		1	1	

Cannabinoids Total

Test	mg/gummy	% 0	20 40	60 80	100
Max Active THC	0	0			
Max Active CBD	0 //	0			
T.Active Cannabinoids	25.0	0.57			
Total Cannabinoids	25.0	0.57			

Analysis Method: ATL-PLC-001

Accurate Test Lab, LLC

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.



N/A = Not Analalyze

2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA

info@AccurateTestLab.com

Tel: (954) 515-0200