



**BERNINA**  
OF NAPERVILLE •

FAT QUARTER OF THE MONTH

# FABRIC TRAYS

---

Featuring Tula Pink Fabric

# THE FABRIC

April 1 – 30, 2023 Look for select  
Tula Pink Fabric on specially priced!



Tula Pink Daydreamer: Lil Jaguars in Kiwi

Tula Pink Daydreamer: Sundaze in Guava

Tula Pink Daydreamer: Forbidden Fruit Snacks in Lagoon

Tula Pink Curiouser & Curiouser: Baby Buds in Sugar

Tula Pink Curiouser & Curiouser: Queen of Wonder in Red

Tula Pink TINY BEASTS: One Man's Trash - Glow



# THE PROJECT

Easy Super-Cute Fabric trays for your sewing, bedroom, kitchen or travel.





WATCH TUTORIAL



# SUPPLIES


- 6, 12” squares of Fusible Woven or SF-101
- 3, 8” squares of Fiber Form or Peltex
- Size 90 Sharp needle
- Thread to match fabric, we used Isacord #5115
- Heavy Thread for blanket Stitching, we used Aurifil 12wt thread in Canary
  - You will need a Topstitch size 90 needle with this thread
- Sewing Machine Accessory suggestions
  - 1/4” foot of your choice
  - Open toe foot for decorative stitching
  - Free Hand System for BERNINA/bernette machines
- Rotary Cutter Mat and Rulers
- Expert Point and Press Tool



# CUTTING



- From 5 of the fat quarters cut:
  - 1, 12 ½" square
- Fussy Cut the large face
  - If you are lucky like us, you may not need to piece
  - Center face in the 12 ½" ruler to determine if you need to piece
- Peltex/Fiber Form:
  - 3, 8" squares
- SF-101/Fusible Woven
  - 6, 12" squares



# PROCESS



## FUSING

Adhere the 12”  
Interfacing squares  
in the middle of  
each 12 ½” squares  
cut from your fat  
quarters.

## STIFFEN

Center the 8”  
Stiffening material in  
the center of the  
wrong side of one of  
your fat quarter sets.  
(Approx. 2 ¼” around  
each side of the 8”  
stiff material  
Temporarily secure  
with 505 spray and  
then stitch with a  
skinny seam  
allowance on the  
machine.

## LINING

Place the right sides  
of the stiffened  
fabric with a  
coordinating square  
and stitch around  
with ¼” seam  
allowance.

Leave 6” on one  
side to turn inside  
out

## TOPSTITCHING

Use your favorite  
method from the  
YouTube Tutorial

## CORNERS

It may be helpful to  
draw a line



# FUSSY CUTTING PIECING

Center the face in your 12 ½” square ruler

- Determine the face center and trim to 8 ½”
- Cut 2 ½” strips for the top and bottom
  - Centering designs in the rectangle as desired
  - Cut 2, 2 ½” x 8 ½”
  - Cut 2, 2 ½” x 12 ½”





# BLANKET STITCHING

## Machine Set-up for 12wt Thread

- BERNINA Machine stitch #1329 (B 880 PLUS) –numbers may vary on different models, check your manual
- Stitch Width = 4.5
- Stitch Length = 4.0
- Bobbin Tension loosened 2 clicks to the left (8 Series only)
  - Other models I suggest red bobbin case

## Machine set-up for regular thread

- BERNINA Machine stitch #1329 (B 880 PLUS) –numbers may vary on different models, check your manual
- Stitch Width = 4.5
- Stitch Length = 4.0



Thank you



BERNINA of Naperville

[gayle@berninaofnaperville.com](mailto:gayle@berninaofnaperville.com)

[www.berninaofnaperville.com](http://www.berninaofnaperville.com)