



### Featured Fabrics

Fat Quarter of the Month Kit for November 2022 BUY NOW

If you need any additional yardage to make a larger project - The fabric links are right here for you









Dear Stella: Poinsettia

Dear Stella:
Baby It's Cold
outside


SEWING ROOM 2: Embroidery-CLOUD



Collection CF Metallic: Haze



Palette: Storm



Mini White on White Christmas Trees





# Watch the YouTube Video

Fat Quarter Club November
2022 Snowflake Quilt with Picot
Edge Binding

## Additional Supplies

- Sewing Machine with the following:
  - #37D Patchwork
  - #1D Reverse Pattern
  - Optional: Walking Foot
- Aurifil thread 50wt for piecing
- 18" square of batting (low loft preferred)
- <u>80</u> Quilting Needle


- Rotary Cutter and Mat
- Stripology Ruler



## Cutting Instructions

- Background for Snowflake
  - (2) 1 ½" x 15 ½"
  - (24) 1 ½" squares
  - (18) 1 ½" x 2 ½"
  - (14) 1 ½" x 3 ½"
  - (4) 1 ½" x 4 ½"
- White tone on tone
  - (14) 1 ½" squares
  - (2) 1 ½" x 3 ½"
  - (1) 1 ½" x 11 ½"
- Grey Floral
  - (8) 1 ½" squares
  - (4) 1 ½" x 2 ½"
  - (4) 1 ½" x 3 ½"
- Silver Grid
  - (12) 1 ½" squares
- Border Winter scene
  - (2) 1 ½" x 15 ½"
  - (2) 1 ½" x 17 ½"
- Backing






# Assembly

#### Seam Allowance is 1/4"

- Layout your cut pieces according to the diagram at the right.
- You can download a separate template here
- Piece each column together according to the diagram with a 1/4" seam






## Final Assembly


#### Seam Allowance is 1/4"

- Sandwich the backing 18" square wrong side up with the 18" batting scrap on top.
- Layout your column pieces on the batting sandwich according to the diagram at the right.
  - Mark the center of your batting sandwich with a water-soluble pen
  - Then draw another line ¾" away from that line on either side. This will keep your first row straight
- You can use the same template
- If using the #37D for piecing, you can use this to attach the columns to the batting and backing otherwise...
- Attach your walking foot and determine the 1/4" marking on the foot.
- Sew the strips to each side of the center until all of your columns have been sewn



## Add the Borders

- Using either the dual feed or walking foot, attach your borders
- Draw your placement lines on the top and bottom of the pieced quilt
- Attach sides first
- Attach top and bottom




## Scalloped Binding

- Set your machine for a #9 blind hem stitch (Adjustments may vary, DO A TEST!)
  - Stitch Width to 5mm
  - Stitch length to 1.65mm
  - Mirror the stitch
  - Needle position 2 notches to the right (-3)
  - Adjust upper tension to 7
- Lace the prepped binding under the foot with the fold lined up under the foot so that...
- The needle barely goes lands off of the fold when it swings to the right.

#### Cut Binding:

Cut remainder of the silver grid fabric into 2 ½" strips on the bias. Stitch together at miters and press ling strip in half to form binding piece



# Attach Binding

Attach the binding according to the instructions in the YouTube Tutorial





# FINISHED!

 Watch past videos from the Fat quarter club or sign up for future <u>Fat Quarter Club projects here</u>