



Scan results for mortoncontemporary.com

 **Compliant**

Great news! Based on our scan, your webpage is accessible and conforms with WCAG standards.




 **accessWidget** is detected on the website


Thank you for making your website accessible and inclusive for all users with  **accessiBe**



Congratulations!
Your website is among the **3%** of inclusive and accessible websites globally. Well done!

In the report you'll find the results for dozens of tests focusing mainly on these categories:

-  **Screen-reader** adjustments (blind users)
-  **Keyboard navigation** adjustments (motor impaired)
-  **UI, design and readability** adjustments (vision impaired)



| # | Element | Relevant | Successes | Failures | Score |
|---|---|----------|-----------|----------|-------|
| 1 | Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button". | Yes | 14 | 0 | 100 |

Successful Elements

```
<button type="button" class="faux-select disclosure__toggle acsb-bg-image " aria-expanded="false" data-disclosure-toggle="" data-custom-button-processed="true" role="button"> <span class="currency-flag " data-flag="USD"></sp ...
```

```
<button type="submit" data-="" true" aria-hidden="false" " role="button">Submit</button>
```

```
<button id="prevArrowTemplate" class="slick-prev slick-arrow " aria-label="Previous" type="button" style="" data-custom-button-processed="true" role="button"> <svg aria-hidden="true" focusable="false" role="presentation" class="icon icon-c ...
```

```
<button id="nextArrowTemplate" class="slick-next slick-arrow " aria-label="Next" type="button" style="" data-custom-button-processed="true" role="button"> <svg aria-hidden="true" focusable="false" role="presentation" class="icon icon-chevr ...
```

```
<button type="button" data-role="none" role="button" data-custom-button-processed="true" class=" " style=";background-color:#ffffff!important;color:#000000!important;" data-acsb-carousel-paging="true"><span data-="" true" " data--position="before" ...
```

```
<button type="submit" class="footer__newsletter-btn " name="commit" data-custom-button-processed="true" role="button"> <svg aria-hidden="true" focusable="false" role="presentation" class="icon icon-email" viewBox="0 0 64 64" data-ac ...
```

```
<button type="submit" class="btn " name="commit" data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;" data-acsb-textual-ops="color" role="button"> <span class="form__submit--large " styl ...
```

```
<button type="button" class="text-close js-modal-close " data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;" role="button">No thanks</button>
```

```
<button type="button" class="modal__close js-modal-close text-link " data-custom-button-processed="true" role="button"> <span data-="" true" " data--position="before" aria-hidden="false" >Close - </span><svg aria-hidden="true" focusable="f ...
```

| | | | | | |
|---|---|-----|----|---|-----|
| 2 | Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description. | Yes | 14 | 0 | 100 |
|---|---|-----|----|---|-----|

Successful Elements

```
<button type="button" class="faux-select disclosure__toggle acsb-bg-image " aria-expanded="false" data-disclosure-toggle="" data-custom-button-processed="true" role="button"> <span class="currency-flag " data-flag="USD"></span ...
```

```
<button type="submit" data--="true" aria-hidden="false" " role="button">Submit</button>
```

```
<button id="prevArrowTemplate" class="slick-prev slick-arrow " aria-label="Previous" type="button" style="" data-custom-button-processed="true" role="button"> <svg aria-hidden="true" focusable="false" role="presentation" class="icon icon-c ...
```

```
<button id="nextArrowTemplate" class="slick-next slick-arrow " aria-label="Next" type="button" style="" data-custom-button-processed="true" role="button"> <svg aria-hidden="true" focusable="false" role="presentation" class="icon icon-chevr ...
```

```
<button type="button" data-role="none" role="button" data-custom-button-processed="true" class=" " style=";background-color:#ffffff!important;color:#000000!important;" data-acsb-carousel-paging="true"><span data--="true" " data--position="before" ...
```

```
<button type="submit" class="footer__newsletter-btn " name="commit" data-custom-button-processed="true" role="button"> <svg aria-hidden="true" focusable="false" role="presentation" class="icon icon-email" viewBox="0 0 64 64" data-ac ...
```

```
<button type="submit" class="btn " name="commit" data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;" data-acsb-textual-ops="color" role="button"> <span class="form__submit--large " styl ...
```

```
<button type="button" class="text-close js-modal-close " data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;" role="button">No thanks</button>
```

```
<button type="button" class="modal__close js-modal-close text-link " data-custom-button-processed="true" role="button"> <span data--="true" " data--position="before" aria-hidden="false" >Close - </span><svg aria-hidden="true" focusable="f ...
```

- 3 Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

32

0

100

Successful Elements

```
<a target="_blank" href="https://www.instagram.com/mortoncontemporary" data-acsb-tooltip="Morton Contemporary on Instagram | New Window" data-custom-button-processed="true"> <svg aria-hidden="true" focusable="false" role="present ...
```

```
<a target="_blank" href="https://www.facebook.com/Mortoncontemporary" data-acsb-tooltip="Morton Contemporary on Facebook | New Window" data-custom-button-processed="true"> <svg aria-hidden="true" focusable="false" role="presentat ...
```

```
<a target="_blank" href="https://www.linkedin.com/in/debbie-morton-70b112b/" data-acsb-tooltip="Morton Contemporary on LinkedIn | New Window" data-custom-button-processed="true"> <svg aria-hidden="true" focusable="false" role="pr ...
```

```
<a href="/" itemprop="url" class="site-header__logo-link" data-custom-button-processed="true">  A ...
```

```
<a href="/pages/current" class="site-nav__link site-nav__link--underline site-nav__link--has-dropdown " data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color:#ffffff!important;color:#000000!important;"> A ...
```

```
<a href="/pages/press" class="site-nav__link site-nav__link--underline " data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;"> Press ...
```

```
<a href="/pages/about" class="site-nav__link site-nav__link--underline site-nav__link--has-dropdown " data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color:#ffffff!important;color:#000000!important;"> A ...
```

```
<a href="/pages/gallery-events" class="site-nav__link site-nav__link--underline site-nav__link--has-dropdown " data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color:#ffffff!important;color:#000000!important;"> A ...
```

4 Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.

7

0

100

Successful Elements

```
<a target="_blank" href="https://www.instagram.com/mortoncontemporary" data-acsb-tooltip="Morton Contemporary on Instagram | New Window" data-custom-button-processed="true"> <svg aria-hidden="true" focusable="false" role="present ...
```

```
<a target="_blank" href="https://www.facebook.com/Mortoncontemporary" data-acsb-tooltip="Morton Contemporary on Facebook | New Window" data-custom-button-processed="true"> <svg aria-hidden="true" focusable="false" role="presentat ...
```

```
<a target="_blank" href="https://www.linkedin.com/in/debbie-morton-70b112b/" data-acsb-tooltip="Morton Contemporary on LinkedIn | New Window" data-custom-button-processed="true"> <svg aria-hidden="true" focusable="false" role="pr ...
```

```
<a class="map-section__link" href="https://www.google.ca/maps/place/115 S. 13th St. Philadelphia Pa 19107" target="_blank" data-acsb-tooltip="New Window" data-custom-button-processed="true"><span data--="true" " data--position="before" aria-hidden ...
```

```
<a target="_blank" href="https://www.instagram.com/mortoncontemporary" data-acsb-tooltip="Morton Contemporary on Instagram | New Window" data-custom-button-processed="true"> <svg aria-hidden="true" focusable="false" role="presentat ...
```

```
<a target="_blank" href="https://www.facebook.com/Mortoncontemporary" data-acsb-tooltip="Morton Contemporary on Facebook | New Window" data-custom-button-processed="true"> <svg aria-hidden="true" focusable="false" role="presentatio ...
```

```
<a target="_blank" href="https://www.linkedin.com/in/debbie-morton-70b112b/" data-acsb-tooltip="Morton Contemporary on LinkedIn | New Window" data-custom-button-processed="true"> <svg aria-hidden="true" focusable="false" role="pres ...
```

5 An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title. No 0 0

6 HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text. Yes 12 0 100

7 Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed. Yes 4 0 100

Successful Elements

```
<div class="hero__subtitle" role="heading" data-acsb-fake-title="true" aria-level="3"> <div class="animation-cropper" aria-hidden="true" ><div class="animation-contents "> Discover female ...
```

```
<div class="hero__subtitle" role="heading" data-acsb-fake-title="true" aria-level="3"> <div class="animation-cropper" ><div class="animation-contents "> Abstract floral landscapes in acryl ...
```

```
<div class="hero__subtitle" role="heading" data-acsb-fake-title="true" aria-level="3"> <div class="animation-cropper" aria-hidden="true" ><div class="animation-contents "> 25th Anniversay ...
```

```
<div class="hero__subtitle" role="heading" data-acsb-fake-title="true" aria-level="3"> <div class="animation-cropper" aria-hidden="true" ><div class="animation-co
ntents "> Satire that is s ...
```

8 Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles. No 0 0

9 Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0". Yes Pass - 100

10 Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused. Yes Pass - 100

11 Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it. Yes Pass - 100

Successful Elements

```
<div id="NewsletterPopup-newsletter-popup" class="modal modal--square modal--mobile-friendly is-transitioning modal--is-active " data-section-id="newsletter-popup" data-section-type="newsletter-popup" data-delay-days="7" data-delay-seconds="15" data- ...
```

12 Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer. Yes Pass - 100

13 Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible. No 0 0

14 Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible. No 0 0

15 Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers. Yes 3 0 100

Successful Elements

```
<ul class="site-nav site-navigation small--hide" aria-label="Primary" data-acsb-menu="ul" > <li class="site-nav__item site-nav__expanded-item site-nav--has-dropdown" data-acsb-menu="li" data-acsb-menu-root="true" data-acsb-dropdown-container ...
```

```
<ul class="no-bullets site-footer__linklist" data-acsb-menu="ul" > <li data-acsb-menu="li" data-acsb-menu-root="true"><a href="/collections" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="tr ...
```

```
<ul class="no-bullets site-footer__linklist" data-acsb-menu="ul" > <li data-acsb-menu="li" data-acsb-menu-root="true"><a href="/pages/legal-terms-conditions" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-m ...
```

16 Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true". Yes 4 0 100

Successful Elements

```
<a href="/collections" class="site-nav__link site-nav__link--underline site-nav__link--has-dropdown" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-toolt ...
```

```
<a href="/pages/current" class="site-nav__link site-nav__link--underline site-nav__link--has-dropdown" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background ...
```

```
<a href="/pages/about" class="site-nav__link site-nav__link--underline site-nav__link--has-dropdown" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background ...
```

```
<a href="/pages/gallery-events" class="site-nav__link site-nav__link--underline site-nav__link--has-dropdown" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style= ...
```

17 Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown. Yes 4 0 100

Successful Elements

```
<a href="/collections" class="site-nav__link site-nav__link--underline site-nav__link--has-dropdown" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-toolt ...
```



```
<a href="/pages/current" class="site-nav__link site-nav__link--underline site-nav__link--has-dropdown " data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color: #000080; color: white; padding: 5px 10px; text-decoration: none;">ackg ...
```

```
<a href="/pages/about" class="site-nav__link site-nav__link--underline site-nav__link--has-dropdown " data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color: #000080; color: white; padding: 5px 10px; text-decoration: none;">kgro ...
```

```
<a href="/pages/gallery-events" class="site-nav__link site-nav__link--underline site-nav__link--has-dropdown " data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color: #000080; color: white; padding: 5px 10px; text-decoration: none;">s ...
```

18 Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute. No 0 0

19 Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute. No 0 0

20 Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none". Yes 219 1 **100**

Successful Elements

```
<span class="currency-flag" data-flag="AED" aria-hidden="true" ></span>
```

```
<span class="currency-flag" data-flag="AFN" aria-hidden="true" ></span>
```

```
<span class="currency-flag" data-flag="ALL" aria-hidden="true" ></span>
```

```
<span class="currency-flag" data-flag="AMD" aria-hidden="true" ></span>
```

```
<span class="currency-flag" data-flag="ANG" aria-hidden="true" ></span>
```

```
<span class="currency-flag" data-flag="AUD" aria-hidden="true" ></span>
```

```
<span class="currency-flag" data-flag="AWG" aria-hidden="true" ></span>
```

```
<span class="currency-flag" data-flag="AZN" aria-hidden="true" ></span>
```

```
<span class="currency-flag" data-flag="BAM" aria-hidden="true" ></span>
```



```
<span class="currency-flag" data-flag="BBD" aria-hidden="true" ></span>
```

Failed Elements

```
<span class="currency-flag " data-flag="USD"></span>
```

| | | | | | |
|----|---|-----|---|---|-----|
| 21 | Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute. | No | 0 | 0 | |
| 22 | Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute. | No | 0 | 0 | |
| 23 | Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers. | No | 0 | 0 | |
| 24 | Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.). | Yes | 3 | 0 | 100 |

Successful Elements

```
<input type="email" value="" placeholder="Enter your email" name="contact[email]" id="Email-1494292487693" class="footer__newsletter-input" autocorrect="off" autocapitalize="off" aria-hidden="false" data-acsb-validation-uuid="Email-1494292487693" ...
```

```
<input type="email" value="" placeholder="Enter your email" name="contact[email]" id="Email-newsletter-popup" class="input-group-field newsletter__input" autocorrect="off" autocapitalize="off" aria-hidden="false" data-acsb-validation-uuid="Email-n ...
```

```
<input type="text" value="" placeholder="Enter your name" name="contact[first_name]" id="Email-newsletter-popup1" class="input-group-field newsletter__input" autocorrect="off" autocapitalize="off" aria-hidden="false" data-acsb-validation-uuid="Ema ...
```

| | | | | | |
|----|---|----|---|---|--|
| 25 | Form elements cannot have the same ID, or else their corresponding label will provide false information. | No | 0 | 0 | |
| 26 | Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation. | No | 0 | 0 | |

27 The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes. No 0 0

28 aria-describedby and aria-labelledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute. Yes 8 0 100

Successful Elements

```
<div class="slideshow__slide slideshow__slide--image_rGfGtp slick-slide" data-id="image_rGfGtp" data-slick-index="0" aria-describedby="slick-slide00" style="width: 1920px; position: relative; left: 0px; top: 0px; z-index: 998; opacity: 1; transition: ...
```

```
<div class="slideshow__slide slideshow__slide--image_NdLWLR slick-slide slick-current slick-active" data-id="image_NdLWLR" data-slick-index="1" aria-describedby="slick-slide01" style="width: 1920px; position: relative; left: -1920px; top: 0px; z-index: ...
```

```
<div class="slideshow__slide slideshow__slide--c5a3ce9f-88b9-4a1e-a081-76119daff0d9 slick-slide" data-id="c5a3ce9f-88b9-4a1e-a081-76119daff0d9" data-slick-index="2" aria-describedby="slick-slide02" style="width: 1920px; position: relative; left: -384 ...
```

```
<div class="slideshow__slide slideshow__slide--image_WmLHcd slick-slide" data-id="image_WmLHcd" data-slick-index="3" aria-describedby="slick-slide03" style="width: 1920px; position: relative; left: -5760px; top: 0px; z-index: 998; opacity: 1;" data- ...
```

```
<div id="Linklist-collections1" class="mobile-nav__sublist collapsible-content collapsible-content--all " aria-labelledby="Label-collections1" > <div class="collapsible-content__inner" > <ul class="mobile-nav__sublis ...
```

```
<div id="Linklist-pages-current3" class="mobile-nav__sublist collapsible-content collapsible-content--all " aria-labelledby="Label-pages-current3" > <div class="collapsible-content__inner" > <ul class="mobile-nav__su ...
```

```
<div id="Linklist-pages-about5" class="mobile-nav__sublist collapsible-content collapsible-content--all " aria-labelledby="Label-pages-about5" > <div class="collapsible-content__inner" > <ul class="mobile-nav__sublis ...
```

```
<div id="Linklist-pages-gallery-events6" class="mobile-nav__sublist collapsible-content collapsible-content--all " aria-labelledby="Label-pages-gallery-events6" > <div class="collapsible-content__inner" > <ul class=" ...
```

29 All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key. Yes 4 0 100

Successful Elements

```
<form method="post" action="/localization" id="localization_form" accept-charset="UTF-8" class="multi-selectors" enctype="multipart/form-data" data-acsb-form-uuid="ar51ah9ou4tk" data-acsb-form-type="standard"><input type="hidden" name="form_type" val ...
```

```
<form method="post" action="/contact#newsletter-footer" id="newsletter-footer" accept-charset="UTF-8" class="contact-form" data-acsb-form-uuid="aht0f0t6etkp" data-acsb-form-type="standard"><input type="hidden" name="form_type" value="customer" aria-h ...
```

```
<form method="post" action="/localization" id="localization_form1" accept-charset="UTF-8" class="multi-selectors" enctype="multipart/form-data" data-acsb-form-uuid="aik8b2877vek" data-acsb-form-type="standard"><input type="hidden" name="form_type" va ...
```

```
<form method="post" action="/contact#newsletter-newsletter-popup" id="newsletter-newsletter-popup" accept-charset="UTF-8" class="contact-form" data-acsb-form-uuid="a2o0li6bljx2" data-acsb-form-type="standard"><input type="hidden" name="form_type" val ...
```

| | | | |
|----|--|---|---|
| 30 | Search forms should include a "role" tag that equals to No "search" (or be wrapped by one) to indicate a search landmark for screen-readers. | 0 | 0 |
|----|--|---|---|

| | | | | | |
|----|--|-----|------|---|-----|
| 31 | The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. | Yes | Pass | - | 100 |
|----|--|-----|------|---|-----|

Successful Elements

```
<title>Buy Original Art & Paintings | Morton Contemporary Gallery </title>
```

| | | | | | |
|----|--|-----|------|---|-----|
| 32 | The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. | Yes | Pass | - | 100 |
|----|--|-----|------|---|-----|

Successful Elements

```
<html class="js sticky-header acsb-light-contrast modal-open" lang="en" style="--acsb-keynav:3px;" id="acsb-light-contrast" ><head> <link href="//mortoncontemporary.com/cdn/shop/t/16/assets/tiny.content.min.css?v=21853800148939463861710094662" re ...
```

| | | | | | |
|----|--|-----|------|---|-----|
| 33 | The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. | Yes | Pass | - | 100 |
|----|--|-----|------|---|-----|

Successful Elements

```
<meta name="viewport" content="width=device-width,initial-scale=1">
```

| | | | | | |
|----|---|-----|---|---|-----|
| 34 | Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections. | Yes | 3 | 0 | 100 |
|----|---|-----|---|---|-----|

Successful Elements

```
<main class="main-content" id="MainContent" role="presentation"> <!-- BEGIN content_for_index --><div id="shopify-section-1524769873765" class="shopify-section in-dex-section--hero"><script > $(''.slick-track').each(function () { var ...
```

```
<footer class="site-footer " data-section-id="footer" data-section-type="footer-section" style=";background-color:#ffffff!important;color:#000000!important;" data-acsb-page-footer="true" role="contentinfo" aria-label="Footer"> <div class="page-widt ...
```

| | | | | | |
|----|---|-----|------|---|-----|
| 35 | Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. | Yes | Pass | - | 100 |
|----|---|-----|------|---|-----|

| | | | | | |
|----|---|-----|------|---|-----|
| 36 | Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. | Yes | Pass | - | 100 |
|----|---|-----|------|---|-----|

| | | | | | |
|----|--|-----|----|---|-----|
| 37 | Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color. | Yes | 47 | 0 | 100 |
|----|--|-----|----|---|-----|

Successful Elements

```
<span class="disclosure-list__label " > USD $</span>
```

```
<a href="/collections" class="site-nav__link site-nav__link--underline site-nav__link--has-dropdown " data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tool ...
```

```
<a href="/pages/artconsulting" class="site-nav__link site-nav__link--underline " data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;"> A ...
```

```
<a href="/pages/current" class="site-nav__link site-nav__link--underline site-nav__link--has-dropdown " data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style="background-color:#ffffff!important;color:#000000!important;"> ackg ...
```

```
<a href="/pages/press" class="site-nav__link site-nav__link--underline " data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style="background-color:#ffffff!important;color:#000000!important;"> Press ...
```

```
<a href="/pages/about" class="site-nav__link site-nav__link--underline site-nav__link--has-dropdown " data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style="background-color:#ffffff!important;color:#000000!important;"> kgro ...
```

```
<a href="/pages/gallery-events" class="site-nav__link site-nav__link--underline site-nav__link--has-dropdown " data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style="background-color:#ffffff!important;color:#000000!important;"> tyle= ...
```

```
<div class="animation-contents "> NEW collection </div>
```

```
<div class="animation-contents "> Eric Heitmann </div>
```

```
<div class="animation-contents "> Abstract floral landscapes in acrylic, oil, and resin </div>
```

| | | | | |
|----|--|----|---|---|
| 38 | Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo". | No | 0 | 0 |
|----|--|----|---|---|

| | | | | | |
|----|---|-----|---|---|-----|
| 39 | Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers. | Yes | 4 | 0 | 100 |
|----|---|-----|---|---|-----|

Successful Elements

```
<button id="prevArrowTemplate" class="slick-prev slick-arrow " aria-label="Previous" type="button" style="" data-custom-button-processed="true" role="button"> <svg aria-hidden="true" focusable="false" role="presentation" class="icon icon-c ...
```

```
<button id="nextArrowTemplate" class="slick-next slick-arrow " aria-label="Next" type="button" style="" data-custom-button-processed="true" role="button"> <svg aria-hidden="true" focusable="false" role="presentation" class="icon icon-chevr ...
```

```
<button id="prevArrowTemplate" class="slick-prev " aria-label="Previous" type="button" tabindex="-1" data-custom-button-processed="true" > <svg aria-hidden="true" focusable="false" role="presentation" class="icon icon-chevron-left " viewBo ...
```

```
<button id="nextArrowTemplate" class="slick-next " aria-label="Next" type="button" tabindex="-1" data-custom-button-processed="true" > <svg aria-hidden="true" focusable="false" role="presentation" class="icon icon-chevron-right " viewBox=" ...
```

40 A common accessibility mistake is to treat carousels as No live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements. 0 0

41 Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text. 4 0 **100**

Successful Elements

```
<button type="button" data-role="none" role="button" data-custom-button-processed="true" class=" " style=";background-color:#ffffff!important;color:#000000!important;" data-acsb-carousel-paging="true"><span data-="" data--position="before" ...
```

42 Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table. No 0 0

43 If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation". No 0 0

44 Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings. No 0 0

45 Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text. No 0 0

46 Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality." No 0 0

47 Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate. No 0 0

| | | | | | |
|----|---|-----|------|---|-----|
| 48 | Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance. | Yes | Pass | - | 100 |
|----|---|-----|------|---|-----|

| | | | | | |
|----|---|-----|------|---|-----|
| 49 | Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant. | Yes | Pass | - | 100 |
|----|---|-----|------|---|-----|

Successful Elements

```
<iframe src="https://mortoncontemporary.com/wpm@a69d2471w3b604ff3p0fda5047m53fe5f78/custom/web-pixel-shopify-custom-pixel@064/sandbox/modern/" id="web-pixel-sandbox-CUSTOM-shopify-custom-pixel-LAX-a69d2471w3b604ff3p0fda5047m53fe5f78" name="web-pixel- ...
```