

IDENTIFICATION

PRODUCT INFORMATION

Product Identifier: Squid-Deep Part A

Application and Use (Other means of identification): Deep Epoxy Coating – Part A

Recommended on use and restriction on use: N/A

MANUFACTURE (CANADIAN SUPPLIER IDENTIFIER):

CHEMTEC 913 Rue Michelin, Laval,
Quebec Canada H7L 5B6
450-629-1717

EMERGENCY TELEPHONE NUMBERS

1-888-CANUTEC (1-888-226-8832)

HAZARD IDENTIFICATION

A. GHS Classification

Skin irritation (Category 2)

Sensitization – Skin (Category 1)

Eye irritation (Category 2A)

Hazardous to the aquatic environment – Acute & Chronic (Category 2 & 1)

B. GHS Label Elements

○ **Hazard Symbols:**



○ **Signal**

Word: Warning

○ **Hazard**

Statements:

Warning

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H401 Toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN, Wash with plenty of water for several minutes. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362+P364 Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. P273 Avoid release to the environment. P391 Collect spillage. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

COMPOSITION/INFORMATION OF INGREDIENTS

Ingredients	CAS#	%(weight)
Diglycidyl Ether of Bisphenol-A Epoxy	25068-38-6	60-100
2-ethylhexyl Glycidyl ether	2461-15-6	5-20
Trimethylolpropane Triacrylate	15625-89-5	1-10

FIRST-AID MEASURES**Eye contact:**

- Do not rub your eyes.
- Flush eyes immediately with large amounts of running water for at least 15 minutes while holding eyelids open until irritation subsides. Do not attempt to neutralize with chemical agents. Obtain medical attention immediately.
-

Skin contact

- Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Laundering enough contaminated clothing before reuse.
- Go to the hospital immediately if symptoms (flare, irritate) occur.
- Wash thoroughly after handling.
- Wash immediately with plenty of soap and water. Remove and clean all contaminated clothing and launder before reuse.

Inhalation contact

- When exposed to large amounts of steam and mist, move to fresh air.
- Take specific treatment if needed.
- In the case of overexposure, remove to fresh air. Get medical attention if the victim is in respiratory distress.

Ingestion contact

- About whether I should induce vomiting Take the advice of a doctor
- Rinse your mouth with water immediately.
- If swallowed, drink two glasses of water. Do not induce vomiting. The material is corrosive. Do not give anything to mouth to an unconscious person. Get prompt medical attention.

Delayed and immediate effects and also chronic effects from short- and long-term exposure

- Not available

Notes to physician

- Notify medical personnel of contaminated situations and have them take appropriate protective measures.

COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name (common name/synonyms)	CAS number or other	Concentration (%)
Reaction product - Bisphenol A (Epichlorohydrin)	25068-38-6	60-100
<i>Mixture</i>	---	< 20
* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s).		

FIRST AID MEASURES

Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.
Skin contact	IF ON SKIN: wash with plenty of water. (15-20 minutes) IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Most important symptoms and effects (acute or delayed)	Causes skin irritation.
Indication of immediate medical attention/special treatment	In all cases, call a doctor. Do not forget this document.

FIRE FIGHTING MEASURES

Specific hazards of the hazardous product (hazardous combustion products)
Carbon oxides and other irritant/toxic gases and fumes.
Suitable and unsuitable extinguishing media
In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.
Special protective equipment and precautions for fire-fighters
During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

HANDLING AND STORAGE

Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: Dust – PEL-TWA 15 mg/m³ (total dust) & 5 mg/m³ (respirable fraction);

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance, state/colour	physical	Liquid	Vapour pressure	Not available
Odour	Characteristic		Vapour density	Not available
Odour threshold	Not available		Relative density	1.13 (25°C)
pH	Not available		Solubility	Insoluble
Melting/freezing point	-16°C		Partition coefficient - n- octanol/water	Not available
Initial boiling point/range	Not available		Auto-ignition temperature	Not available
Flash point	Not available		Decomposition temperature	Not available
Evaporation rate	Not available		Viscosity	Not available
Flammability (solids and gases)	Not available		VOC	Not available
Upper and lower flammability/explosive limits	Not available		Other	None known

STABILITY AND REACTIVITY

Reactivity
Does not react under the recommended storage and handling conditions prescribed.
Chemical stability
Stable under the recommended storage and handling conditions prescribed.
Possibility of hazardous reactions
None known
Conditions to avoid (static discharge, shock or vibration)
None known
Incompatible materials
Oxidizing materials; etc.
Hazardous decomposition products
None known

TOXICOLOGICAL INFORMATION

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)
Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics

Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing;
Delayed and immediate effects (chronic effects from short-term and long-term exposure)
Skin Sensitization – Possible; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.
Numerical measures of toxicity (ATE; LD₅₀ & LC₅₀)
None known; ATE not available in this document.

ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial information)	No data available for the product
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Other adverse effects	Toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

TRANSPORT INFORMATION

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations	
NOT REGULATED	
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)	
UN3082; ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epichlorhydrin); Class 9; PG III;	
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)	
UN3082; ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epichlorhydrin); Class 9; PG III;	
Special precautions (transport/conveyance)	May also be shipped as a LIMITED QUANTITY in accordance with TDG.
Environmental hazards (IMDG or other)	MARINE POLLUTANT
Bulk transport (usually more than 450 L in capacity)	Possible
Information on safe handling for disposal/methods of disposal/contaminated packaging	
Dispose of contents/container into safe container in accordance with local, regional or national regulations.	

REGULATORY INFORMATION

Safety/health Canadian regulations	Refer to Section 2 for the appropriate classification. This product has been
---	--

specifics	classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).
Environmental Canadian regulations specifics	Refer to Section 3 for ingredient(s) of the DSL
Safety/health/environmental outside regulations specifics	
United States OSHA information: This product is regulated according to OSHA (29 CFR). United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3.	

OTHER INFORMATION

Date of the latest revision of the safety data sheet	March 05, 2021 version 3 (NSS ENTREPRISE INC.)
Corrections	Complete review
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.
Abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
ATE	Acute toxicity estimate
CAS	Chemical Abstract Service
DSL	Domestic Substance List
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods Code
LC	Lethal concentration
LD	Lethal Dosage
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
STEL	Short-term Exposure Limit
TDG	Transport of dangerous goods in Canada
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
WHMIS	Workplace Hazardous Materials Information System
To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.	

IDENTIFICATION

PRODUCT INFORMATION

Product Identifier: Squid-Deep Part B

Application and Use (Other means of identification): Deep Epoxy Coating – Part B

Recommended on use and restriction on use: N/A

MANUFACTURE (CANADIAN SUPPLIER IDENTIFIER):

CHEMTEC 913 Rue Michelin, Laval,
Quebec Canada H7L 5B6
450-629-1717

EMERGENCY TELEPHONE NUMBERS

1-888-CANUTEC (1-888-226-8832)

HAZARD IDENTIFICATION

C. GHS Classification

Acute toxicity oral (Category 4)

Acute toxicity dermal (Category 4)

Serious eye damage (Category 1)

Hazardous to the aquatic environment – Chronic (Category 2)

D. GHS Label Elements

o Hazard Symbols:



H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

P264 Wash hands/nails/face thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P330 IF SWALLOWED:

Rinse mouth. P312 Call a doctor if you feel unwell. P302+P352 IF ON SKIN, Wash with plenty of water for several minutes. P312 Call a doctor if you feel unwell. P362+P364 Take off contaminated clothing and wash it before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. P310 Immediately call a doctor. P273 Avoid release to the environment. P391 Collect spillage. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

COMPOSITION/INFORMATION OF INGREDIENTS

Chemical name (common name/synonyms)	CAS number or other
Trimethylolpropane poly(oxypropylene)triamine	39423-51-3
<i>Mixture</i>	---
* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s).	

FIRST-AID MEASURES

Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.
Skin contact	IF ON SKIN: wash with plenty of water. (15-20 minutes) IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Most important symptoms and effects (acute or delayed)	Causes serious eye damage.
Indication of immediate medical attention/special treatment	In all cases, call a doctor. Do not forget this document.

FIREFIGHTING MEASURES

Specific hazards of the hazardous product (hazardous combustion products)
Carbon oxides and other irritant/toxic gases and fumes.
Suitable and unsuitable extinguishing media
In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.
Special protective equipment and precautions for fire-fighters
During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection.

Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

HANDLING AND STORAGE

Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: Dust – PEL-TWA 15 mg/m³ (total dust) & 5 mg/m³ (respirable fraction);

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance, state/colour	physical	Liquid, clear	Vapour pressure	Not available
Odour	Characteristic		Vapour density	Not available
Odour threshold	Not available		Relative density	Not available
pH	Not available		Solubility	Not available
Melting/freezing point	~ -20°C		Partition coefficient - n-octanol/water	Not available
Initial boiling point/range	Not available		Auto-ignition temperature	Not available
Flash point	Not available		Decomposition temperature	Not available
Evaporation rate	Not available		Viscosity	Not available
Flammability (solids and gases)	Not available		VOC	Not available
Upper and lower flammability/explosive limits	Not available		Other	None known

STABILITY AND REACTIVITY

Reactivity
Does not react under the recommended storage and handling conditions prescribed.
Chemical stability
Stable under the recommended storage and handling conditions prescribed.
Possibility of hazardous reactions
None known
Conditions to avoid (static discharge, shock or vibration)
None known
Incompatible materials
Oxidizing materials; etc.

Hazardous decomposition products

None known

TOXICOLOGICAL INFORMATION**Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)**

Harmful if swallowed. Harmful in contact with skin. Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Eye burn, irritation, redness, tearing;

Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization – No data available; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.

Numerical measures of toxicity (ATE; LD₅₀ & LC₅₀)

None known;

ATE not available in this document.

ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial information)	No data available for the product
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Other adverse effects	Toxic to aquatic life with long lasting effects.

DISPOSAL CONSIDERATIONS**Information on safe handling for disposal/methods of disposal/contaminated packaging**

Dispose of contents/container into safe container in accordance with local, regional or national regulations.

TRANSPORTATION INFORMATION**UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations**

NOT REGULATED

UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

UN3082; ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Trimethylolpropane poly(oxypropylene)triamine); Class 9; PG III;

UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)	
UN3082; ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Trimethylolpropane poly(oxypropylene)triamine); Class 9; PG III;	
Special precautions (transport/conveyance)	May also be shipped as a LIMITED QUANTITY in accordance with TDG.
Environmental hazards (IMDG or other)	MARINE POLLUTANT
Bulk transport (usually more than 450 L in capacity)	Possible

REGULATORY INFORMATION

Safety/health Canadian regulations specifics	Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).
Environmental Canadian regulations specifics	Refer to Section 3 for ingredient(s) of the DSL
Safety/health/environmental outside regulations specifics	
United States OSHA information: This product is regulated according to OSHA (29 CFR).	
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.	
United States TCSA information: Refer to the ingredients listed in Section 3.	

OTHER INFORMATION

Date of the latest revision of the safety data sheet	March 05, 2021 version 3 (NSS ENTREPRISE INC.)
Corrections	Complete review
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.
Abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
ATE	Acute toxicity estimate
CAS	Chemical Abstract Service
DSL	Domestic Substance List

IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods Code
LC	Lethal concentration
LD	Lethal Dosage
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
STEL	Short-term Exposure Limit
TDG	Transport of dangerous goods in Canada
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
WHMIS	Workplace Hazardous Materials Information System

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

PREPARATION

Prepared By:

Chemtec Epoxy Coatings
 913 Michelin
 Laval, H7L 5B6
January 2021

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. User should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall CHEMTEC EPOXY COATINGS be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if CHEMTEC EPOXY COATINGS has been advised of the possibility of such damages.

SDS

SQUID-DEEP