

PARTY AULSON

Club Car

BUILT TOUGH FOR THE TASK AT HAND

For you, no two days are alike on the job. You need a vehicle you can trust to get any job done—even the unexpected ones. The Carryall 500 Series from Club Car has everything from off-road to street-safe vehicles to keep your day and business moving forward.

CARRYALL





CARRYALL 500

THE JACK OF ALL TRADES

Unmatched versatility, exceptional reliability.

One of the most versatile work utility vehicles on the market, this ride has the power and dependability of a pickup—at a fraction of the cost.







Max Speed 17 mph

Max Vehicle Capacity 1200 lbs

Horsepower 14 hp (gasoline) 3.7 hp (electric)



CARRYALL 550

NEED MORE GROUND CLEARANCE?

Tough on any terrain.

Maneuver over rough and bumpy paths with the Carryall 550. All the versatility of the Carryall 500 with 6.4 inches of ground clearance—the most in its class.







Max Speed 17 mph

Capacity

Max Vehicle Horsepower 14 hp (gasoline) 900 lbs 3.7 hp (electric)



CARRYALL 510 🐵



GET AROUND WITH ZERO EMISSIONS

Small truck power. All-electric cost.

The all-electric Carryall 510 LSV is the smartest way to save at your course, campus, or resort. It delivers big power, allows you to travel safely on roads, and still fits into narrow spaces with easeall on a time- and energy-saving electric engine.







Max Speed 25 mph

Max Vehicle Capacity

Horsepower 4.4 hp (electric)



CARRYALL

OUTFITTED FOR THE TASK AT HAND

The Carryall 500 Series can be accessorized for any need.

No team ever has just one job to do. Choose from the widest selection of accessories, including our VersAttach™ bed attachment system and fit-to-task configurations, to customize your new Carryall for your needs.

OPTIONS & ACCESSORIES

Ask your Club Car sales representative for details.



Brush Guard

Curtis Cab







ONE JOB TO DO

The VersAttach™ bed box rail system expands your payload while securing whatever's on board.







CARRYALL 500













b 18	7
ECTRIC	GASOLIN

ENGINE	Kohler EFI Gas	48-volt DC	Kohler EFI Gas	48-volt DC	48-volt 3-phase AC
HORSEPOWER	14 hp (10.3 kW) rated @ 3600 RPM per SAE J1940	3.7 hp (2.7 kW) rated; peak 20 hp (14.9 kW)	14 hp (10.3 kW) rated © 3600 RPM per SAE J1940	3.7 hp (2.7 kW) rated; peak 20 hp (14.9 kW)	4.4 hp (3.3 kW); peak 16 hp (11.7 kW)
BATTERIES	12-volt 500 CCA 105 min reserve	Eight 6-volt flooded lead acid	12-volt 500 CCA 105 min reserve	Eight 6-volt flooded lead acid	Eight 6-volt flooded lead acid
CHARGER	N/A	DeltaQ QuiQ (1 kW high frequency)	N/A	DeltaQ QuiQ (1 kW high frequency)	On-board DeltaQ QuiQ (1 Kw high frequency)
STEERING	Self-adjusting rack and pinion	Self-adjusting rack and pinion	Self-adjusting rack and pinion	Self-adjusting rack and pinion	Self-adjusting rack and pinion
FRONT SUSPENSION	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks
BRAKES	4-wheel mechanical drum	4-wheel mechanical drum	4-wheel mechanical drum	4-wheel mechanical drum	4-wheel hydraulic; front disc, rear drum
PARK BRAKE	Foot operated, multi-lock	Foot operated, multi-lock	Foot operated, multi-lock	Foot operated, multi-lock	Hand operated
BODY AND FINISH	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, rustproof aluminum finish
TIRES	20 x 10-10, 6-ply, premium tread	20 x 10-10, 6-ply, premium tread	22 x 10-10, 4-ply, turf tread, 22 x 10-10, 6-ply, heavy-duty all-terrain	Front: 22 x 10-10, 4-ply, turf tread, 22 x 10-10, 6-ply, heavy-duty all-terrain Rear: 23 x 10-10, 4-ply, turf tread, 22 x 10-10, 6-ply, heavy-duty all-terrain	205-65-10, 6-ply, DOT
BED LxWxH	44.2 x 47.5 x 10.5 in (112 x 121 x 27 cm)	44.2 x 47.5 x 10.5 in (112 x 121 x 27 cm)	44.2 x 47.5 x 10.5 in (112 x 121 x 27 cm)	44.2 x 47.5 x 10.5 in (112 x 121 x 27 cm)	44.2 x 47.5 x 10.5 in (112 x 121 x 27 cm)
WHEELBASE	78.1 in (198 cm)	78.1 in (198 cm)	78.1 in (198 cm)	78.1 in (198 cm)	74.3 in (189 cm)
GROUND CLEARANCE	5.2 in (13 cm)	5.6 in (14 cm)	6 in (15 cm)	6 in (15 cm)	5.6 in (14 cm)
FUEL TANK CAPACITY	5.5 gal (20.8 L)	N/A	5.5 gal (20.8 L)	N/A	N/A
CURB WEIGHT	907 lb (411 kg)	1393 lb (632 kg)	942 (427 kg)	1402 lb (636 kg)	1656 lb (751 kg)
SPEED RANGE	15–17 mph (24–27 km/h)	5–17 mph (8–27 km/h)	15–17 mph (24–27 km/h)	5–17 mph (8-27 km/h)	25 mph (40 km/h)
LIMITED WARRANTY	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle

Titanium

Black



White

(COMMOO46) ©2019

Dark Gray

Dark Green

Beige

Bright Blue

Standard Colors

Red

Classic Blue