



### CARRYALL 700

#### FOR THE LONG HAUL

#### Unmatched versatility, exceptional reliability.

With truck-quality reliability and an extended six-foot bed, you'll be ready to take on your biggest jobs yet.







Max Speed 17 mph



Capacity 1500 lbs



Horsepower 14 hp (gasoline) 3.7 hp (electric)



# CARRYALL 710 🕪

#### **GET AROUND WITH** ZERO EMISSIONS

#### Small truck power. All-electric savings.

The all-electric Carryall 710 LSV is the smartest way to save at your course, campus, or resort. With an extended truck bed, you can accomplish more than ever while saving time and energy with an electric engine.









Max Vehicle Capacity 1050 lbs

Horsepower 3.7 hp (electric)



## CARRYALL

#### READY FOR ANYTHING

The Carryall 700 Series can be accessorized for any need.

No team ever has just one job to do. Choose from the widest selection of accessories, including our VersAttach™ bed attachment system and fit-to-task configurations, to customize your Carryall for your needs.

#### **OPTIONS & ACCESSORIES**

Ask your Club Car sales representative for details.



Brush Guard



Cargo Box







Curtis Cab



Rear Receiver Hitch



High Dump



Steel Refuse Package Package

#### **CARRYALL 700**









GASOLINE	<b>EL</b>	ECTRI

ENGINE	Kohler EFI Gas	48-volt DC	48-volt 3-phase AC
HORSEPOWER	14 hp (10.3 kW) rated ® 3600 RPM per SAE J1940	3.7 hp (2.7 kW) rated; peak 20 hp (14.9 kW)	4.4 hp (3.3 kW); peak 16 hp (11.7 kW)
GOVERNOR GUARD	Ground speed	N/A	N/A
BATTERIES	12-volt 500 CCA 105 min reserve	Eight 6-volt flooded lead acid	Eight 6-volt flooded lead acid
CHARGER	N/A	DeltaQ QuiQ (1 kW high frequency)	On-board DeltaQ QuiQ (1 kW high frequency)
STEERING	Self-adjusting rack and pinion	Self-adjusting rack and pinion	Self-adjusting rack and pinion
FRONTSUSPENSION	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks
BRAKES	4-wheel mechanical drum	4-wheel mechanical drum	4-wheel hydraulic; front disc, rear drum
PARK BRAKE	Foot operated, multi-lock	Foot operated, multi-lock	Hand operated
BODY AND FINISH	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, aluminum finish	ArmorFlex™ with automotive paint/clearcoat, rustproof aluminum finish
TIRES	20 x 10-10, 6-ply, premium tread	20 x 10-10, 6-ply, premium tread	205-65-10, 6-ply, DOT
BEDLXWXH	65.5 x 47.5 x 10.5 in (166 x 121 x 27 cm)	65.5 x 47.5 x 10.5 in (166 x 121 x 27 cm)	67.6 x 49.8 x 10.5 in (172 x 127 x 27 cm)
WHEELBASE	99.1 in (252 cm)	99.1 in (252 cm)	74.3 in (189 cm)
GROUND CLEARANCE	5.2 in (13 cm)	5.6 in (14 cm)	5.6 in (14 cm)
FUEL TANK CAPACITY	5.5 gal (20.8 L)	N/A	N/A
CURB WEIGHT	993 lb (450 kg)	1475 lb (669 kg)	1765 lb (801 kg)
SPEED RANGE	15–17 mph (24–27 km/h)	5–17 mph (8–27 km/h)	25 mph (40 km/h)
LIMITED WARRANTY	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery 3 yr limited powertrain/frame 2 yr limited remaining vehicle



