



SLIDE SELECT SYSTEM

FEATURES

Introducing the revolutionary Club Line, featuring the highly acclaimed Slide Select System. Unlike traditional selectorized machines, the Slide Select System eliminates guide rods and selector pins, reducing the need for maintenance and providing a smoother function for a more comfortable workout experience. And with built-in smaller weight adjustment in five-pound increments on the two hundred- and three-hundred-pound systems, the Club Line offers unrivaled versatility for your fitness needs.

But what truly sets the Club Line apart is its leverage weight system. Say goodbye to the clanging noise of weight plates with our innovative design that significantly reduces noise during your workout. In fact, tests conducted in our R&D lab using a decibel meter and vibration testing showed that the Club Line machines were 30% quieter on average when taking readings from the user's position during each repetition. This means you can enjoy a peaceful workout environment, free from the distractions of traditional weight stack systems.

Choose the Club Line for a unique and unparalleled fitness experience that's both effective and enjoyable.





CLUB LINE

The new CLUB LINE from HOIST® fitness offers a smaller, quieter option to owners looking for more space in their facility with the premium equipment that only HOIST® Fitness can offer.


Compared to six major competitors, the original 8 CLUB LINE units take up 8-25% less floor space per machine, leaving more room for facilities to utilize. Competitors also have machine profiles that are 8-27% taller, significantly obstructing and cluttering views.

Each unit has a convenient accessory tray for keys, a phone, and water bottle as well as easy weight selection from a seated position.

"The Club Line has a very naturally smooth and consistent feel across the line. And I like the dampening feeling after completing a rep with no crashing weight stacks. Also, the Slide Select System is completely unique and easy to use.

> - ANTHONY WALL WITH THE AMERICAN COUNCIL ON EXERCISE (ACE)

WHAT IS UNIQUE ABOUT THE CLUB LINE?



- ◆ CL-3102
 - PREACHER CURL- 200LB
- ◆ CL-3103
 - TRICEPS PRESS 200LB
- ◆ CL-3201
 - LAT PULLDOWN 300LB
- ◆ CL-3203
 - MID ROW 300LB
- ◆ CL-3301
 - CHEST PRESS 300LB
- ◆ CL-3309
 - PEC FLY/REAR DELT 200LB
- ▲ CL-3401
 - LEG EXTENSION 300LB

- CL-3402
 - LEG CURL 300LB
- ◆ CL-3403
 - LEG PRESS 300LB (400LB AVAILABLE)
- ◆ CL-3408
 - STANDING/PRONE LEG CURL 200LB
- CL-3501
 - SHOULDER PRESS 200LB
- CL-3502
 - LATERAL RAISE 200LB
- ◆ CL-3601
 - ABDOMINALS 300LB
- ◆ CL-3800
 - INNER/OUTER THIGH 200LB



PREACHER CURL

CL-3102



SPECS

PRODUCT DIMENSIONS (L X W X H)54.25" X 43.50" X 48.50" (138 cm X 111 cm X 123 cm)

PRODUCT WEIGHT 481 lbs (218 kg)

WEIGHT STACK 200 lbs (91 kg)

- Oversized, wrap around arm pad with ergonomically optimized 40 degree angle
- Independent exercise arms with rotating grips
- Gas-spring assisted seat adjuster with easy-to-reach handle



TRICEPS PRESS

CL-3103



SPECS

PRODUCT DIMENSIONS (L X W X H)53.50" X 40.75" X 48.50" (136 cm X 104 cm X 123 cm)

PRODUCT WEIGHT

502 lbs (228 kg)

WEIGHT STACK 200 lbs (91 kg)

- Oversized, wrap around arm pad with ergonomically optimized 40 degree angle
- Easy to adjust counterbalanced arm
- Stabilizing bar to lock feet underneath while exercising
- Gas-spring assisted seat adjuster with large easy-to-reach handle



LAT PULL DOWN

CL-3201



SPECS

PRODUCT DIMENSIONS (L X W X H)

54.50" X 55.00" X 80.75" (138 cm X 140 cm X 205 cm)

PRODUCT WEIGHT

692 lbs (314 kg)

WEIGHT STACK

300 lbs (136 kg)

- Independent handles with multiple grips including rock climbing grips and HOIST®'s unique Flip 'N Grip® handles
- Oversized seat fits wide range of users
- Counterbalanced arm
- Gas-spring assisted seat adjuster with large easy-to-reach handle



MID ROW CL-3203



SPECS

PRODUCT DIMENSIONS (L X W X H)

56.50" X 48.75" X 48.50" (144 cm X 124 cm X 123 cm)

PRODUCT WEIGHT

625 lbs (283 kg)

WEIGHT STACK

300 lbs (136 kg)

- Select-A-Grip handles provide 3 grip options (0, 45, and 90)
 - Oversized seat fits wide range of users
- Gas-spring assisted seat adjuster with
- large easy-to-reach handle



CHEST PRESS

CL-3301



SPECS

PRODUCT DIMENSIONS (L X W X H)58.00" X 53.75" X 48.50" (147 cm X 137 cm X 123 cm)

PRODUCT WEIGHT 613 lbs (278 kg)

WEIGHT STACK 300 lbs (136 kg)

- Select-A-Grip handles provide 3 grip options (0, 45, and 90 degrees)
- Foot assist to help get into a starting position and complete those final reps
- Gas-spring assisted seat adjuster with large easy-to-reach handle



PEC FLY / REAR DELT

CL-3309



SPECS

PRODUCT DIMENSIONS (L X W X H)

45.25" X 63.75" X 48.50" (115 cm X 162 cm X 123 cm)

PRODUCT WEIGHT

425 lbs (192 kg)

WEIGHT STACK

200 lbs (91 kg)

- Multiple grip options
- First machine ever to offer both exercises facing the same direction
- Gas-spring assisted seat adjuster with large easy-to-reach handle
- Self-aligning, independent exercise arms



LEG EXTENSION

CL-3401



SPECS

PRODUCT DIMENSIONS (L X W X H)

61.25" X 41.50" X 48.50" (156 cm X 105 cm X 123 cm)

PRODUCT WEIGHT

626 lbs (284 kg)

WEIGHT STACK

300 lbs (136 kg)

- Self-adjusting roller pad
- Large, easy to control range of motion lever for exercise arm
- Counterbalanced arm for easy adjustments
- Stabilizing handles
- Gas-spring assisted seat back adjustment with easy-to-reach lever



LEG CURL CL-3402



SPECS

PRODUCT DIMENSIONS (L X W X H)

59.75" X 41.50" X 48.50" (152 cm X 105 cm X 123 cm)

PRODUCT WEIGHT

629 lbs (285 kg)

WEIGHT STACK

300 lbs (136 kg)

- Self-adjusting roller pad
- Large, easy to control range of motion lever for exercise arm
- Counterbalanced arm with large range of motion lever for easy, controlled adjustments
- Stabilizing handles
- Gas-spring assisted seat back adjustment with easy-to-reach lever



LEG PRESS

CL-3403 / CL-3403-HS



SPECS

PRODUCT DIMENSIONS (L X W X H)

67.25" X 44.25" X 49.25" (171 cm X 112 cm X 125 cm)

PRODUCT WEIGHT

782 lbs (355 kg)

WEIGHT STACK

300 lbs (136 kg) 400 lb Heavy Stack (HS) Option available

- Unique suspended 4-bar linkage creates one of the smallest leg press footprints and a strength curve with no drop off
- Oversized foot plate with anti-slip rubber surface
- Extra raised foot plates for calf presses
- Entry / exit assist handle



STANDING / PRONE LEG CURL

CL-3408



SPECS

PRODUCT DIMENSIONS (L X W X H)62.75" X 42.75" X 48.50" (159 cm X 109 cm X 123 cm)

PRODUCT WEIGHT 550 lbs (249 kg)

WEIGHT STACK 200 lbs (91 kg)

- Adjustments allow for standing and prone leg curl variations with ability to do unilateral or bilateral in the laying position
- Self-adjusting roller pad
- Stabilizing grips for both standing and laying variations



SHOULDER PRESS

CL-3501



SPECS

PRODUCT DIMENSIONS (L X W X H)46.00" X 53.00" X 67.75" (117 cm X 135 cm X 172 cm)

PRODUCT WEIGHT 568 lbs (258 kg)

WEIGHT STACK 200 lbs (91 kg)

- Select-A-Grip handles provide 3 grip options (0, 45, and 90 degrees)
- Counterbalanced arm
- Gas-spring assisted seat adjuster with large easy-to-reach handle



LATERAL RAISE

CL-3502



SPECS

PRODUCT DIMENSIONS (L X W X H)42.75" X 55.50" X 50.00" (109 cm X 141 cm X 127 cm)

PRODUCT WEIGHT 550 lbs (249 kg)

WEIGHT STACK 200 lbs (91 kg)

- Independent exercise arms with rotating grips
- Counterbalanced arm
- Gas-spring assisted seat adjuster with large easy-to-reach handle



ABDOMINALS

CL-3601



SPECS

PRODUCT DIMENSIONS (L X W X H)

42.50" X 49.50" X 61.50" (108 cm X 126 cm X 156 cm)

PRODUCT WEIGHT

650 lbs (294 kg)

WEIGHT STACK

300 lbs (136 kg)

- Foot stabilizing bar and elbow pads for proper leverage
- Counterbalanced arm
- Gas-spring assisted seat adjuster with large easy-to-reach handle



INNER / OUTER THIGH

CL-3800



SPECS

PRODUCT DIMENSIONS (L X W X H)56.25" X 62.75" X 48.50" (143 cm X 159 cm X 123 cm)

PRODUCT WEIGHT

650 lbs (294 kg)

WEIGHT STACK 200 lbs (91 kg)

- Standing and sitting variation grip handles
- Independent swiveling thigh pads
- Gas-spring assisted seat adjuster with large easy-to-reach handle



HOIST CUSTOM

WRAPS & LOGO DECALS

HOIST* Fitness is proud to continually offer the most in versatility and customization. Take advantage of HOIST Fitness's custom Logo Decals and Shield Wraps for Club Line, ROC-IT* RS Selectorized, and HD Dual* Products to give your equipment a custom look to fit seamlessly with your brand and facility.

Shield wraps and logo decals are available for all Club Line (CL), ROC-IT Selectorized (RS), and HOIST Dual (HD) units at an additional cost. Due to wrap material, colors are subject to variation and exact PMS or CMYK color matching cannot be guaranteed. For optimal color matching, please provide CMYK color codes.







printed color samples and mock-ups shown. These mock-ups should be considered reference only. Due to the printing materials and method used, colors are subject to variation and color matching cannot be guaranteed. To help us match colors as closely as possible, please provide specific CMYK color codes per each color required and be advised that Neon colors are not available. Please note that as standard practice we will be placing HOIST logos at the top of the artwork as depicted in the proof.



STANDARD COLORS

ROC-IT (RS, RPL) COMMERCIAL FREEWEIGHTS (CF) COMMERCIAL MULTI JUNGLE (CMJ) CLUB LINE (CL)

FRAME

Platinum

White

Matte Black

UPHOLSTERY

Slate Black Gray

OLY-185 OLY-115

Blue

Ridge

OLY-125

Hunter Green

OLY-155

Dove Gray

OLY-120

Suede

46848300

Sky Blue

US 516

Wheat

Royal Blue

American **Beauty**

OLY-190

OLY-130 36349900

Navy

NAVY SR-302

Burgundy

OLY-105

CUSTOM COLORS AVAILABLE UPON REQUEST CONTACT US FOR PRICING AND LEAD TIMES

HOIST DUAL SERIES (HD)

MOTION CAGE (MC, MCS) PERFORMANCE SERIES (PS)

FRAME

Platinum White

Matte **Black**

UPHOLSTERY



OLY-115

FRAME



Matte Black Black

SUB FRAME

CUSTOM COLORS AVAILABLE UPON REQUEST CONTACT US FOR PRICING AND LEAD TIMES

HOIST LIGHT COMMERCIAL / HOME FREEWEIGHTS (HF) H4400 & H2200

FRAME

Matte **Black**

UPHOLSTERY

Black

*HF AND MISERIES ESTIMATED MATTE BLACK **AVAILABILITY 8/15 - 9/15**

OLY-115

NO CUSTOM COLORS AVAILABLE



CLUB LINE FULL SPECS

PRODU	CT NAME	LENGTH	WIDTH	HEIGHT	WEIGHT	WEIGHT STACK
,						
CL-3102	PREACHER CURL	54.25" (138 CM)	43.50" (111 CM)	48.50" (123 CM)	481 LBS (218 KG)	200 LBS (91 KG)
CL-3103	TRICEPS PRESS	53.50' (136 CM)	40.75' (104 CM)	48.50" (123 CM)	502 LBS (228 KG)	200 LBS (91 KG)
CL-3201	LAT PULLDOWN	54.50" (138 CM)	55.00" (140 CM)	80.75" (205 CM)	692 LBS (314 KG)	300 LBS (136 KG)
CL-3203	MID ROW	56.50" (144 CM)	48.75" (124 CM)	48.50" (123 CM)	625 LBS (283 KG)	300 LBS (136 KG)
CL-3301	CHEST PRESS	58.00" (147 CM)	53.75" (137 CM)	48.50" (123 CM)	613 LBS (278 KG)	300 LBS (136 KG)
CL 7700	DEC ELV / DEAD DELT	4F 2F# (11F CM)	67 7F# (160 CM)	40 FOU (107 CM)	425 L DC (102 L/C)	200 DC (01 (/C)
CL-3309	PEC FLY / REAR DELT	45.25" (115 CM)	63.75" (162 CM)	48.50" (123 CM)	425 LBS (192 KG)	200 LBS (91 KG)
CL-3401	LEG EXTENSION	61.25" (156 CM)	41.50" (105 CM)	48.50" (123 CM)	626 LBS (284 KG)	300 LBS (136 KG)
02 0 101	LLO LATEROION	01.20 (100 011)	11.00 (100 011)	10.00 (120 011)	020 250 (2011(0)	000 EB0 (100 No)
CL-3402	LEG CURL	59.75" (152 CM)	41.50" (105 CM)	48.50" (123 CM)	629 LBS (285 KG)	300 LBS (136 KG)
CL-3403	LEG PRESS	67.25" (171 CM)	44.25" (112 CM)	49.25" (125 CM)	782 LBS (355 KG)	300 LBS (136 KG)
CL-3408	STANDING / PRONE LEG	62.75" (159 CM)	42.75" (109 CM)	48.50" (123 CM)	550 LBS (249 KG)	200 LBS (91 KG)
	CURL					
CL 7F01	CHOIL DED DDECC	46 00" (117 CM)	E7 00% (17E CM)	67.75% (170.CM)	ECO L DC (2E0 VC)	200 DC (01 (/C)
CL-3501	SHOULDER PRESS	46.00" (117 CM)	53.00" (135 CM)	67.75" (172 CM)	568 LBS (258 KG)	200 LBS (91 KG)
CL-3502	LATERAL RAISE	42.75" (109 CM)	55.50" (141 CM)	50.00" (127 CM)	550 LBS (249 KG)	200 LBS (91 KG)
02 0002		, 5 (.55 31 1)	(511)	(.2. 311)	223 (2.3 (6)	223 223 (5.1.6)
CL-3601	ABDOMINALS	42.50" (108 CM)	49.50" (126 CM)	61.50" (156 CM)	650 LBS (294 KG)	300 LBS (136KG)
CL-3800	INNER / OUTER THIGH	56.25" (143 CM)	62.75" (159 CM)	48.50" (123 CM)	650 LBS (294 KG)	200 LBS (91 KG)



WARRANTY POLICY

HOIST* Fitness offers one of the best warranty policies in the industry, reaffirming our commitment to quality and customer satisfaction. HOIST* Fitness warranties this product to the original purchaser only. HOIST* Fitness guarantees this product to be free from defects in workmanship and/or materials under normal use or service. FOR COMPLETE WARRANTY INFORMATION, VISIT HOISTFITNESS.COM AND CLICK ON THE "SUPPORT" LINK. Warranty policy applies to defects from the manufacturer only.

HOIST* Fitness reserves the right to change product specifications, design, and function at any time.

TRADEMARKS AND PATENTS

HOIST* Fitness products are covered by U.S. Patents, Patents Pending and Trademarks. HOIST is a registered trademark. All Rights Reserved.†

- ♦ HOIST®
- ◆ ACT NOW[®]
- ◆ CABLE-DRIVEN™
- CLUB QUALITY GUARANTEED*
- COMPOSITE MOTION™
- DUAL ACTION SMITH*
- ◆ EASY GLIDE™
- EZ-LOC LATCHING MECHANISM™
- ◆ FEEL THE RIDE®
- ◆ GLUTEMASTER*
- ♦ HOIST CLASSIC®

- QUIK-CHANGE[®]
- ◆ RADIAL LOC®
- RIDE ORIENTED CIRCUIT-INTERVAL TRAINING™
- RIDE ORIENTED CONDITIONING*
- RIDE ORIENTED CONDITIONING SYSTEM*
- RIDE ORIENTED
 CONDITIONING INTENSITY TRAINING™
- RIDE ORIENTED XERCISE*
- ◆ ROC®

- ◆ ROCS®
- ◆ ROX®
- ◆ ROC-IT®
- ◆ ROC-ABS*
- ◆ SILENT STEEL®
- SPLIT WEIGHT CABLING™
- ULTRA-LITE LIFTING SYSTEM™
- ◆ DUAL SERIES™
- ◆ FLIP-N-DIP*
- ◆ FLIP-N-GRIP®

D427,652, D431,059, D431,615, D437,370, D437,371, D438,267, D439,292, D439822, D439,943, D440,610, D444,190, D444,518, D446,440, D446,831, D454,604, D455,184, D455,310, D455,803, D456,862, D457,580, D511,726, D513,598, D518,861, D519,585, D519,864, D526,370, D528,023, D528,172, D533,608, D536,046, D539,857, D541,357, D541,358, D541,893, D542,868, D544,050, D545,383, D556,842, D561,276, D569,459, D569,926, D574,448, D577,434, D577,234, D577,934, D579,989, D583,426, D590,032, D746,388, D797,757, D807,446, D807,447, D808,475, D818,547, 5,683,334, 5,733,233, 5,800,321, 5,807,219, 5,961,072, 5,951,444, 5,961,428, 5,980,434, 6,004,247, 6,193,635, 6,264,586, 6,319,178, 6,338,701, 6,347,777, 6,409,637, 6,443,878, 6,491,606, 6,491,609, 6,497,639, 6,551,226, 6,561,960, 6,579,213, 6,605,022, 6,988,977, 7,052,444, 7,166,066, 7,316,634, 7,322,906, 7,322,911, 7,331,911, 7,355,140, 7,361,125, 7,384,381, 7,393,309, 7,749,143, 7,468,024, 7,544,156, 7,549,880, 7,549,949, 7,563,209, 7,563,214, 7,594,880, 7,597,655, 7,601,187, 7,641,600, 7,654,938, 7,654,940, 7,670,269, 7,713,179, 7,717,832,7,731,638, 7,749,371, 7,49,372,7766,802,7,806,809, 7,815,555, 7,867,149, 7,878,953, 7,901,337, 7,909,743, 7,938,760, 7,963,890, 7,976,440, 7,988,603, 7,993,251, 8,002,679, 8,007,411, 8,021,070, 8,057,368, 8,162,807, 8,172,732, 8,177,693, 8,257,231, 8,308,620, 8,317,665, 8,328,698, 8,562,496, 8,702,573, 8,734,304, 8,852,060, 8,870,720, 8,915,667, 8,926,480, 9,017,238, 9,126,081, 9,205,298, 9,302,136, 9,440,106, 9,517,379, 9,522,297, 9,604,086, 9,682,276, 9,707,448, 9,808,699, 9,833,656, 9,861,850, 9,868,016, 9,925,448, 9,943,721, 9,950,210, 9,968,819, 9,999,797, 10,010,740, 11,135,475, 11,013,949, 10,780,310,0737,131,10,709,922, 10,646,739, 10,639,513, 10,532,244, 10,486,012, 10,426,990, 10,420,985, D857,812, 10,391,352, 10,350,445, D852,291, 10,307,630, 10,220,240,000, D836,733, 10,086,229

[†] Other Patents Pending