

# Lounger Air Massage In Bathtub



OA2660A-L Left Drain



OA2660A-R Right Drain

Actual Size: 26.75'' W x 59'' L x 43'' H  
 Shipping Size: 29'' W x 61'' L x 50'' H  
 Shipping Weight: 380lbs.  
 Net Weight: 220lbs.  
 Water Capacity: 90 gal. US (unoccupied)  
 55-75 gal. US (occupied)  
 Approx. Drain Time: +/- 2 minutes (unoccupied bathtub)  
 at ideal home plumbing conditions  
 Approx. Fill Time: +/- 14 minutes (unoccupied bathtub)  
 based on in-house water pressure

**Options:**

- Left or Right Drain/Door

**Included Features:**

1. Acrylic Tub Shell:
  - High quality acrylic
  - Excellent color uniformity
  - High Gloss White Finish
  - Fiberglass Reinforced
2. Low threshold step in 7''
3. Stainless Steel Frame with Adjustable Leveling Legs
4. Seat: 20 3/4'' W x 17'' H x 14 1/4'' L
5. Two (2) front and one (1) end removable access panels
6. Wall and deck mounted stainless steel safety grab bar in plated chrome finish
7. Air Massage System
  - Fourteen (14) therapeutic air massage jets with back flow valve
  - Variable Speed Pump with Auto Purge
  - 4.5 AMP
8. Five-Piece Thermostatic Faucet Set with Chrome Finish
  - Thermostatic control valve
  - Designer spout
  - Two (2) 2-way diverters with handles
  - Pull out, hand held, chrome plated shower with 5 ft. retractable stainless steel braided hose

**Plumbing:**

- Two (2) x 4' long stainless steel braided water supply lines with 1/2'' IPS connectors
- Two (2) x 2'' floor drains
- Two (2) PVC 2'' drain elbows

**Electrical:**

Electrical requirement is one dedicated 120 V electrical line with a 20AMP GFCI standard three prong outlet

**Warranty:**

- Lifetime limited warranty on acrylic walk in tub shell, frame, and door.
- 5 Year parts warranty\*

# Lounger Air Massage Walk In Bathtub



Hk c 'FYa cj UYŽ  
F Yj YfgIVY '9bX'  
5WVYgg'DUbY'g

HcY? MLYf  
5WVYgg'DUbY'





