

Elite Soaking Walk In Bathtub



03107 Left Hand Door and Drain

Actual Size: 29.75" W x 52.25" L x 38" H Shipping Size: 34" W x 57" L x 46" H

Shipping Weight: 240 lbs. Net Weight: 140 lbs.

Water Capacity: 80 gal. US (unoccupied)

45-65 gal. US (occupied)



03108 Right Hand Door and Drain

Options:

- Left or Right Hand Door/Drain
- Dual Massage
- Dual Massage with No Faucet (holes not drilled)
- 5 Piece Fast Fill Roman Faucet Set (Hot, Cold, Diverter, Hand Shower, Tub Spout)
- 5 Piece Traditional Roman Faucet Set (Hot, Cold, Diverter, Hand Shower, Tub Spout)

Included Features:

- 1. Tub Shell Acrylic Tub Shell:
 - High quality cast acrylic grade A
 - Excellent color uniformity
 - High Gloss White Finish
 - 5 mm cast acrylic sheet
 - Gel Coat Fiberglass (reinforced)
- 2. Stainless Steel Frame
- 3. Low threshold step in 8.5" with the option to lower to 5.5"
- 4. Seat Width: 21.75"
- 5. Eight (8) adjustable heavy duty leveling legs for stainless steel frame support
- Stainless steel and tempered glass door, door frame and door seal gasket
- 7. Removable door for easy cleaning
- 8. Deck mount and wall mount, two (2) safety grab bars
- 9. Removable rubber back support (white)
- Two (2) front, one (1) toe kick and one (1) side removable access panels
- Wall extension kit to fit in standard 60" opening (extends to 59")

Plumbing:

- Two (2) x 2" floor drains with 2 overflows and 2 ADA compliant stainless steel cable operated openers with extension handles
- Drainage time +/- 80 seconds to overflow
- Two (2) PVC 2" drain elbows with 2" opening

Warranty:


- Lifetime limited warranty on frame, door, door seal gasket and acrylic walk in tub shell
- 5 Year parts warranty*

^{*}For more information please visit www.ellasbubbles.com



Elite Soaking Walk In Bathtub Features












Panel On

Panel Off

d Baseboard On (not supplied)



Elite Soaking Walk In Bathtub 03107 L / 03108 R *Right hand door and drain shown



Disclaimer:

In an effort to continually improve our product, specifications and configurations are subject to change without notice. Before ordering or installing, consider future access to essential equipment.