

plusfloor

Harmony

Luxury glue down plank

glue down ranges, meaning there is a wider choice to match most interiors.

Glue down vinyl boasts a range of benefits, from it's durability to it's easy maintenance... It's definitely a go to product within the vinyl ranges.

Plusfloor Harmony







Ecru PLF4350



Chateau PLF4354



Native PLF4355



Urban PLF4353

Plusfloor Harmony

Product Details

Product Codes PLF4350 - PLF4355 1-Strip Plank **Format Finish Embossed Profile** Butt **Edge Profile** Square **Thickness** 2.5mm Width 180mm Length 1220mm Wear Layer 0.5mm **Pack Size** 3.9m2

Technical Criteria

Reaction to fire	EN13501-1	Bfl - S1
	EN ISO 11925-2	Pass
	EN ISO 9239-1	Pass
	ASTM E 648-06	Class I
Resistance to Chemicals	EN 423	Class 0
	ASTM F 925	Pass
Resistance to Light	EN ISO 105-B02	≥6
	ASTM F 1515	<8
Wear resistance	EN 660-2	Wear Group : P
	ASTM F 510	
Dimensional stability	EN 434	≤0.25%
	ASTM F 2199	Pass
Acoustic noise reduction	EN ISO 717-2	Lw= 6 dB
	EN ISO 140-8 EN	
Static electrical propensity	EN 1815	Voltage: 0.5kV
Residual Indentation	EN 433	≤ 0.1mm
	ASTM F 1914	< 8 %
Anti-slip property	DIN 51130	R10
VOC emission	ISO 16000	Α+
Phthalates	EN 14372	N.D.
	CPSC-CH-C 1001-09.3	Pass
Castor chair use	ISO 4918	Pass
Squareness	ASTM F 2055	Pass
Warranty (year)	30 Residential	10 Commercial

The warranty covers manufacturing defects and premature wear in the event of normal use.

Installation & Warranty

All Plusfloor floors must be installed by a competent installer who will have the necessary skills and take individual site circumstances into account. Plusfloor's warranty will apply only to floors which have been installed by a competent flooring installer comparable to BS8201 in the UK or equivalent standard worldwide.

© This technical data sheet was written by Plusfloor, Carnforth Business Park, Oakwood Way, Carnforth, Lancashire, LA5 9FD. At the time of writing and publication of this folder, all information is specified correctly. The company reserves the right to change the specifications of this product at any time without prior notice to third parties.



www.plusfloor.com info@plusfloor.com T: +44(0)1524 481118