



plusfloor

Maverick

Versatile click lock vinyl with integrated underlay

Developed to meet uncompromising standards in looks, performance and comfort. This hard surface flooring is the answer to all of your needs. Maverick is a floor that combines unparalleled design, real strength and high comfort.

Plusfloor

Maverick



Skarn

PLF3015



Basalt

PLF3005



Hinton

PLF3045



Dacite

PLF3010



Flint

PLF3025



Willow

PLF3030



Edson

PLF3040



Adler

PLF3035



Firwood

PLF1004



Gabbro

PLF3020

Product Details

Product Codes	PLF1004-PLF3045	
Format	1 Strip Plank	EN ISO 24342
Finish	Wood Look	
Profile	Click System	
Edge Profile	Bevelled	
Thickness	6mm	EN ISO 24346
Width	190mm	≤0.10 mm
Length	1320mm	
Wear Layer	0.55mm	EN ISO 24340
Pack Size	1.99m ² /box	8pcs/box
Weight	17.59 kg	EN ISO 23997

Installation & Maintenance

Fully Bonded	Yes
Nailed	No
Waterproof	Yes
Recyclable	100%

Technical Criteria

Origin	Europe	
Level of use	EN ISO 10874	
Inflammability	EN 13501	Bfl-S1
Scratch resistance	EN ISO 660-2	Class T
Squareness	EN ISO 24342	≤ 0.20 mm
Straightness	EN ISO 24342a	≤ 0.30 mm
Slip Resistance	EN 13893	DS
Slip Resistant	DIN 51130	R10
Residual indentation	EN ISO 24343-1	≤ 0.10 mm
Furniture leg resistance	EN ISO 16581	No cracks
Curling	EN ISO 23999	≤ 1.5 mm
Dimensional stability	EN ISO 23999	Norm ≤ 0.25 %
Thermal resistance R	EN 12664	0.025 m ² .K/W
Formaldehyde group	EN 717-1	E1
Acoustic insulation	EN ISO 717-2	21 dB
Castor chair resistance	EN ISO 4918	No damage
Stain resistance	EN ISO 26987	Very good
Light fastness	EN ISO 105-B02	≥6
Underfloor heating	EN 12524	Suitable, max 27°C
Warranty (year)	20 Residential	10 Commercial

The warranty covers manufacturing defects and premature wear in the event of normal use.

Installation & Warranty

All Plusfloor floors must be installed by a competent installer who will have the necessary skills and take individual site circumstances into account. Plusfloor's warranty will apply only to floors which have been installed by a competent flooring installer comparable to BS8201 in the UK or equivalent standard worldwide.

© This technical data sheet was written by Plusfloor, Carnforth Business Park, Oakwood Way, Carnforth, Lancashire, LA5 9FD. At the time of writing and publication of this folder, all information is specified correctly. The company reserves the right to change the specifications of this product at any time without prior notice to third parties.

plusfloor
Luxury vinyl

www.plusfloor.com

info@plusfloor.com

T: +44(0)1524 481118

Part of The Havwoods International Group