


PlusFloor®

Carpet
Kaleido




Kaleido

Versatile carpet plank

Inspired by the kaleidoscopic colours of the Aurora Borealis, and the best destinations to watch them flicker in the night sky, our collection of tufted carpet planks brings style, sophistication and an element of fun.

- + New plank format
- + Can be laid in multiple patterns
- + Ideal for creating feature areas
- + Vibrant and trending colour ways



Plank
1000 x 333 x 5mm



Fjord and **Nellim** laid in a standard plank format



PLF1501 Fjord

Our BaseZero carpet tile backing is made from 100% recycled materials and contains zero toxins. It is completely recyclable as part of our LoopBack initiative*.





BaseZero



LoopBack

Scan for more
information or call
us on **01524 481 118**







PLF1503 Nellim




PLF1506 Orkney




PLF1502 Abisko




PLF1505 Tromso




PLF1512 Skye




PLF1511 Luosto



PLF1508 Kiruna




PLF1510 Yukon



Fjord



PLF1501



Nellim

PLF1503



Orkney



PLF1506





Abisko

PLF1502




Tromso



PLF1505


Skye



PLF1512




Luosto



PLF1511




Kiruna



PLF1508

Yukon



PLF1510



Carpet Kaleido

Product

Surface Texture	Tufted multi-loop pile	
Pile Fibre	100% Solution Dyed Nylon	
Tile Backing	BaseZero	
Pile Weight	ISO 8543	580 g/m ² (+/- 5%)
Pile Height	3.4mm - 4mm	
Total Thickness	ISO 1765	5.2mm (+/- 5%)
Total Weight	ISO 8543	3000 g/m ² (+/- 7.5%)
Plank Size	1000 x 333 x 5mm	
Planks Per Box	15	5m ² coverage

Technical

Use Classification	Method EN 1307	Class 33
Castor Chair Test	EN 985	A, Continuous Use
Dimensional Stability	EN 986	Pass
Thermal Isolation	ISO 8302	0.08 m ² K/W
Sound Absorption	ISO 140-8	26 DB
Walk On Test - Static Loading	ISO 6356	< -0.1 kV Antistatic
Reaction to fire	EN ISO 11925-1	BFL-S1
Light Fastness	ISO 105 B02	>5
Warranty	15 Years (Commercial)	

PlusFloor®

01524 481 118
info@plusfloor.com
plusfloor.com

London Showroom
66a Turnmill Street
Clerkenwell
London, EC1M 5RR

Innovation + Distribution Centre
11 Oakwood Way
Carnforth Business Park
Carnforth, LA5 9FD

The warranty covers manufacturing defects and premature wear in the event of normal use.

* Our LoopBack scheme enables carpet tiles to be uplifted from site, cleaned and reused in non-critical locations to extend their useful life.