

PlusFloor®

Carpet  
Polar Breeze



# Polar Breeze


Coordinates with Midnight Sun.

Coordinating with Midnight Sun, Polar Breeze has a subtle and calming polychromatic design inspired by the vast and expansive tundras of the Arctic Circle.

- + 100% recycled BaseZero backing
- + Coordinates with Midnight Sun
- + Ideal for creating feature areas
- + On-trend colour ways



PLF1207 Obsidian




**Tile**  
500 x 500 x 5mm

Our BaseZero carpet tile backing is made from 100% recycled materials and contains zero toxins. It is completely recyclable as part of our LoopBack initiative\*.




Scan for more information or call us on **01524 481 118**







PLF1201 Cottongrass




PLF1209 Shale Grey




PLF1207 Obsidian



PLF1206 Tundra  
Rose



PLF1203 Spear Moss




PLF1208 Ocean Drift






# Cottongrass



PLF1201






# Shale Grey

PLF1209






# Obsidian



PLF1207







# Tundra Rose

PLF1206






# Spear Moss



PLF1203





# Ocean Drift

PLF1208



# Carpet

## Polar Breeze

### Product

Surface Texture	Tufted multi-loop pile	
Pile Fibre	100% Solution Dyed Nylon	
Tile Backing	BaseZero	
Pile Weight	ISO 8543	520 g/m <sup>2</sup> (+/- 5%)
Pile Height	3mm - 3.5mm	
Total Thickness	ISO 1765	5.1mm (+/- 5%)
Total Weight	ISO 8543	3000 g/m <sup>2</sup> (+/- 7.5%)
Tile Size	500 x 500 x 5mm	
Tiles Per Box	20	5m <sup>2</sup> coverage

### Technical

Use Classification	Method EN 1307	Class 33
Castor Chair Test	EN 985	A, Continuous Use
Dimensional Stability	EN 986	Pass
Thermal Isolation	ISO 8302	0.08 m <sup>2</sup> K/W
Sound Absorption	ISO 140-8	26 DB
Walk On Test - Static Loading	ISO 6356	< -0.1 kV Antistatic
Reaction to fire	EN ISO 11925-1	BFL-S1
Light Fastness	ISO 105 B02	>5
Warranty	15 Years (Commercial)	

# PlusFloor®

01524 481 118  
info@plusfloor.com  
plusfloor.com

**London Showroom**  
66a Turnmill Street  
Clerkenwell  
London, EC1M 5RR

**Innovation + Distribution Centre**  
11 Oakwood Way  
Carnforth Business Park  
Carnforth, LA5 9FD

The warranty covers manufacturing defects and premature wear in the event of normal use.

\* Our LoopBack scheme enables carpet tiles to be uplifted from site, cleaned and reused in non-critical locations to extend their useful life.