

PlusFloor®

Vinyl  
Vero



# Vero


Glue down vinyl plank, herringbone and chevron

Our Italian-inspired Vero range offers the highest quality and absolute style. Available in seven stunning colours, with our TrueGrain finish as standard, this striking collection of formats in luxury glue-down vinyl will redefine any interior.


- + TrueGrain finish as standard
- + Mix formats and colours
- + 36 PTV Rating
- + 0.5mm wear layer




PLF7112GC Sorrento



**Plank (G)**  
1230 x 190 x 2.5mm



**Herringbone (GH)**  
380 x 95 x 2.5mm



**Chevron (GC)**  
538 x 117 x 2.5mm



TrueGrain



Castor Chair  
Resistant



30  
Year Residential  
Guarantee



10  
Year Commercial  
Guarantee

Scan for more  
information or call  
us on **01524 481 118**



P

## Plank



PLF7100G Florence



PLF7102G Pompeii



PLF7104G Venice



PLF7112G Sorrento



PLF7106G Portofino




PLF7108G Catania




PLF7110G Tuscany

## Herringbone



PLF7100GH Florence



PLF7102GH Pompeii



PLF7104GH Venice




PLF7112GH Sorrento



PLF7106GH Portofino



PLF7108GH Catania



PLF7110GH Tuscany

# Chevron



PLF7100GC Florence



PLF7102GC Pompeii




PLF7104GC Venice



PLF7112GC Sorrento



PLF7106GC Portofino



PLF7108GC Catania



PLF7110GC Tuscany




PLF7106GC Portofino



# Florence



PLF7100G



PLF7100GH



PLF7100GC

# Pompeii



PLF7102G



PLF7102GH



PLF7102GC





PLF7104G



PLF7104GH



PLF7104GC

# Venice






# Sorrento



PLF7112G



PLF7112GH



PLF7112GC






PLF7106G



PLF7106GH



PLF7106GC

**Portofino**

# Catania




PLF7108G



PLF7108GH




PLF7108GC





PLF7110G



PLF7110GH



PLF7110GC

# Tuscany



# Vinyl Vero

## Product

Format(s)	Plank, Herringbone and Chevron	
Fixing	Glue-down	
Finish	TrueGrain embossing	
Profile	Butt joint	
Edge	Bevelled	
Wear Layer	0.5mm	
Pack size	Plank	4.13m <sup>2</sup>
	Herringbone	0.87m <sup>2</sup>
	Chevron	1.0m <sup>2</sup>

## Technical

Inflammability	BFL-S1	EN 13501-1
Scratch Resistance	MSR-A2	EN 16094
Squareness	≤ 0.20mm	
Straightness	≤ 0.30mm	
PTV (Wet)	>36	EBS 7976-2: 2002+A1:2013
Slip Resistance	R10	DIN 51130
Residual Indentation	- 0.03mm	ISO 24343-1
Curling	≤ 2mm	
Dimensional stability	≤ 0.15%	EN-ISO 23999
Thermal Resistance R	0.039 (m <sup>2</sup> K) / W	EN 12667
Formaldehyde Group	E1	EN 717-1:2014
Castor Chair Resistance	Pass	EN-ISO 23999
Stain Resistance	Resistant	EN 423
Water Resistant	Yes	
Light Fastness	6	EN ISO 105-B02
Underfloor Heating	Suitable	Max. 29°C
Warranty (Years)*	30 (Residential)	10 (Commercial)

# PlusFloor®

01524 481 118  
info@plusfloor.com  
plusfloor.com

London Showroom  
66a Turnmill Street  
Clerkenwell  
London, EC1M 5RR

Innovation + Distribution Centre  
11 Oakwood Way  
Carnforth Business Park  
Carnforth, LA5 9FD