

plusfloor

Stonework

Luxury vinyl tile with an integrated grout line

We want to completely redefine the way stone look products are used in interiors, with quicker and easier installation and more applications than ever before.

Forget messing around with feature strips and expensive and timely fitting, our integrated grout lines mean you can just lay the floor, simple as that.

Plusfloor

Stonework



Honed Crema

PLF2500GD



Dark Nimbus

PLF2510GD



Aston Noir

PLF2520GD



Ocean Grey

PLF2505GD



Portman Earth

PLF2515GD

Product Details

Technical Criteria

Product Codes	PLF2500Gd-PLF520GD		Dimensions	ISO 24342	Length: ≤0.15% Width: ≤10%
Format	Vinyl Tile				(MAX: 0.5mm)
Finish	Stone Effect		Squareness	ISO 24342	≤ 400mm : ≤0.25mm
Profile	Butt				> 400mm : ≤0.35mm
Edge Profile	2 Sided With		Overall thickness	ISO 24346	+0.13mm/0.10mm
	Integrated Grout Line		Wear Layer thickness	ISO 24340	+13%/10%
Thickness	2.5mm		Total mass per unit(g/m2)	ISO 23997	+13%/10%
Width	305mm		Dimensional stability	ISO 23999	≤ 0.25 %
Length	610mm				
Wear Layer	0.55mm		Curling after exposure to heat	ISO 23999	≤ 2.0 %
Pack Size	3.34m2/box		Residual indentation	ISO 24343-1	≤ 0.1mm
			Effect of Castor chair	ISO 4918	No damage After 25,000 rev
Installation & Maintenance			Colour Fastness	ISO 105- BO2:M2	≤ 6
Fully Bonded Yes		Yes	Slip Resistance	EN13893 DIN 51130	DS R10
Nailed		No	Fire Behavior	EN 13501-1	Bf1-s1
		No	Thermal Resistance	EN 12667	0.01(m2K)/W
Over Underfloor Heating Yes			Indoor Air Quality		IAC GOLD
over onderhoor nedding		162	Warranty (year)	30 Residential	10 Commercial

The warranty covers manufacturing defects and premature wear in the event of normal use.

Installation & Warranty

All Plusfloor floors must be installed by a competent installer who will have the necessary skills and take individual site circumstances into account. Plusfloor's warranty will apply only to floors which have been installed by a competent flooring installer comparable to BS8201 in the UK or equivalent standard worldwide.

© This technical data sheet was written by Plusfloor, Carnforth Business Park, Oakwood Way, Carnforth, Lancashire, LA5 9FD. At the time of writing and publication of this folder, all information is specified correctly. The company reserves the right to change the specifications of this product at any time without prior notice to third parties.



www.plusfloor.com info@plusfloor.com T: +44(0)1524 481118 Part of The Havwoods International Group