

Mount Washington, KY, 40047, US

Certificate of Analysis

Kaycha Labs

PureLee N/A Matrix: Derivative



Sample:M000716033-001 Harvest/Lot ID: 205.T2 Seed to Sale #N/A Batch Date :N/A Batch#: 205.T2 Sample Size Received: 5 gram Retail Product Size: 5 gram Ordered : 07/16/20 Sampled : 07/16/20 Completed: 07/20/20 Expires: 07/20/21 Sampling Method: SOP Client Method

Moisture

NOT TESTED

3.715%

Total Cannabinoids



MISC.


Terpenes


NOT TESTED

Jul 20, 2020 | Partnered Process LLC

Waukesha, Wisconsin, 53189

PRODUCT IMAGE SAFETY RESULTS





Cannabinoid Profile Test

Analyzed by	Weight	Extraction date :	Extracted By :	
19	3.0056g	07/17/20 03:07:36	19	
Analysis Method -SOP.T.40.020, SOP.T.30.050		50 Reviewe	Reviewed On - 07/20/20 17:08:42	

Analytical Batch -M0000805POT Instrument Used : HPLC Potency Analyzer Batch Date : 07/17/20 15:52:36

Dilution

Reagent

Consums. ID

40 Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis. LOQ for all cannabinoids is 1 mg/L). Measurement of Uncertainty: 2.7%

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

David Greene

State License # 19-05-02P ISO Accreditation # 17025:2017 #97164

Filth

NOT TESTED

Water Activity

NOT TESTED



Signature

07/20/2020

Signed On