

# AWNINGS, COVERS & SCREENS

|                          |     |
|--------------------------|-----|
| Awnings - Fiamma .....   | 106 |
| Fiamma spare parts ..... | 110 |
| Awning accessories ..... | 111 |
| Annexes .....            | 112 |
| Covers .....             | 113 |
| Matting .....            | 114 |
| Privacy screens .....    | 115 |







**FIAMMA F65 AWNINGS**

FIAMMA F65 AWNING - POLAR WHITE CASE

- 044310            4.0M   ROYAL GREY
- 044312            4.9M   ROYAL GREY

FIAMMA F65 L AWNING

- 044790            4.0M   ROYAL GREY    TITANIUM CASE
- 044791            4.5M   ROYAL GREY    POLAR WHITE CASE
- 044726            4.5M   ROYAL GREY    POLAR WHITE CASE

**FIAMMA F65 S AWNING**

A larger sized awning with extra large roller tube, perfect for bigger motorhomes. With its renewed technical and modern design, this awning is more advanced and more functional than ever.

**FEATURES:**



- UV resistant, waterproof and washable
- Roofline mounted
- Privacy room option available
- Polar White or Titanium hardware

**SPECIFICATIONS:**

- Reinforced leg knuckle
- Drip moulding
- Arms preset for LED

\*Awning for the main door, comes without vertical support legs

| PART NO. | DESCRIPTION   | AWNING LENGTH (A) | CANOPY LENGTH (B) | EXTENSION (C) | SHADE SURFACE | WEIGHT           |
|----------|---|-------------------|-------------------|---------------|---------------|------------------|
| 044308   | F65 S 3.2M POLAR WHITE - 10'6", 8'2" PROJECTION, 58.7LBS ROYAL BLUE | 10'6"<br>(3.20M)  | 10'1"<br>(3.08M)  | 8'2" (2.50M)  | 83FT2 (7,7M2) | 59LB<br>(26.5KG) |
| 044309   | F65 S 3.4M POLAR WHITE - 11'2", 8'2" PROJECTION, 62 LBS. ROYAL GREY | 11'2"<br>(3.40M)  | 10'9"<br>(3.28M)  | 8'2" (2.50M)  | 88FT2 (8,2M2) | 62LB<br>(28KG)   |
| 044313   | F65 S 3.7M* TITANIUM - 12'1", 8'2" PROJECTION, 66 LBS. ROYAL GREY   | 12'2"<br>(3.70M)  | 11'9"<br>(3.58M)  | 8'2" (2.50M)  | 97FT2 (9,0M2) | 66LB<br>(30KG)   |




**FIAMMA F45 S AWNING**

Up-to-date model of the F45 awning. The renewed design is more compact and more functional with a lot of technical improvements. The lead bar has two tracks allowing for use as sunscreen or LED lights. Simple to use and easy to install on the wall of your RV. Sturdy and safe to operate with an easy to hook winch loop. Polar white or Titanium hardware.

**FEATURES:**

- UV resistant, waterproof, washable
- Designed for wall installation and delivered with standard installation brackets
- Privacy room option available

\*\* 1 tension rafter made of anodized aluminum included.

| PART NO. | DESCRIPTION  | AWNING LENGTH (A) | CANOPY LENGTH (B) | EXTENSION (C) | SHADE SURFACE      | WEIGHT           |
|----------|--|-------------------|-------------------|---------------|--------------------|------------------|
| 044293   | F45 S 2.6M POLAR WHITE - 8'8", 6'6" PROJECTION, 43 LBS. ROYAL GREY     | 8'9"<br>(2.63M)   | 8'1"<br>(2.47M)   | 6'6" (2.00M)  | 53FT2<br>(4,9M)    | 43LB<br>(19.5KG) |
| 044294   | F45 S 2.6M POLAR WHITE - 8'8", 6'6" PROJECTION, 43 LBS. ROYAL BLUE     | 8'9"<br>(2.63M)   | 8'1"<br>(2.47M)   | 6'6" (2.00M)  | 53FT2<br>(4,9M)    | 43LB<br>(19.5KG) |
| 044295   | F45 S 3.0M** POLAR WHITE - 10'1", 8'2" PROJECTION, 51 LBS. ROYAL GREY  | 10'1"<br>(3.08M)  | 9'7"<br>(2.92M)   | 8'2" (2.50M)  | 79FT2<br>(7,3M2)   | 51LB<br>(23KG)   |
| 044296   | F45 S 3.0M** POLAR WHITE - 10'1", 8'2" PROJECTION, 51 LBS. ROYAL BLUE  | 10'1"<br>(3.08M)  | 9'7"<br>(2.92M)   | 8'2" (2.50M)  | 79FT2<br>(7,3M2)   | 51LB<br>(23KG)   |
| 044297   | F45 S 3.5M** POLAR WHITE - 11'6", 8'2" PROJECTION, 55 LBS. ROYAL GREY  | 11'5"<br>(3.48M)  | 10'10"<br>(3.31M) | 8'2" (2.50M)  | 89FT2<br>(8,3M2)   | 55LB<br>(25KG)   |
| 044298   | F45 S 3.5M** POLAR WHITE - 11'6", 8'2" PROJECTION, 55 LBS. ROYAL BLUE  | 11'5"<br>(3.48M)  | 10'10"<br>(3.31M) | 8'2" (2.50M)  | 89FT2<br>(8,3M2)   | 55LB<br>(25KG)   |
| 044299   | F45 S 4.0M** POLAR WHITE - 13'1", 8'2" PROJECTION, 60 LBS. ROYAL GREY6 | 13'1"<br>(3.98M)  | 12'9"<br>(3.88M)  | 8'2" (2.50M)  | 104FT2<br>(9,7M2)  | 60LB<br>(27KG)   |
| 044300   | F45 S 4.0M** POLAR WHITE - 13'1", 8'2" PROJECTION, 60 LBS. ROYAL BLUE  | 13'1"<br>(3.98M)  | 12'9"<br>(3.88M)  | 8'2" (2.50M)  | 104FT2<br>(9,7M2)  | 60LB<br>(27KG)   |
| 044301   | F45 S 4.5M** POLAR WHITE - 14'8", 8'2" PROJECTION, 66 LBS. ROYAL GREY  | 14'8"<br>(4.48M)  | 14'2"<br>(4.31M)  | 8'2" (2.50M)  | 116FT2<br>(10,8M2) | 66LB<br>(30KG)   |
| 044302   | F45 S 4.5M** POLAR WHITE - 14'8", 8'2" PROJECTION, 66 LBS. ROYAL BLUE  | 14'8"<br>(4.48M)  | 14'2"<br>(4.31M)  | 8'2" (2.50M)  | 116FT2<br>(10,8M2) | 66LB<br>(30KG)   |
| 044306   | F45 S 2.6M TITANIUM - 8'8", 6'6" PROJECTION, 43 LBS. ROYAL GREY        | 8'9"<br>(2.63M)   | 8'1"<br>(2.47M)   | 6'6" (2.00M)  | 53FT2<br>(4,9M)    | 43LB<br>(19.5KG) |
| 044307   | F45 S 4.0M** TITANIUM - 13'1", 8'2" PROJECTION, 60 LBS. ROYAL GREY     | 13'1"<br>(3.98M)  | 12'9"<br>(3.88M)  | 8'2" (2.50M)  | 104FT2<br>(9,7M2)  | 60LB<br>(27KG)   |
| 044050   | F45 S 2.6M DEEP BLACK - 8'8", 6'6" PROJECTION, 43 LBS. ROYAL GREY      | 8'9"<br>(2.63M)   | 8'1"<br>(2.47M)   | 6'6" (2.00M)  | 53FT2<br>(4,9M2)   | 43LB<br>(19.5KG) |
| 044051   | F45 S 3.0M** DEEP BLACK - 10'1", 8'2" PROJECTION, 51 LBS. ROYAL GREY   | 10'1"<br>(3.08M)  | 9'7"<br>(2.92M)   | 8'2" (2.50M)  | 79FT2<br>(7,3M2)   | 51LB<br>(23KG)   |
| 044052   | F45 S 3.5M** DEEP BLACK - 11'6", 8'2" PROJECTION, 55 LBS. ROYAL GREY   | 11'5"<br>(3.48M)  | 10'10"<br>(3.31M) | 8'2" (2.50M)  | 89FT2<br>(8,3M2)   | 55LB<br>(25KG)   |



## FIAMMA F45 L AWNING - POLAR WHITE CASING

This is a larger awning with extra large roller tube, perfect for motorhomes. With an winch opening and closing, operating by handle, this awning is designed for wall installation. It comes with reinforced leg knuckle, arms preset for LEDs and drip moulding for when it rains.

### FEATURES:

- Double guide on the lead bar allowing installation of front panels
- Fast and silent opening and closing thanks to the Auto-Lock safety system and perfect closing thanks to Dual Security device
- Adjusting system that enables you to gauge the closing of the lead bar to guarantee a perfect closing over time
- Patented sock absorbing bracket with dual bolt system to protect the awning and the vehicle during bad weather.

| PART NO. | DESCRIPTION                                  | AWNING LENGTH | CANOPY LENGTH | EXTENSION | SHADE SURFACE | WEIGHT |
|----------|--|---------------|---------------|-----------|---------------|--------|
| 044303   | F45 L 5.0M - ROYAL GREY - POLAR WHITE CASING | 5.2M          | 4.85M         | 2.5M      | 12M2          | 42.5KG |
| 044304   | F45 L 5.0M- ROYAL BLUE - POLAR WHITE CASING  | 5.2M          | 4.85M         | 2.5M      | 12M2          | 42.5KG |
| 044305   | F45 L 5.5M - ROYAL GREY - POLAR WHITE CASING | 5.52M         | 5.35M         | 2.5M      | 13.3M2        | 46.5KG |
| 044725   | F45 L 5.5M - ROYAL BLUE - POLAR WHITE CASING | 5.52M         | 5.35M         | 2.5M      | 13.3M2        | 46.5KG |



## FIAMMA CARAVANSTORE BAG AWNING - ROYAL GREY

A lightweight bag awning with a manual rollout operation. Specifically made for caravans and minivans, the Caravanstore Awning has an extra wide roller tube which can be rewound without the fabric wrinkling. It takes seconds to roll out and since the legs are inside the roller tube, they too are quick and easy to position. The legs are hinged and telescopic so they can't fall out and get lost. The design of the Caravanstore Awning has been improved recently and now comes with a central rafter fixing kit to ensure a centre rafter (not included) is installed safely (from Caravanstore 255). The lead bar now also features a second track so that a sunscreen or LED lights can be fitted.

### FEATURES:

- UV resistant, waterproof and rot proof vinyl with
- Soft vinyl bag with self lubricating zipper
- Easy installation

| PART NO. | DESCRIPTION      | AWNING LENGTH | CANOPY LENGTH | EXTENSION | SHADE SURFACE | WEIGHT |
|----------|------------------|---------------|---------------|-----------|---------------|--------|
| 044283   | CARAVANSTORE 190 | 1.9M          | 1.62M         | 1.8M      | 2.9M2         | 6.1KG  |
| 044284   | CARAVANSTORE 225 | 2.36M         | 2.02M         | 2.25M     | 4.5M2         | 7.6KG  |
| 044285   | CARAVANSTORE 255 | 2.66M         | 2.23M         | 2.25M     | 5.2M2         | 8.4KG  |
| 044286   | CARAVANSTORE 280 | 2.88M         | 2.54M         | 2.25M     | 5.7M2         | 9.0KG  |
| 044792   | CARAVANSTORE 310 | 3.18M         | 2.84M         | 2.25M     | 6.4M2         | 10.5KG |
| 044954   | CARAVANSTORE 360 | 3.66M         | 3.34M         | 2.50M     | 8.4M2         | 12.3KG |



### FIAMMA F35 PRO AWNING

Perfect for your minivan, 4x4 or even a station wagon. Housed in a light anodized aluminium case, the Fiamma F35Pro has a manual mechanism - press the red button on the side of the casing to open, then walk backwards while unrolling the awning. The drop down legs are housed inside the roller tube.

**FEATURES:**

- UV resistant, waterproof and washable
- Designed for wall installation and delivered with standard installation brackets
- Case is made from extra strong anodized aluminium

| PART NO. | DESCRIPTION              | AWNING LENGTH | EXTENSION | WEIGHT |
|----------|--------------------------|---------------|-----------|--------|
| 044290   | F35 PRO 180 - ROYAL GREY | 1.8M          | 1.8M      | 6.0KG  |
| 044893   | F35 PRO 180 - ROYAL BLUE | 1.8M          | 1.8M      | 6.0KG  |
| 044291   | F35 PRO 250 - ROYAL GREY | 2.5M          | 2.25M     | 8.5KG  |
| 044292   | F35 PRO 300 - ROYAL GREY | 3.0M          | 2.25M     | 10.5KG |



### FIAMMA F45 EAGLE

This 12V electric awning can easily be opened by using the rocker switch inserted in the wall of the vehicle. The self-supporting arms are reinforced thanks to the sturdy duralumin Double Black that doesn't require the use of support legs.

| PART NO. | DESCRIPTION               | AWNING LENGTH (A) | CANOPY LENGTH (B) | EXTENSION (C) | SHADE SURFACE | WEIGHT |
|----------|---------------------------|-------------------|-------------------|---------------|---------------|--------|
| 044293   | F45 EAGLE 350             | 3.66M             | 3.35M             | 2.50M         | 8.3M2         | 33.5KG |
| 044775   | F45 EAGLE 350 POLAR WHITE |                   |                   |               |               |        |

**FEATURES:**

- Wind-Detection System: automatically activates the 12V motor and closes the awning in case of strong wind
- Sturdy knuckle adjustable inclination from 5 - 17 degrees, enabling the correct flow of water
- 12V motor kit with emergency manual closing
- Wall control System for motor kit
- Delivered as standard with full length bracket, screws with spacers and internal counter brackets for a safe and solid installation on the vehicle.



### FIAMMA F65 12V MOTOR KIT

- 044820 - FIAMMA F65 L TITANIUM
- 044821 - FIAMMA F65 L POLAR WHITE
- 044826 - FIAMMA F65 S INTERGRATED

Motor kit 12V DC accessory. It allows manual opening and closing in override mode and extends the total length of the awning by only 150mm. A standard motor kit extends the total length of the awning by about 14cm, while the integrated Motor kit doesn't increase the total length of the awning.




### FIAMMA AWNING LED LIGHT KIT

038914

Composed of two strips of 9 LED lights, low consumption, 12V power supply cable 5m long. Easy joint installation by simple pressure on the front bar. Also fits previous awning versions.

#### FEATURES:

- 2 x 9 LED lamps and 12V cable
- Easy to install on front bar of most models of F45 and F65 awnings



### FIAMMA RAFTER PRO (CURVED)

001615

Keeps tension in the fabric, eliminates waterpooling and noisy flapping caused by the wind.

#### FEATURES:

- Sturdy anodised aluminum telescopic bars
- Complete with rubber ends so it can be installed on other awning brands

#### SPECIFICATIONS:

- Ideal for awnings with extension up to 2.5m adjustable in length from 1.44m to 2.65m



### FIAMMA CLIP SYSTEM

040272

For quick and easy installation of Fiamma Privacy Room end walls.

#### FEATURES:

- Suitable for all Fiamma F45/F65 Awnings with 2500mm canopy extension
- The installation kit can be installed on F45S, F45Ti, F45TiL
- For installation to F45 Plus and F45 Plus L, it is necessary to shorten the clip system



### FIAMMA AWNING TIE DOWN KIT

001610

UP TO 25FT

Anchors awning to the ground in windy conditions.

#### FEATURES:

- Kit includes 11m of yellow adjustable strap, pegs and tension spring
- Fits awnings up to 6m in length
- Fits into the awning rails or the side clip of the privacy room



### FIAMMA F45TI 12V MOTOR KIT

039610

FIAMMA F45TI

041449

FIAMMA F45S

040613

FIAMMA F45TiL

Motor kit 12V DC accessory. It allows manual opening and closing in override mode and extends the total length of the awning by only 150mm.

### FIAMMA SPARE PARTS

- 044896 LEFT LEAD BAR END CAP - FOR F65S POLAR
- 044897 RIGHT LEAD BAR END CAP - FOR F65S POLAR
- 044950 LEFT LEAD BAR END CAP - FOR F65S DEEP BLACK
- 044951 RIGHT LEAD BAR END CAP - FOR F65 DEEP BLACK



**CURVED ROOF RAFTER WITH BRACKET**  
001616

Curved roof rafters are used to keep the vinyl roof from sagging, ensuring 100% water run-off, as well as keeping the fabric tight and reducing wind flap. Best results are achieved when used in conjunction with an anti-flap kit.



- LED AWNING LIGHT**  
 050024 - WHITE LED 250MM  
 050025 - BLACK LED 250MM  
 050026 - WHITE LED 550MM  
 050027 - BLACK LED 550MM



**CARAVAN AWNING SAFETY STRAPS**  
050037

Caravan awning safety straps secures the awning arms - 4 straps per pack



**DEFLAPPER SPARE STRAPS**  
035271

De-flapper spare straps. Pack of 2.



**ANTI FLAP KIT BRACKET**  
050034



**STAINLESS STEEL CARAVAN AWNING ROPE CLIPS**

050036  
 Suitable for Carefree, Dometic and Aussie traveller awnings



**ROPE TRACK DOUBLE**

- 042065 - 6.0M BLACK  
 042064 - 6.0M CLEAR ANODIZED  
 001649 - 6.5M BRIGHT WHITE

Double fixing, aluminum track for securing vertical walls of annex.



**AUSTRALITE ANNEX PROTECTOR**  
015628

Fits to leading edge of main door and protects annex/awning roof from damage.



**AWNING CLEANER**  
000575

Removes mould, dirt, mildew, tree sap and grime from vinyl awnings.

**SPECIFICATIONS:**

- 946ml



**AWNING BRACKET**  
050035

Suits 6MM sail track on roll out awnings utilise a tent pole on your caravan awning



**ROPE TRACK SINGLE**

- 042060 - 6.0M BLACK  
 001650 - 5.5M BRIGHT WHITE  
 042063 - 6.0M CLEAR ANODIZED  
 001646 - 6.5M BRIGHT WHITE

Single fixing, aluminum track for securing vertical walls of annex.



**HAPPY HOOK AWNING TIE DOWN KIT**  
001609

Attach Happy Hook to awning and screw stakes into the ground and adjust poly tie-down cords. Fully rotates to keep fabric taught without stretching or separating.



# AWNING ACCESSORIES



### AWNING DEFLAPPER 044488

Universal fit. Helps prevent noisy flapping and protects from rips and tears.

**FEATURES:**

- Ready to use
- No tools needed
- Secure holding power without marring, staining, sticking or slipping
- No holes, notches or rivets required to assemble.

**SPECIFICATIONS:**

- Grip plate 50mm x 25mm
- Pack of 2



### AWNING DEFLAPPER MAX 033583

Universal fit. Helps prevent noisy flapping and protects against rips and tears. Works with screen room in place.

**FEATURES:**

- Large knob, allows for easy turn. The body is designed to hold your awning taught and it will not fade in the sun
- Soft pads are made to hold your awning without leaving any unwanted marks

**SPECIFICATIONS:**

- Grip plate 200mm x 50mm
- Strap length makes it unsuitable for pop-tops
- Max distance between edge of fabric and inside edge of arm is 130mm
- Pack of 2



### AWNING ANTI FLAP KIT

- 039918 SHORT 2100MM - 2200MM
- 038631 MEDIUM 2200MM - 2300MM
- 001617 LONG 2300MM - 2400MM

Will hold complete length of awning plus rope track for easy assembly of walls.

**FEATURES:**

- Easy assembly

# ANNEXES



### FIAMMA PRIVACY ROOM


- 044341 PRIVACY ROOM 320  
FITS DUCATO
- 044351 PRIVACY ROOM VAN  
260 FITS VW
- 044342 PRIVACY ROOM  
FRONT PANEL 80

Double your outdoor living space with one of Fiamma's Privacy Rooms. Suitable for use on F45S and F45L awnings, they transform your awning into a comfortable living space. The front panel is inserted into the track of the lead bar, and is joined to the side panels by zippers. Includes 1 front panel with door and window (with mosquito nets), 2 side panels with windows (with mosquito nets), 1 fast clip system, support poles, curtains for all windows and a mega bag for storage.

**SPECIFICATIONS:**

- The side panels are quickly put together with the fast clip that combines the canopy with the side walls
- Guaranteed close fit
- The front panel is inserted in the front rail of the awning and joined to the side panels with zippers

| PART NO. | DESCRIPTION             | AWNING LENGTH (A) | HEIGHT FROM GROUND (B) | EXTENSION (C) | WEIGHT |
|----------|-------------------------|-------------------|------------------------|---------------|--------|
| 044343   | PRIVACY ROOM MEDIUM 300 | 3.0M              | 2.25-2.5M              | 2.5M          | 24.5KG |
| 044344   | PRIVACY ROOM MEDIUM 350 | 3.5M              | 2.25-2.5M              | 2.5M          | 24.9KG |
| 044345   | PRIVACY ROOM MEDIUM 400 | 4.0M              | 2.25-2.5M              | 2.5M          | 25.4KG |
| 044346   | PRIVACY ROOM LARGE 300  | 3.0M              | 2.51-2.8M              | 2.5M          | 24.7KG |
| 044347   | PRIVACY ROOM LARGE 350  | 3.5M              | 2.51-2.8M              | 2.5M          | 25.2KG |
| 044348   | PRIVACY ROOM LARGE 400  | 4.0M              | 2.51-2.8M              | 2.5M          | 25.7KG |
| 044349   | PRIVACY ROOM LARGE 450  | 4.5M              | 2.51-2.8M              | 2.5M          | 26.2KG |
| 044350   | PRIVACY ROOM LARGE 500  | 5.0M              | 2.51-2.8M              | 2.5M          | 26.7KG |
| 044352   | PRIVACY ROOM LARGE 550  | 5.5M              | 2.51-2.8M              | 2.5M          | 28.0KG |





### CAMEC PREMIUM RV COVERS

#### CAMEC CARAVAN COVER

- 044108 CAMEC CARAVAN COVER C16CCV 14 - 16' 4.3 - 4.8M
- 044109 CAMEC CARAVAN COVER C18CCV 16 - 18' 4.8 - 5.4M
- 044110 CAMEC CARAVAN COVER C20CCV 18 - 20' 5.4 - 6.0M
- 044111 CAMEC CARAVAN COVER C22CCV 20 - 22' 6.0 - 6.6M
- 044112 CAMEC CARAVAN COVER C24CCV 22 - 24' 6.6 - 7.3M
- 043030 CAMEC CARAVAN COVER C26CCV 24-26' 7.3 - 7.9M

#### CAMEC POP-TOP COVER

- 044113 CAMEC POP-TOP COVER C14PCV 12 - 14' 3.7 - 4.4M
- 044114 CAMEC POP-TOP COVER C16PCV 14 - 16' 4.3 - 4.8M
- 044115 CAMEC POP-TOP COVER C18PCV 16 - 18' 4.8 - 5.4M
- 044116 CAMEC POP-TOP COVER C20PCV 18 - 20' 5.4 - 6.0M

#### CAMEC CAMPER TRAILER COVER

- 044105 CAMEC CAMPER TR COVER C12CTCV 10 - 12' 3.0 - 3.7M
- 044106 CAMEC CAMPER TR COVER C14CTCV 12 - 14' 3.7 - 4.3M
- 044107 CAMEC CAMPER TR COVER C16CTCV 14 - 16' 4.3 - 4.8M

Camec Premium RV Covers have been designed and manufactured to protect your caravan from being exposed to harsh climatic conditions.

#### QUALITY

Specially manufactured using a composite of two materials comprising a water resistant roof section for maximum protection, weather resistant breathable side panels which allows the cover to breathe and moisture to evaporate resisting rot and mildew, ventilation flaps and a heavy duty reinforced skirt with an elasticised hem front and rear providing a strong guard against damage from sharp objects.



#### PROTECTION

The cover will provide excellent protection against acid rain, industrial pollutants, tree sap, bird droppings, dust and weather damage caused by leaving your caravan uncovered whilst exposed to the weather.

#### PRACTICALITY

Incorporated into the complete range of Camec Premium RV Covers which are lightweight and easy to fit are practical features such as nylon straps attached to both the front and rear plus four reinforced tabs with eyelets at both front and rear so that the cover can be made nice and taut ensuring it is securely fastened for all weather conditions.

#### FEATURES:

- 300D water resistant UV 50+ roof section
- Water resistant breathable side panel
- Reinforced skirt with dual nylon clip
- Double stitched reinforced corners
- Ventilation flaps
- Soft non abrasive lining
- 3 year warranty



# MATTING



### CAMEC FLOOR MATTING

|        |             |
|--------|-------------|
| 044089 | 3.0M X 2.5M |
| 044090 | 4.5M X 2.5M |
| 044091 | 5.0M X 2.5M |
| 044092 | 6.0M X 2.5M |
| 044093 | 7.0M X 2.5M |

#### FEATURES:

- Multi-layered matting construction provides superior underfoot comfort
- Designed specifically to keep dirt, mud and sand from being walked into your caravan, RV or tent
- Great for picnics and any outdoor event
- Open mesh floor matting will not kill grass - preferred by all caravan parks
- Edges bounded by heavy duty webbing with brass eyelets for pegging down



## C-GEAR MULTIMAT OUTDOOR CAMPING MAT

|        |                           |
|--------|---------------------------|
| 038341 | 1.8M X 2.4M (8' X 6')     |
| 039256 | 2.4M X 3.35M (8' X 11')   |
| 038342 | 2.4M X 4.3M (8' X 14')    |
| 039616 | 2.4M X 5.2M (8' X 17')    |
| 038343 | 2.4M X 6.0M (8' X 20')    |
| 040022 | 2.4M X 7.5M (8' X 24')    |
| 039972 | 3.05M X 3.05M (10' X 10') |
| 038344 | 3.6M X 4.6M (12' X 15')   |

Sand and dirt fall straight through the mat to the ground beneath, not back up through the mat. Ideal for outdoor living areas and provides a sand and dirt free area for camping sites. It can be used as a shade mat (providing 90%+ UV protection) or as a windbreak for screening. Designed in Australia.

### FEATURES:

- Sand and dirt fall readily through the mat
- Perfect for use under camp furniture
- UV stabilisers minimise degradation of mats from exposure to the sun
- Non-absorbent and will not rot or mould
- Liquid spills go through the mat
- Easy to wipe clean or hose down
- Environmentally friendly on the grass underneath, it doesn't kill grass
- May be used for shade or as a wind break
- Recyclable
- Lightweight and easy to set up and pack away
- Reinforced edges and multiple D-rings
- Durable and won't tear or fray, even if cut, due to rip stop technology
- Comes with a drawstring carry bag



DOUBLE ROPE TRACK



D RINGS



## CAMEC PRIVACY SCREEN

|        |  |
|--------|--|
| 043480 | CAMEC PRIVACY SCREEN 2.8MX1.8M                               |
| 043481 | CAMEC PRIVACY SCREEN 3.1MX1.8M                               |
| 043482 | CAMEC PRIVACY SCREEN 3.4MX1.8M                               |
| 043483 | CAMEC PRIVACY SCREEN 3.7MX1.8M                               |
| 043484 | CAMEC PRIVACY SCREEN 4.0MX1.8M                               |
| 043485 | CAMEC PRIVACY SCREEN 4.3MX1.8M                               |
| 043486 | CAMEC PRIVACY SCREEN 4.6MX1.8M                               |
| 043487 | CAMEC PRIVACY SCREEN 4.9MX1.8M                               |
| 043488 | CAMEC PRIVACY END POP TOP 2.1M H X 1.8M L                    |
| 043489 | CAMEC PRIVACY END CARAVAN 2.1 H X 1.8M WITH A 2.05 ANGLE CUT |

### FEATURES:

- 90% shade and UV block providing ultimate sun protection
- Stainless steel D-rings stitched to reinforced tabs across bottom edge for securing (ropes and pegs not supplied)
- Feature a double rope track - 5mm and a 7mm spline to suit various awning styles



PRIVACY SCREEN PEGS & CORDS

044556

Pack of 5.