CATALOGUE 2022

MADE EASY.

THE LARGE ACCESSORY RANGE FOR CAMPING / CARAVANS / MOTORHOMES / VANS NDER

LITUS

ANDOMETR

MOBILE LIVING MADE EASY.

Welcome to Dometic!

illions of people around the world use Dometic products. They are RV users, boat owners, campers. Lovers of the outdoor life. All part of a growing movement -a longing for freedom and adventure, a desire to explore the world and to stay away longer. We call it mobile living, and we create the building blocks for a lifestyle. Our mission is to make mobile living easy.

Dometic is a global company with a long history in creating market-leading products for outdoor, home and professional use. We listen to all our customers no matter where they are, constantly exploring new opportunities to develop our products and solutions. With nearly 40,000 resellers and repair shops around the world, you can find us wherever you go.

It should be easy to call the whole world your home. Even if you are far from nything you would normally call civilization. We offer smart and reliable products with outstanding design for every aspect of your days away. Cooking, keeping food fresh, personal hygiene, maintaining a pleasant temperature. And more. Live well – wherever, whenever.

MOBILE LIVING MADE EASY - 3



Dometic provides a complete range of air conditioners, awnings, climate control systems and much more to keep your RV comfortable – no matter where you are.

PAGE 8 - 45

HYGIENE & SANITATION

Maintain a fresh and pleasant environment on board your boat or RV, with Dometic's range of hygiene and sanitation solutions. Supported by decades of research, we have developed a comprehensive range of sanitation products to promote comfort while catering to an essential need.

PAGE 90 - 99

Smart electronics and handy accessories ensure you always have enough power on board, even in remote locations where main power is unavailable. PAGE 100 – 109

FOOD & BEVERAGE

Just because you're far from the nearest restaurant, it doesn't mean you can't enjoy a delicious meal, washed down with a cold beverage. Dometic's range of reliable, high-performance solutions will keep you well fed and refreshed.

PAGE 46 - 89

SAFETY & SECURITY

To make your trip easier and more relaxing, we offer a range of safety and security solutions, including safety doors, alarms, and safes.

PAGE 110 - 115

CLIMATE

Air Conditioners	12 – 15
RV Awnings	16 - 25
Camping Furniture	26 – 27
RV Windows	34 - 39
Ventilation Solutions	40 - 43
RV Doors	44 - 45

FOOD & BEVERAGE

Mobile Cooking	50 - 61
Portable Refrigeration	62 - 79
Refrigerators	80 - 89

HYGIENE & SANITATION

Sanitation	92–97
Cleaning	98 - 99

POWER & CONTROL

Control Devices & Energy

102 - 109

SAFETY & SECURITY

Rear View Systems & Monitors Rear View Cameras 112 - 113 114 - 115

DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all our catalogues.

dometic.com



Living up to our mission "Mobile living made easy", we have created some innovations that give you more freedom and independence on the move. For example, we have designed a new awning that can be set up quickly and easily. Our new 10-series left-right refrigerators revolutionise the way food and drinks are kept fresh in motorhomes and caravans.



Harrier Lite

The Dometic Harrier Lite is Dometic's latest innovation in air conditioning and has been specially designed to fit small to medium sized caravans, pop-tops, and campers. Dometic has struck a balance between utilizing a lightweight, compact design, and an impressive heating and cooling performance. It comes featured with cool, white LED lights, and the dual-cylinder inverter compressor that the market has come to know through the highly sought-after IBIS 4.



Dometic Dust Reduction System

Through its smart design, the Dometic Dust Reduction System (DRS) minimises the amount of dust, harmful airborne particles and pollens that can enter your caravan and remain suspended in the air for an extended time after stopping. To ensure top performance, the Dometic DRS has been developed using advanced computer modelling and has undergone extensive performance testing in Australia's dusty country with some seriously impressive results. The unit is fitted to the roof of the caravan and operates while the vehicle is in motion. There are no motors or electrical parts so there's no need for power!



8700 Awning

Enjoy your outdoor living space with the Dometic 8700 awning. The strong and effective awning will provide protection and shade from the sun. It's robust, secure and easy to set up, so that you can quickly create an extended living space.





RMD10.5XS

Designed for smarter use of space, the Dometic RMD10.5XS is powered by a heat exchange system of cooling that makes the refrigerator run completely silently. It comes with an advanced smart door that can adapt to different layouts allowing you to store food and drinks conveniently. The refrigerator comes with a versatile interior and a customizable decor panel that can change to suit all your needs, perfect for your travels.

Dometic PI8023

Our compact HBG hobs let you cook in the confined spaces of your mobile kitchen almost like at home. They are fitted flush with the worktop, and the knobs are ergonomically placed for convenient cooking control. When there are no pots and pans on the hob, you can close the glass lid to gain additional workspace and protect your hob at the same time.



RTS160

Harness the power of the sun with the Dometic RTS160 rooftop solar panel. Perfect for off-grid adventures, this robust solar panel is an efficient and reliable source of energy. Tested to withstand extreme weather and harsh conditions on the road.



Rally Air Pro

The iconic Rally AIR Pro benefits from years of continuous design improvements and is packed full of the latest awning innovations to enhance your touring experience. Its Weathershield[™] Pro material, large windows and additional ventilation create a comfortable living space wherever you pitch-up. Not forgetting Dometic's unique Single Point Inflation system and QuickPitch[™] webbing straps which ensure a fast and easy set-up every time.



Dometic MO9722

A two burner gas stove and sink combination unit for RVs. It comes complete with durable safety glass lids that simultaneously provide protection and extra workspace when the unit is not in use.



Dometic PerfectView M 55L AHD

Digital LCD technology with super-bright, energy-saving LED backlighting for excellent image quality in all light conditions. This flat and compact 12.7 cm monitor gives the perfect view for safe maneuvering. It is the core component of many Dometic reversing systems. / Air Conditioners
/ RV Awnings
/ Camping Tents
/ Camping Furniture
/ RV Windows
/ Ventilation Solutions
/ RV Doors





BRIGHT PROSPECTS...

Air conditioners, awnings and windows for a wonderful holiday experience

Most of us love travelling south, with hot summers and plenty of sunshine. But it can really heat up your motorhome even in moderate climates and make staying inside unbearable. The alternative? Install a Dometic air conditioner to create your own climate, take a deep breath and enjoy! When you stop at a beautiful, place, turn the area in front of your vehicle into a roofed patio with a Dometic awning. It will treat you to many relaxing hours. Dometic windows and roof lights let light and air into the vehicle. Tailor-made blinds and fly screen systems work to keep prying eyes and insects out. That means, excellent prospects for you to have wonderful time on holiday.





1. Air conditioners

Dometic supplies the widest selection of air conditioners, giving you plenty of flexibility – which is especially important if you are short of space. Our air conditioners have won numerous awards over the years, including the Miami Boat Show Innovation Award and, most recently, a Red Dot Design Award.

2. RV awnings


Adventure further, stay for longer, and thrive wherever you pitch up with a Dometic awning. No matter what RV you have, Dometic has a style of awning to suit. We offer premium cassette awnings that mount directly onto the vehicle along with innovative and easy-to-use inflatable tent rooms that can remain standing on your pitch.

3. RV windows

View our wide selection of RV windows that let the light in – and keep noise, cold, rain and unwanted guests out. Our windows can be installed with a vertical or horizontal orientation in order to accommodate your RV's window openings. Privacy and security are so important. That's why we provide high-quality windows and blinds that are both functional and virtually impossible to open without a key.



THE EFFECTIVE ECO-FRIENDLY **AIR CONDITIONER OF CHOICE**







Roof air conditioner

- Excellent cooling capacity of 2.6 kW
- Dimensions: 758 x 230 x 1112 mm
- Reduced noise levels compared to previous dometic air conditioners, even at maximum speed
- Adjustable vents for even air distribution
- Lightweight rooftop unit at only 40 kg
- Four fan speeds, including a turbo speed
- Suitable for both 400 x 400 mm and 360 x 360 mm roof openings

• Dual-cylinder inverter compressor reduces vibration and is highly efficient





• Cool white LED lights in the ADB which can be activated via the remote control • Adjustable outlet vents with individual vertically adjustable airflow

• Low fan noise with three standard speeds

Dometic Harrier Lite

Roof air conditioner

- Connectivity with CI-BUS compatible control panels
- Lightweight for a low center of gravity
- Low profile rooftop unit

Dometic Harrier Plus

Roof air conditioner

- Cooling capacity of 3.0 kW
- Dual cylinder inverter compressor means lower energy consumption, noise and vibration
- 4-speed fan including Turbo mode for rapid cooling or heating
- Low profile ADB with optimised airflow
- Lightweight at 44 kg
- Wide operating temperature range of -2 C to +52 °C
- Fitment to both 360 and 400 mm roof opening sizes possible



SPECIFICATIONS MODEL



IBIS4

9600009482 Ref No. **Product Description** Roof Air Conditioner 758 x 230 x 1112 (external) Dimensions W x H x L (mm) 518 x 48 x 579 (internal) Roof opening $W \times D$ (mm) 360 x 360 / 400 x 400 Roof thickness (mm) 25-68 *** Weight (kg) 40 Input Frequency, (Hz) 50 **Electrical rating** 220-240 V Nominal (compressor capacity) 3600 W Cooling capacity (ISO 5151) 2625 W 3017 W Heating capacity (ISO 5151) **Power consumption - Cooling mode** 1656 (ISO 5151), (W) Power consumption - Heat pump 1560 (ISO 5151) - Display, (W) 2.2-8.0A/2.2-7.5A Current draw (cooling/heating) (Rated: 6.9 A / 6.5 A) Operating temperature range -2 °C to +52 °C Airflow (high fan) 470 m³/h (turbo mode) **Key Features**

Number of blower speeds	4
Remote control	Yes
Certificates	RCM
Scope of delivery	Roof Top Unit, ADB, Remote Control, Installation Material, Installation Manual, Operation Manual
General Note	The standard recommendation of the vehicle length can vary between manufacturer, vehicle type and isolation, thereby can also the classification of the air conditioning system vary.

* Patented

** Thicker roof kit available for up to 100 mm

*** For thicker roof sections up to around 100mm additional duct sections are required – available separately

 \dagger Performance is reduced at temperatures under -7 °C and over 35 °C





Harrier Lite

9600009483

Roof Air Conditioner

665 x 240 x 997 (external)

518 x 48 x 579 (internal)

360 x 360 / 400 x 400

25-68 ***

37

50

220-240 V

3600 W

2413 W

2421 W

1740

1474

2.3-8.0A/2.3-7.4A

(Rated: 7.4 A / 4.9 A)

-2 °C to +52 °C

470 m³/h (turbo mode)



Harrier Plus

9600037254

Roof Air Conditioner

750 x 280 x 1070 (external) 518 x 48 x 579 (internal)

360 x 360 / 400 x 400

25-68 **

44

50

220 - 240 V

3600 W

3028 W

3017 W

1587

1357

1.8 - 7.9 A / 1.7 - 6.8 A (Rated: 6.9 A / 5.9 A)

-2 °C to +52 °C

470 m³/h

Δ

Yes

CFRCM

Roof Top Unit, ADB, Remote Control, User Manual, Installation Material, Installation Manual

The standard recommendation of the vehicle length can vary between manufacturer, vehicle type and isolation, thereby can also the classification of the air conditioning system vary.

Δ

Yes

CBCFRCM

Roof Top Unit, ADB, Remote Control, Installation Material, Installation Manual, Operation Manual

The standard recommendation of the vehicle length can vary between manufacturer, vehicle type and isolation, thereby can also the classification of the air conditioning system vary.





STAY SHELTERED



Wall - Mounted Awnings

Dometic has been manufacturing high-quality awnings for many years. That's why we can offer you a wide range of wall mounted products for varying budgets and vehicle sizes.



Accessories

Whether you want to add comfort or extra space for guests, our awning accessories will enhance your camping enjoyment. Transform your living space with a carpet, canopy, inner tent or other accessories.

WALL MOUNTED AWNINGS

Ensure maximum enjoyment of your surroundings with comfortable, shaded and sheltered outdoor living space. Robust and easy to set up, our RV awnings are ready for action in tough environments.

Dometic 8700 Awning

Wall mounted awning

Enjoy the great outdoors in shaded comfort wherever you are with the Dometic 8700 awning. The rugged and durable construction coupled with ease of operation makes it a perfect choice for RV enthusiasts. Relax under the shade and be protected from the sun's harmful rays with the UV protected polyester reinforced vinyl fabric. The quality heavy-duty material and protection properties aides in fading, scratching and mold prevention. The vinyl cushioned lift handle and cam lock system holds the awning secure for total control, which means it can be conveniently set up by a single person with ease. So you can spend more time relaxing and less on setting up.

- Heavy-duty vinyl with UV protection
- Total operator control where one person can easily open or close the awning
- Secure cam system allows for controlled extension and roll up of the awning
- Extruded alloy one-piece heavy-duty roller tube
- Die cast end caps create a polished finish
- Heavy-duty torsion spring assemblies and solid metal shaft
- Full extension length of 2.4 m



1. Secure locking system Cam lock system secures the awning for total control when extending and rolling up.

2. Quality fabric Heavy duty vinyl with UV protection.



Ergonomically designed vinyl cushioned

4. Ease of use

lift handles.



5. Durable materials Die casted components and solid metal shaft to ensure longevity of awning.















6. Safety first Patented easy lock flipper provides additional secruity and confidence whilst travelling.

INFLATABLE TENT ROOMS

Inflatable tent rooms offer the ultimate in touring convenience. All are quick to set up and completely freestanding, simply detach your tent room and leave it to reserve your pitch whilst you explore the local area in your vehicle.



Rally Air Pro D/A

Enjoy more flexibility on your holiday

Designed to suit a wide range of caravan and motorhomes, Rally AIR Drive-Away awnings allows you to leave your awning on site while you explore the local area. The Single Point Inflation AirFrame technology ensures a fast set up with minimum fuss. Simply connect the awning tunnel to your vehicle by throwing the attached webbing straps over


the RV, or with the use of a driveaway kit. Conventional steel and fibreglass poles are replaced with interlinked inflatable AirPoles, enabling you to easily inflate and deflate the awning in no time at all. It also comes standard with a 2.2 l pump, 3.6 m connection straps, peg pack, manual and a carry bag.



1. Quickpitch[™] guying system Set up in seconds. Peg the bottom strap taut and adjust the buckle to apply tension.



2. Single point inflation Single Point Inflation awnings inflate from just one external inflation point.



3. Adjustable awning tunnel Configure the height of the connecting awning tunnel with adjustable webbing straps.



- Inflatable driveaway awning for motorhomes
- Single Point Inflation AirFrame technology makes set up easy
- Weathershield[™] Pro double coated polyester fabric protects against wind, rain and UV rays
- QuickPitch™ Guying System saves time
- Dual-Pitch™ Roof System increases headroom, deflects wind and sheds water
- Adjustable awning tunnel

Dimensions W x H x D (mm): 2600 x 3000 x 2600 Min. Connection Height (mm): 2200 Max. Connection Height (mm): 3000 Weight (kg): 32.16 Ref No. 9600027349


Rally Air Pro 330 D/A

- Inflatable driveaway awning for motorhomes
- Single Point Inflation AirFrame technolog makes set up easy
- Weathershield[™] Pro double coated polyester fabric protects against wind, rain and UV rays
- QuickPitch™ Guying System saves time
- Dual-Pitch™ Roof System increases headroom, deflects wind and sheds water
- Adjustable awning tunnel


Dimensions W x H x D (mm): 3300 x 3000 x 2600 Min. Connection Height (mm): 2200 Max. Connection Height (mm): 3000 Weight (kg): 34 Ref No. 9600027351







4. Weathershield[™] pro Weathershield[™] Pro double coated polyester fabric.











5. Dual-pitch[™] roof system

Increases headroom, ensures effective wind deflection and efficiently sheds water

CLIMATE

STATIC AWNINGS

3 YEAR WARRANTY

Sit out and enjoy warm summer evenings with comfort and privacy. Driveaway models allow you to visit a nearby beauty spot or restaurant, leaving your detachable, freestanding awning up to save your pitch.



Rally Air Pro

Transform your holiday

The Dometic Rally AIR Pro is an inflatable awning that offers an extended space attached to your caravan or motorhome. You can use it for weekend getaways or longer trips where all you want is a little bit of extra space and a roof over your head. The patented AirFrame technology in Dometic inflatable awnings and camping tents will transform your holiday. Conventional steel and fibreglass poles are replaced with interlinked inflatable AirPoles, enabling you to easily inflate and deflate the awning in no time at all. It also comes standard with a draught skirt, peg pack, 2.2 l pump and a carry bag. Not forgetting Dometic's unique Single Point Inflation system and QuickPitch™ webbing straps which ensure a fast and easy set up every time. Ideal for weekend breaks and longer holidays.



1. Quickpitch™ guying system Set up in seconds. Peg the bottom strap taut and adjust the buckle to apply tension.



2. Single point inflation Single Point Inflation awnings inflate from just one external inflation point.



3. Internal return Undo velcro and fold out rear bumper pads to create a tight seal to the motorhome side. Designed for use when attaching to a cassette awning.

Rally Air Pro 260 XL

- Inflatable static awning for caravans or motorhomes
- Single Point Inflation AirFrame technology makes set up easy
- Weathershield[™] Pro double coated polyester fabric protects against wind, rain and UV rays
- QuickPitch™ Guying System saves time
- Dual-Pitch™ Roof System increases headroom, deflects wind and sheds water
- Internal return to create a tight seal to the side of your motorhome or caravan
- Width: 2600 mm


Dimensions W x H x D (mm): 2600 x 2800 x 2500 Min. Connection Height (mm): 2650 Max. Connection Height (mm): 2800 Weight (kg): 23.4 Ref No. 9600027347

Rally Air Pro 330 XL

- Inflatable static awning for caravans or motorhomes
- Single Point Inflation AirFrame technology makes set up easy
- Weathershield™ Pro double coated polyester fabric protects against wind, rain and UV rays
- QuickPitch™ Guying System saves time
- Dual-Pitch[™] Roof System increases headroom, deflects wind and sheds water
- Internal return to create a tight seal to the side of your motorhome or caravan
- Width: 3300 mm

Dimensions W x H x D (mm): 3300 x 2800 x 2500 Min. Connection Height (mm): 2650 Max. Connection Height (mm): 2800 Weight (kg): 25 Ref No. 9600027348





4. Weathershield™ pro Weathershield[™] Pro double coated polyester fabric.







QUICK PITCH™



DUAL-PITCH™



5. Mesh flyscreen

Designed for Australian conditions with high-quality flyscreens for increased ventilation.

CAMPERVAN AWNINGS



This high-specification inflatable canopy for VW and other campervans is constructed using high quality Weathershield™ Pro material for long life and protection from the sun. The Single Point Inflation AirFrame makes set up easy and features a 'pop' design at the rear for improved headroom. This awning is a great way to extend your living space while also retaining the function of the sliding door.




Sunshine Air Pro VW

Ultimate flexibility on camping adventures

The Dometic Sunshine AIR Pro VW is an inflatable static awning that offers an extended space attached to the side of your campervan. You can use it for day trips, weekend getaways or camping trips where all you want is a little bit of extra space and a roof over your head. It is easy to set up with the inbuilt designed AirPoles that simply need to

be pumped using the 2.2 I pump that comes included. It also comes standard with two guyropes, a clamp pole, three clamps, a peg pack, a manual and a carry bag. It's easy to carry anywhere and only weighs 8.5 kg.



1. Single point inflation Single Point Inflation awnings inflate from just one external inflation point.



2. Guyrope straps Guyropes add stability and improve performance in adverse weather conditions.

Sunshine Air Pro VW

- Inflatable campervan awning
- Single Point Inflation AirFrame technology
- Weathershield[™] Pro material
- Static rail mounted awning
- Easy to set up • Durable and water-resistant

Dimensions W x H x D (mm): 2400 x 2100 x 1950 Min. Connection Height (mm): 1800 Max. Connection Height (mm): 2100 Weight (kg): 8.5 Ref No. 9600027353





PRO







AWNING ACCESSORIES

Added Comfort



Twin Drive-away Kit

Awning fitment accessory, available in 3 & 4 m lengths

- Available in 3 or 4 m lengths
- Twin keder
- Suits most awnings
- Reinforced stitching

3 M Twin Drive-away Kit Ref No. 9600027357 4 M Twin Drive-away Kit Ref No. 9600027358



Magnetic Drive-away Kit

Awning fitment accessory

- Simple installation
- 6 mm keder to magnetic system
- Suits most vehicles

Ref No. 9600027359



Limpet[™] Suction Drive-away Kit

Awning fitment accessory

- 6 mm keder to Limpet[™] fix system
- Supplied with 6 Limpets[™]
- Reinforced stitching

Ref No. 9600027360

Camping Furniture



Lounge Firenze

Reclining camping chair

- Powder-coated lightweight aluminium frame that folds up easily for storage and travel
- Padded 600D polyester fabric • 7 position adjustable
- reclining backrest
- Bungee cord suspension
- Solid contoured armrests • Adjustable head cushion
- Dimensions $W \times H \times D$ (mm): 630 x 1210 x 850

Packed Size W x H x D (mm): 1100 x 90 x 650 Weight (kg): 5.1 Maximum Load Capacity (kg): 120 Ref No. 9600027369



Serene Firenze Relaxer Guv'nor Armchair

Reclining camping chair

- Powder-coated steel frame that folds up easily for storage and travel
- Padded 600D polyester fabric • Variable adjustable recline system
- Bungee cord suspension on the seat base
- Solid contoured armrests • Adjustable head cushion

Dimensions $W \times H \times D$ (mm): 640 x 1110 x 750 Packed Size W x H x D (mm): 665 x 130 x 910

Weight (kg): 7.68 Maximum Load Capacity (kg): 120 Ref No. 9600027370



Dream XL Stretcher

Camping bed

- Durable 600D polyester
- Easy to set up

Weight (kg): 9.56

Ref No. 9600027375

- Integrated soft-touch pillow
- Extra-wide for extra comfort
- Oversized strong steel frame

Maximum Load Capacity (kg): 120

• Safety catches ensure that the bed stays open • Comes with convenient carry bag

Dimensions W x H x D (mm): 2050 x 510 x 785

Dimensions $W \times H \times D$ (mm): 1150 x 710 x 700 Adjustable Height Range (mm): 550 - 710 Weight (kg): 7.1 Maximum Load Capacity (kg): 30 Ref No. 9600027373

on uneven ground

Camping table

Footprints

Tough non-breathable awning footprints reduce condensation when pitched on wet ground.

- Tailored to fit
- Non-breathable
- Carry bag included

Rally 260 Awning Footprint Ref No. 9600027354 **Rally 330 Awning Footprint** Ref No. 9600027355











Camping chair

- Strong oversized aluminium frame
- 600D polyester fabric
- Rigid armrests
- Storage pocket for carry bag creates cushioned headrest
- Folds to a compact size into carry bag for easy transport and storage

Dimensions $W \times H \times D$ (mm): 640 x 1070 x 580

- Packed Size W x H x D (mm): 250 x 180 x 900
- Weight (kg): 4.78
- Maximum Load Capacity (kg): 120 Ref No. 9600027372



Forte 180 Ore

Camping chair

- Built to support a loading capacity of 180kg
- Extra strong oversized steel frame
- 1200D polyester
- Folds up easily for storage and travel
- **Rigid** armrests •
- Includes fold-out side table
- Powder-coated steel construction

Dimensions W x H x D (mm): 930 x 880 x 560 Packed Size W x H x D (mm): 900 x 600 x 150 Weight (kg): 8.22 Maximum Load Capacity (kg): 180



Element Table Large

- Water-resistant resin tabletop
- Lightweight aluminium frame
- Built to support a loading capacity of 30 kg • Adjustable legs allow the table to be levelled
- Easy to fold up and store away



Zero Concrete Table Medium

Camping table

- Easy to fold and stow away
- Fibreglass composite concrete effect top
- Built to support a loading capacity of 30 kg
- Lightweight aluminium frame
- Adjustable legs allow the table to be levelled on uneven ground

Dimensions W x H x D (mm): 900 x 720 x 600 Adjustable Height Range (mm): 590 - 720 Weight (kg): 4.65 Maximum Load Capacity (kg): 30 Ref No. 9600027374

CLIMATE RV AWNINGS / ACCESSORIES

Mounting & Repairing



Dometic Universal Awning Hardware

Tall white universal awning hardware Ref No. 9600027143



Dometic Universal Awning Hardware

Tall black universal awning hardware Ref No. 9600027144



Dometic Universal Awning Hardware

Short white universal awning hardware Ref No. 9600027146

EAM SEALAN



Dometic Universal Awning Hardware

Short black universal awning hardware Ref No. 9600027145



Dometic Universal Awning Hardware


Ultra short white universal awning hardware

Ref No. 9600028576

Seam Sealant

Repair product

- Colourless
- Applicator nozzle
- Flexible
- Ref No. 9120000443







STAY WITH A VIEW

Our wide selection of doors and windows let the light in – and keep noise, cold, rain and unwanted guests out. Privacy and security are so important. That's why we provide high-quality windows and blinds as well as doors that are both functional and virtually impossible to open without a key.



RV Doors

If you are looking for a door that offers high quality, superior functionality and top-level security, you are in the right place. Dometic offers a wide range of door systems (including locker doors) – all of which have been thoroughly tested to ensure top-level performance. Entry doors come with or without windows and an optional full-size flyscreen.



RV Roof Windows

There's no easier way to maximise the enjoyment of your journey than to get as much natural light as possible. Not only will you feel good, but your interior will also appear more spacious and welcoming. That's why we urge you to check out our roof lights. They are reliable, easy to install, long lasting – and available in numerous versions.



RV Frame Windows

View our wide selection of RV windows that let the light in – and keep noise, cold, rain and unwanted guests out. Our windows can be installed with a vertical or horizontal orientation in order to accommodate your RV's window openings. Privacy and security are so important. That's why we provide high-quality windows and blinds that are both functional and virtually impossible to open without a key.

RV ROOF WINDOWS

Anyone who likes a lot of daylight and fresh air in their motorhome or caravan has come to the right place. These classic "lift-and-tilt" roof lights are the biggest ones in the Heki range. They have been installed innumerable times and are highly valued for their quality, durability and ease of use. All models come with snug-fitting roller blinds and fly screens.

CONVENIENT OPENING

INDOOR COMFORT

MAXIMISE FRESH AIR



RV Rooflights

There's no easier way to maximise the enjoyment of your journey than to get as much natural light as possible. Not only will you feel good, but your interior will also appear more spacious and welcoming. That's why we urge you to check out our roof lights. They are reliable, easy to install, long lasting – and available in numerous versions.



Dometic Heki 2

Roof light

- Pneumatic springs for easy opening
- Separately adjustable darkening and fly screens
- Forced ventilation
- Double acrylic glazing

Ref No. 9104104874



Dometic Midi Heki LED

Roof light

- Open and close the dome via push-up bar
- LED lights featuring day light white and night light blue
 Dome with new double acrylic glazing
- Separately adjustable darkening and fly screens
- Opening angle of 45 degrees
- Improved aerodynamics to reduce noise

Ref No. 9104120362



Dometic Mini Heki Plus

Roof light

- Using handles, it can be placed in three different positions: fully open, half-open, and bad weather
- Separately adjustable darkening and fly screens keep light and insects out
- Forced ventilation maximises intake of fresh air
- 400 x 400 mm
- For roofs 43 60 mm thick
- Insulated dome with single acrylic glazing

Ref No. 9104119636



Dometic Midi Heki Motorised

Roof light motorised

- An electric motor opens and closes the dome
- Dome with double acrylic glazing
- Separately adjustable darkening and fly screens
- Hassle-free cleaning

Ref No. 9104121627

PRODUCTS	Size D x W (mm)	Cut Out Size H x W (mm)	Ventilation Opening (mm ²)	Weight (kg)	Ref No.
Heki 2	790 x 1080	655 x 960	115	11	9104104874
Midi Heki LED	617 x 846	500 x 700	150	8	9104120362
Mini Heki Plus	520 x 535	400 x 400	160	3.3	9104119636
Mini Heki Plus	520 x 535	400 x 400	160	3.3	9104119638
Midi Heki motorised	617 x 846	500 x 700	150	9.0	9104121627
Midi Heki Crank	617 x 846	500 x 700	150	8.5	9104120383



Dometic Mini Heki Plus

Roof light

- Using handles, it can be placed in three different positions: fully open, half-open, and bad weather
- Separately adjustable darkening and fly screens keep light and insects out
- Forced ventilation maximises intake of fresh air
- 400 x 400 mm
- For roofs 25 42 mm thick
- Insulated dome with single acrylic glazing

Ref No. 9104119638



Dometic Midi Heki Crank

Roof light, crank version

- Opens to three positions: fully open, half-open, and bad weather position
- Dome with double acrylic glazing
- Separately adjustable darkening and fly screens
- Crank-operated
- LED Lighting
- Hassle-free cleaning

Ref No. 9104120383

RV WINDOWS

Aluminium frame windows

A perfect match for RVs with curved outlines: S7P windows look great with their slightly curved, flush-fitting pane and dark-tinted double acrylic glazing. The lightweight, powder-coated aluminium frame ensures excellent insulation and a perfect finish.



Dometic S7P

Top-hung hinged wall window for curved outlines

- Multi-locking system provides security against intruders
- Powder-coated profiles for outstanding insulation
- Aluminium frame reduces the weight
- Double dark-tinted acrylic glazing
- Curvature radius of 5000 mm • For walls 27 mm thick
- 1000 x 250 mm

PRODUCT	Description	Size H × W (mm)	Cut Out Size H x W (mm)	Weight (kg)	Ref No.
Dometic S7P	Wall window, Top-hung 500 x 400	428 x 528	400 x 500	2.5	9104115605
Dometic S7P	Wall window, Top-hung 510 x 510	538 x 538	510 x 510	3	9104115606
Dometic S7P	Wall window, Top-hung 700 x 510	538 x 728	510 x 700	3.8	9104115607
Dometic S7P	Wall window, Top-hung 700 x 900	928 x 728	900 x 700	5.8	9104115608
Dometic S7P	Wall window, Top-hung 800 x 400	428 x 828	400 x 800	3.8	9104115609
Dometic S7P	Wall window, Top-hung 800 x 450	478 x 828	450 x 800	4	9104115610
Dometic S7P	Wall window, Top-hung 800 x 510	538 x 828	510 x 800	4.4	9104115611
Dometic S7P	Wall window, Top-hung 900 x 500	528 x 928	500 x 900	4.8	9104115612
Dometic S7P	Wall window, Top-hung 1000 x 510	538 x 1028	510 x 1000	5.3	9104115613
Dometic S7P	Wall window, Top-hung 1300 x 510	538 x 1328	510 x 1300	7.5	9104115615
Dometic S7P	Wall window, Top-hung 500 x 250	278 x 528	250 x 500	1.9	9104115616
Dometic S7P	Wall window, Top-hung 900 x 900	928 × 928	900 x 900	8.13	9104115619
Dometic S7P	Wall window, Top-hung 1100 x 450	478 x 1128	450 x 1100	4.7	9104115620
Dometic S7P	Wall window, Top-hung 1000 x 250	278 x 1028	250 x 1000	3.6	9104115621
Dometic S7P	Wall window, Top-hung 1570 x 575	603 x 1598	575 x 1570	11.8	9104115622
Dometic S7P	Wall window, Top-hung 1400 x 575	603 x 1428	575 x 1400	5.6	9104115623



Dometic D-Lux Window

Top-hung hinged wall window for curved outlines

- Polyurethane frame
- Flush-fitting double glazed acrylic glass pane
- Fits wall thickness for 34 mm
 - Simple and quick installation Friction stays

Ref No.	Description	Size H × W (mm)	Cut Out Size H x W (mm)	Weight (kg)	Ref No.
Dometic D-Lux	Wall window, Top-hung 300 x 500	330 x 544	298 x 499	4.6	9104122495
Dometic D-Lux	Wall window, Top-hung 450 x 500	480 x 544	448 x 500	5.1	9104122496
Dometic D-Lux	Wall window, Top-hung 550 x 700	581 x 745	549 x 700	7.8	9104122565
Dometic D-Lux	Wall window, Top-hung 800 x 800	831 x 846	800 x 801	10.7	9104122497
Dometic D-Lux	Wall window, Top-hung 450 x 900	480 x 948	448 × 902	8.2	9104122498
Dometic D-Lux	Wall window, Top-hung 550 x 900	581 x 948	549 x 902	9	9104122499
Dometic D-Lux	Wall window, Top-hung 800 x 1000	832 x 1048	802 x 1002	12.4	9104122566
Dometic D-Lux	Wall window, Top-hung 450 x 1100	481 x 1148	448 x 1103	9.7	9104122500
Dometic D-Lux	Wall window, Top-hung 550 x 1100	581 x 1148	549 x 1102	10.6	9104122567
Dometic D-Lux	Wall window, Top-hung 300 x 1200	330 x 1248	297 x 1201	8.7	9104122568
Dometic D-Lux	Wall window, Top-hung 500 x 1200	531 x 1249	500 x 1203	11.7	9104122501
Dometic D-Lux	Wall window, Top-hung 550 x 1450	581 x 1500	549 x 1453	14.4	9104122502

Dometic ABS

Top-hung hinged wall window for curved outlines

- Plastic injection frame windows
- Patented clip on system • Adjustable click clack stay
- Double glazed PMMA panes
- 11x Sizes

PRODUCT	Description	Size H x W (mm)	Cut Out Size H x W (mm)	Weight (kg)	Ref No.
Dometic ABS	Wall window, Top-hung 500 x 350	530 x 350	500 x 350	4.04	9108400939
Dometic ABS	Wall window, Top-hung 500 x 450	530 x 450	500 x 450	4.68	9600013807
Dometic ABS	Wall window, Top-hung 700 x 400	730 x 430	700 x 400	5.56	9600010528
Dometic ABS	Wall window, Top-hung 700 x 800	730 x 830	700 x 800	8.5	9108400940
Dometic ABS	Wall window, Top-hung 900 x 450	930 x 480	900 x 450	7.16	9108400941
Dometic ABS	Wall window, Top-hung 900 x 900	930 x 930	900 × 900	11.02	9108400942
Dometic ABS	Wall window, Top-hung 1000 x 800	1030 x 830	1000 x 800	00.14	9108400943
Dometic ABS	Wall window, Top-hung 1100 x 450	1130 x 480	1100 x 450	8.6	9108400944
Dometic ABS	Wall window, Top-hung 1200 x 350	1230 x 380	1200 x 350	7	9108400945
Dometic ABS	Wall window, Top-hung 1200 x 500	1230 x 530	1200 x 500	9.5	9108400946
Dometic ABS	Wall window, Top-hung 1450 x 550	1480 x 580	1450 x 550	11.72	9108400947

• Multi locking system provides security against intruders

• Integrated roller blind / Black flynet – Magnetic connection



Dometic CHAL

Top-hung hinged wall window for curved outlines

- Aluminium frame windows powder coated
- Integrated roller blind / Black flynet Clip connection
- Patented clip on system
- 3 position click clack stay
- Double glazed PMMA panes
- 14x Sizes

PRODUCT	Description	Size H × W (mm)	Cut Out Size H x W (mm)	Weight (kg)	Ref No.
Dometic CHAL	Wall window, Top-hung 500 x 350	530 x 380	500 x 350	3.8	9108400769
Dometic CHAL	Wall window, Top-hung 550 x 1450	530 x 450	500 x 450	4.68	9108400766
Dometic CHAL	Wall window, Top-hung 500 x 450	530 x 530	500 x 500	5.2	9108400765
Dometic CHAL	Wall window, Top-hung 500 x 500	730 x 830	700 × 800	8.48	9108400764
Dometic CHAL	Wall window, Top-hung 700 x 800	930 x 480	900 x 450	7.5	9108400763
Dometic CHAL	Wall window, Top-hung 900 x 450	930 x 530	900 x 500	7.66	9108400139
Dometic CHAL	Wall window, Top-hung 900 x 500	930 x 580	900 x 550	8.5	9108400772
Dometic CHAL	Wall window, Top-hung 900 x 900	930 x 930	900 × 900	11.02	9108400767
Dometic CHAL	Wall window, Top-hung 1000 x 800	1030 x 830	1000 x 800	11	9108400768
Dometic CHAL	Wall window, Top-hung 1100 x 450	1130 x 480	1100 x 450	8.6	9108400773
Dometic CHAL	Wall window, Top-hung 1100 x 550	1130 x 580	1100 x 550	9.58	9108400776
Dometic CHAL	Wall window, Top-hung 1200 x 350	1230 x 380	1200 x 350	7	9108400775
Dometic CHAL	Wall window, Top-hung 1200 x 500	1230 x 530	1200 x 500	10	9108400770
Dometic CHAL	Wall window, Top-hung 1450 x 550	1480 x 580	1450 x 550	12.5	9108400774



RV ROOF VENTS

Good air quality is essential if you want to enjoy your journey. Dometic provides flexible ventilation solutions to keep you (and your equipment) in good condition. Our roof window/vent comes with an integrated – and energy efficient – variable-speed fan for maximum comfort and convenience. Which means you can look forward to fresh air without it costing you a fortune. You can choose between manual and automatic operation.

Dometic Dust Reduction System

Dust reduction system

- Filters out dust particles with a PM10 filter
- Dust filters can be easily replaced from inside the caravan
- Non-powered operation requires no opening or closing of vents

Ref No. 9600025579



ACCESSORIES

To ensure you get the most out of your Dometic ventilation solution and/or roof light, we provide a broad selection of helpful accessories. These include installation, assembly and upgrade kits, inner frames, spoilers, vent covers and, of course, all the spare parts you need.



Dometic Safety Net Safety Net Dimensions W x H (mm): 1800 x 580 Weight (kg): 1.13 Ref No. 9104105086



Dometic DRS Air Filter

Filter for dust reduction system

Dimensions W x L x H (mm): 225 x 225 x 44 Weight (kg): 0.115 Ref No. 9600025580



Dometic Heki-SPLR

Skylight spoiler - 1100 Dimensions W x H x D (mm): 1100 x 50 x 110 Weight (kg): 0.46 Ref No. 9104100237



Fan-tastic Model 3350 Vent Fan

Roof Vent

- A built-in thermostat maintains your desired comfort level
- Three fan blade speeds (low, medium, high)
- Reverse switch controls the fan blade (OUT-exhaust or IN-intake)

Ref No. 9108879210



Fan-tastic Model 7350 Vent Fan

Vent fan

- 14 fixed manual speeds or automatic variable speeds
- Reverse switch controls the fan blade direction (OUT-exhaust or IN-intake)
- Rain sensor with On/Off switch and automatic dome open/close switch

Ref No. 9108879212





Dometic Heki-SPLR

Skylight spoiler - 810 mm

Dimensions $W \times H \times D$ (mm): 810 x 50 x 110 Weight (kg): 0.35 Ref No. 9104100236

DUST REDUCTION SYSTEM FOR CARAVANS

Dusty roads, here we come

Imagine being able to drive further whilst reducing the dust inside your caravan. With a rooftop ventilation system like the Dometic Dust Reduction System, you can significantly reduce the amount of dust in your caravan, breathe fresher air and reduce the cleaning time after caravan trips. Fitted on top of the caravan, this is a non-powered system that operates whilst driving. When stationary, it also provides 150 cm² free airflow ventilation. The patented design includes the PM10 filter that captures dust particles. It can also reduce harmful airborne particles and pollen that can remain suspended in the air for an extended time after stopping. It has been heavily tested in the dusty regions of Australia and is proven to reduce dust even when directly behind a vehicle on a dirt road. The clever design also keeps the weather and elements outside. It will stop rain from entering the caravan, where the water is directed to outlets but if there is prolonged and heavy rain, water will become trapped in the filter holder where it will evaporate without entering the caravan. If required in highly windy conditions, there is a blocker plate that can be used to block the airflow through the main filter. Now you don't have the excuse of dust, wind or rain to stop you from heading off the beaten track and enjoying your time away from home even more.

Benefits with DRS

- Significantly reduces the amount of dust, harmful airborne particles and pollens entering the RV
- Filters out dust particles with a PM10 filter
- Dust filters can be easily replaced from inside the RV
- Reduces cleaning time after RV trips
- Non-powered operation requires no opening or closing of vents
- Fits roof openings between 285 x 285 mm and 400 x 400 mm and roof thicknesses between 30 mm and 65 mm
- Low profile rooftop unit is extremely lightweight at approximately 5 kg





1. Stylish airflow grille The grille allows airflow through the unit and prevents debris from entering the vehicle.



2. Modern design Modern rooftop unit with a low profile and lightweight design.



3. Ease to use Changing the air filter is simple thanks to the ceiling cover that is easy to open and close.

TECHNICAL SPECIFICATIONS	
Ref No.	9600025579
Dimensions W x H x D (mm)	444 x 245 x 473
Net Weight (kg)	5
Ventilation Opening (cm ²)	150
Spare Part Availability	Yes



CARAD DOORS A NEW ERA IN RV DOORS

Specifically designed to fit a wide range of recreational vehicles, the Dometic CaraD door range provides peace of mind with a number of world-class safety features. Available in alucobond or glass door, CaraD doors feature tried and tested, highly resistant safety mesh that is virtually indestructible.

ROBUST

LOCKING SYSTEM

HIGH-PERFORMANCE



SECURE AND MODERN

The Dometic CaraD door is a modern caravan door designed with safety in mind. A key feature of the door is its highly resistant safety mesh. Tested by an independent company in Germany, the door can withstand 180 | of impact. The mesh will let air into your caravan without having to sacrifice your security. Another safety feature is the four-point locking system and an easy to operate chrome door lever, which ensures extra protection and comfort when travelling. It also includes a stylish integrated blind that blocks light from entering the caravan and provides additional privacy.

- Highly durable glass
- Highly resistant safety mesh
- Four-point locking system
- Easy to operate chrome door lever
- Integrated blind that blocks incoming light





1. Keep safe Four-point locking system provides extra safety and comfort while traveling.

2. Block out Integrated blind is ideal for blocking out the sun or to ensure privacy.

PRODUCTS	Size H × W (mm)	Cut Out Size $H \times W$ (mm)	Weight (kg)	Ref No.
1850 LH Aluminium caravan door	1870 x 653	1851 x 622	24.5	9104114672
1850 RH Aluminium caravan door	1870 x 653	1851 x 622	24.5	9104114673
1750 LH Aluminium caravan door	1770 x 653	1751 x 622	24	9104114676
1750 RH Aluminium caravan door	1770 x 653	1751 x 622	24	9104114677
1850 LH Glass caravan door	1870 x 653	1851 x 622	24.5	9104117908
1750 LH Glass caravan door	1770 x 653	1751 x 622	24	9104114266
1750 RH Glass caravan door	1770 x 653	1751 x 622	24	9104114267
1750 RH vented aluminium caravan door	1770 x 653	1751 x 622	24	9104117551
1850 LH vented aluminium caravan door	1870 x 653	1851 x 622	24.5	9104117552
1850 RH vented aluminium caravan door	1870 x 653	1851 x 622	24.5	9104117553
1750 LH vented glass caravan door	1770 x 653	1751 x 622	24	9104117121

CLIMATE







3. Secured Window clip keeps panel in position when closed.

/ Mobile Cooking/ Portable Refrigeration/ Refrigerators



12-10

110

100



COOLING ON THE MOVE

Just because you're far from the nearest restaurant, it doesn't mean you can't enjoy a delicious meal, washed down with a cold beverage. Dometic's range of reliable, high-performance solutions will keep you well fed and refreshed.





1. Mobile cooking

Cooking outdoors is one of life's great pleasures. That's why we make every effort to satisfy the tastes of outdoor chefs around the world. Our cooking solutions are among the best you will find anywhere. Easy to set up, easy to use and easy to keep clean, you can look forward to making dinner (or lunch) to the sound of birdsong for many years to come.

2. Portable refrigeration

Specifically designed to fit all kinds of vehicles, the CFX3 Series is a range of compact portable compressor fridges and/ or freezers to keep food and drinks well chilled or even frozen while out on the road. The range includes a variety of models including an ultra-compact cooler and one with two separate temperature zones for simultaneous cooling and freezing.

3. Refrigerators

We started out making refrigerators, so it's not surprising that more outdoor people use our cooling products than any other brand. Over the years, we have sold many millions of units. Dometic refrigeration solutions come with features you will not find anywhere else, including automatic locking systems, versatile racking, adjustable shelf guards and more.



SOLUTIONS FOR A MOBILE MASTERCHEF





The Dometic Slide Out Kitchen were a winner of the 2018 iF Design Award, a world-renowned design prize. 63 independent experts from all over the world were impressed by the Slide Out Kitchen's versatile functionality and lightweight aluminium construction. For 65 years, the iF Design Award has been recognised as an arbiter of quality for exceptional design.

A REVOLUTION FOR THE RV KITCHEN SPACE

The future of cooking outdoors

Not only does the Dometic Slide Out Kitchen save valuable space, but its telescopic runners also make it quick and easy to pull-out and stow away after use. It provides all the kitchen essentials: a sink, double-side access storage, three-burner cooktop, and a chopping board. Various additional features can be added such as a bottle opener, cup and utensil holders. The kitchen's modular aluminium construction makes it lighter, while a generous amount of built-in storage keeps dining and cooking equipment safe and secure. Easy to install on most RVs thanks to its simple three-step installation method, the Small Slide Out Kitchen takes cooking outdoors to new levels of convenience!

Dometic Small Slide Out Kitchen

Slide out kitchen, small

- Dedicated area for cooking, cleaning, and chopping
- Easy 3-step installation process
- Compatible with all popular access doors
- Lightweight aluminium construction
- Large dual side storage compartment
- · Range of accessories available, including chopping board, and utensil holder

Dimensions W x H x D (mm): 630 x 280 x 1220 Ref No. 9600019015

Dometic Slide Out Kitchen

Slide out kitchen

- Dedicated area for cooking, cleaning, chopping and serving
- Easy 3-step installation process
- Compatible with all popular access doors
- Lightweight aluminium construction
- Large dual side storage compartments
- Range of accessories available, including chopping board, and utensil holder

Dimensions W x H x D (mm): $640 \times 335 \times 1670$ Ref No.960006441

HBG SERIES

Integrated hobs with glass lid: cooking in close quarters

Our compact HBG hobs let you cook in the confined spaces of your mobile kitchen almost like at home. They are fitted flush with the worktop, and the knobs are ergonomically placed for convenient cooking control. When there are no pots and pans on the hob, you can close the glass lid to gain additional workspace and protect your hob at the same time.



Dometic P18022

Two burner gas stove

- Two burners
- Stylish stainless steel finish
- Durable glass lid

Dimensions W x H x D (mm): 480 x 80 x 370 Weight (kg): 3.58 Ref No. 9600027604

HSG SERIES

Hob/sink combinations with glass lids: cooking and washing up in small kitchens

If you want to save on space without compromising on quality, one of our hob/sink combinations is perfect for you. Made from stainless steel, they are easy to clean and long lasting too. HSG series hob/sink combos feature a heat resistant safety glass lid - or separate lids for the hob and sink. The practical glass cover gives you some extra workspace when folded down.

Dometic MO9722

Two burner stove with sink

- Compact two burner gas stove with improved efficiency
- Easy push button 12 V ignition and gas safety valves fitted for each burner
- 2 new burners with a high combined heat output of 10.5 MJ/h. The left burner produces 4 MJ/h and the right burner produces 6.5 MJ/h.
- Two integrated heat-resistant safety glass lids provide protection and extra workspace when closed
- Easy-to-clean detachable trivets
- Stylish stainless-steel finish
- Compatible with the Dometic DM-WT02 Tap (sold separately)

Dimensions: W x H x D (mm): 760 x 178 x 325 Ref No: 9600029354



Dometic P18023

Three burner gas stove

- Three burners
- Stylish stainless steel finish
- Durable glass lid

Dimensions W x H x D (mm): 560 x 88 x 440 Weight (kg): 5.30 Ref No. 9600027607



OVENS

Ovens with grill and hob: cooking, baking and grilling on board

Why do without familiar ways of cooking food just because you are on the move? The MC101 and MC102 ovens give you a choice of fully fledged stoves. Treat your family to a delicious home-made meal wherever you are. Enjoy the sparkling sight of your kitchen or galley, and rest assured that everything is safe.



MC101

Cooktop, Grill, Oven

- Spill friendly
- Easy to grab handles and knobs
- Spacious cooking with a generous 39 l oven and fan forced option
- Choose between electric hotplate or gas burners
- New grill shelves protect hands from getting burnt

Dimensions W x H x D (mm): 514 x 649 x 497 Ref No: 9600006382



MC102

Cooktop and grill

- Recessed surfaces drain away spillages
- Easy to grab handles and knobs
- Choose between gas burners or an electric hotplate
- Square corners to squeeze into tight spaces

Dimensions W x H x D (mm): 514 x 306 x 497 Ref No: 9600006383



1. Maximize space Square corners to squeeze into tight spaces



2. Spill friendly Recessed surfaces drain away spillages



3. Convenient Easy to grab handles and knobs

CK SERIES

Rangehoods: Enjoy fresh air in your mobile kitchen

Dometic rangehoods quickly draw cooking fumes, odours and moisture out of the vehicle. They do their job just as well as your rangehood at home - with integrated lights, easy controls and a washable grease filter. Pick the model to suit your idea of comfort and the installation requirements of your motorhome, caravan or boat.



Dometic CK150

Rangehood

- Quickly draws cooking fumes, odours and moist air out of the cabin
- Compact fan is integrated into the roof dome and not into the unit itself
- One fan speed equipped with 12 V motor

Dimensions W x H x D (mm): 401 x 70 x 165 Weight (kg): 1.99 Ref No. 9103303095

GY SERIES

Roof ventilators: Get rid of kitchen fumes and unpleasant odours!

Dometic GY11

Roof ventilator with motor

- Powerful motorised roof ventilator
- Adjustable two-speed fan
- Robust waterproof roof dome

Dimensions W x D (mm): 200 x 64 Weight (kg): 0.6 Ref No. 9107300318

Dometic CK155

Rangehood

- Quickly draws cooking fumes, odours and moist air out of the cabin
- Compact fan is integrated into the roof dome and not into the unit itself • Two fan speeds equipped with 12 V motor

Dimensions W x H x D (mm): 399 x 71 x 277 Weight (kg): 3 Ref No. 9103303091













FOOD & BEVERAGE MOBILE COOKING

SNG SERIES

Sinks and drainers with a beautiful lid

Washing up, cleaning the place - do it all with style! SNG series sinks and sink/drainer combinations are practical to use, easy to clean and a pleasure to look at. All products in this product family come with a beautiful, heat-resistant glass lid.



VA8006 - Square Sink with Lid

Square basin

- Integrated heat resistant safety glass lid offers extra workspace
- Low profile bench mount with rubber seal
- Tap fitting mounted inside
- Supplied with hole for tap (Ø 39mm)
- Designed to work with DW-WT02 tap (sold separately)

Dimensions $W \times H \times D$ (mm): 420 x 440 x 146.5 Weight (kg): 3.0 Ref No. 9600029460



VA7306 – Round Sink with Lid

Round basin

- Integrated heat resistant safety glass lid offers extra workspace
- Low profile bench mount with rubber seal
- Tap fitting mounted inside
- Supplied with hole for tap (Ø 39mm)
- Designed to work with DW-WT01 tap (sold separately)

Dimensions W x H x D (mm): 420 x 420 x 148 Weight (kg): 2.4 Ref No. 9600029463

1 YEAR

ACCESSORIES



Dometic DM-WT01

Sink tap

- Made from long-lasting chrome plated brass
- Easy to use with the spout on the left-hand side and handle on the right-hand side
- Maximum water temperture of 75°C
- Maximum working pressure of 500 kPa
- Suitable for most motorhomes, caravans and camper trailers

Ref No. 9108400481

Dometic Vacuum Sealer

Vacuum sealer

- Airtight seal to store food and keep it fresher up to five times longer
- Easy to pack for any trip
- Close the lid until it locks into place, press the START button and seal food in seconds
- Locks in flavour, colour and nutrition

Dimensions $W \times H \times D$ (mm): 373 x 85 x 150 Weight (kg): 1.41 Ref No. 9108400481



- Keep everything in one place, easily accessible during your cooking
- Utensil accessory for Dometic Slide Out Kitchen

• Made from durable PBT material which is resistant to solvents

Dimensions $W \times H \times D$ (mm): 204 x 52 x 48 Ref No. 9600014077

Wind deflector

Ref No. 9600015515



Utensil holder









Dometic Vacuum Sealer Rolls

Sealer rolls

- 8" bag size
- Airtight seal to store food and keep it fresher up to five times longer
- Easy to pack for any trip
- Locks in flavour, colour and nutrition
- Eliminate freezer burn and wasted food
- For outdoor and indoor use
- Maximize fridge and freezer space

Dimensions $W \times H \times D$ (mm): 90 x 45 x 203 Weight (kg): 0.24 Ref No.9108400482



Dometic Vacuum Sealer Rolls

Sealer rolls

- 11" bag size
- Airtight seal to store food and keep it fresher up to five times longer
- Easy to pack for any trip
- Locks in flavour, colour
- and nutrition • Eliminate freezer burn and wasted food
- For outdoor and indoor use
- Maximize fridge and freezer space

Dimensions $W \times H \times D$ (mm): 90 x 45 x 280 Weight (kg): 0.33 Ref No.9108400483

OUTDOOR COOKING

Dometic CSG102

Portable gas stove

The Dometic CS102 boasts high heat output of 20,000 BTU on the stove and comes complete with a hose that suits 3/8" BSP LPG cylinders. Remembering to bring matches or a lighter is a thing of the past thanks to the clever push-button Piezo ignition, which lights the burners in a matter of seconds. Avoid interruptions with the built-in

UTDOOR COOKING

windshields, which are constructed with strong, powder coated pressed steel and cover the back and sides of the unit from exposure to wind and dust. When no longer in use, the windshields compactly fold into the unit for easy storage. The CS102 portable gas stove is a great addition for the serious outdoor adventurer.

Cook up a Storm

- 2 burners with a combined high heat output of 20,000 BTU
- Easy push-button Piezo ignition
- Integrated windshields double as a lid when not in use
- Robust powder coated pressed steel construction
- Folds into a compact size when not in use
- Comes ready for use with 3/8" BSP LPG suitable hose and regulator

Dimensions W x H x D (mm): 470 x 90 x 330 Weight (kg): 4.1 Fuel type: LPG Nominal gas input (g/h): 420 Operating pressure (kPa): 100 Ref No. 9600027160



Dometic CSG103

Portable gas stove with grill

The Dometic CSG103 boasts high heat outputs of 20,000 and 3,500 BTU on the stove and grill respectively and comes complete with a hose that suits 3/8" BSP LPG cylinders. Remembering to bring matches or a lighter is a thing of the past thanks to the clever push-button Piezo ignition, which lights the burners in a matter of seconds. Avoid interruptions with the built-in windshields, which are

Satisfy your Cooking Needs

- 2 burners with a combined high heat output of 20,000 BTU
- Integrated grill below cooktop with heat output of 3,500 BTU
- Easy push-button Piezo ignition
- Robust powder coated pressed steel construction
- Folds into a compact size when not in use
- Removable handle and grill tray included
- Comes ready for use with 3/8" BSP LPG suitable hose and regulator


Dimensions W x H x D (mm): 490 x 170 x 315 Weight (kg): 5.6 Fuel type: LPG Nominal gas input (g/h): 495 Operating pressure (kPa): 100 Ref No. 9600027161



1. Compact Folds down to a compact size for easy storage.



2. Uninterrupted cooking Three sided windshield protects against the elements.



3. Piezo ignition Push button ignition lights the burners in seconds.



1. Built for the outdoors Powder-coated pressed steel shell construction.



2. Uninterrupted cooking Three-sided windshield protects against the elements.







constructed with strong, powder coated pressed steel and cover the back and sides of the burners from exposure to wind and dust when in use. When not in use, the windshields compactly fold into the unit for easy storage. The CSG103 portable gas stove is the ultimate camp kitchen for any mobile master chef.



3. Intergrated grill Simultaneous cooking and grilling.

Dometic CSO103

Portable gas stove and oven

Take all your home cooking comforts with you on your next outdoor adventure with the Dometic CSO103 portable gas stove and oven. The CSO103 comes with two powerful brass burners, each with a 1.5 kW heat output and a powerful oven, big enough to cook a hearty meal for the family. Once connected to gas, simply turn the gas knob to initiate the Piezo ignition and begin cooking; remembering to bring matches or a lighter is a thing of the past. Integrated windshields

VARRANTY OUTDOOR COOKING

protect the burners from wind and dust, ensuring a peaceful cooking process each time. Once you've finished cooking and the CSO103 has cooled down, the stove and oven are easy to clean as the cooking plate and oven racks are removable and the cooking surfaces are covered with a non-stick enamel coating. With integrated, recessed carry handles, the Dometic CSO103 is easy to carry and move around the campsite when not in use.

Become a Mobile Masterchef

- 2 burners and oven with a high heat output of 1.5 kW and 1 kW respectively
- Easy push-button Piezo ignition
- Integrated windshields double as a lid when not in use
- Robust powder-coated pressed steel construction
- Integrated recessed carry handles for easy transportation
- Comes ready for use with gas hose, regulator and POL connector

Dimensions W x H x D (mm): 540 x 740 x 370 Weight (kg): 16.5 Fuel type: ULPG Nominal gas input (g/h): 297.6 Operating pressure (kPa): 2.75 Ref No. 9600027162





1. Built for the outdoors Robust powder coated pressed steel construction with integrated recessed carry handles for easy transportation.



2. Uninterrupted cooking Three-sided windshield protects against the elements.



3. Powerful oven 1 kW oven with two cooking racks.







Take control of outdoor adventures like never before with the Dometic CFX3. Enjoy fresher food at your fingertips thanks to Dometic's market leading VMSO³ variable speed compressor with optimised software for better cooling, freezing and power consumption. The CFX3 features durable fender frames that protect the edges of the fridge/freezer, making it ideal for rugged trips. Strong, spring-loaded aluminium handles make it easy to lift and carry.

Set the cooling temperature of your CFX3 on the TFT display screen and pack all your favourite foods. Download the CFX3 app and roam free from worry. Once your CFX3 is connected through your phone, you can set the ideal temperature, and get a detailed history of energy consumption and temperatures. We also offer a range of accessories to get the most out of your fridge/freezer, including a durable insulated protective cover and a fridge slide for easy access to your favourite items.



1. User-friendly interface Weatherproof high-resolution user interface displays operating status.



2. Convenient CFX3 App Temperature control and performance monitoring via CFX3 app.



3. Rugged construction ExoFrame construction protects the unit from damage.

Benefits of CFX3

- Heavy-duty yet lightweight ExoFrame construction with fender frame protected edges and aluminium alloy handles
- Powerful VMSO³ compressor cooling technology efficiently refrigerates and deep-freezes to -22°C
- Easy-to-read high-resolution colour display and soft touch buttons enabling seamless control and monitoring of fridge/freezer performance
- CFX3 app allows temperature control via Bluetooth or WiFi and provides performance history
- 3-stage battery protection system prevents dead car battery or allows deep draw on dual batteries
- Gasket Technology provides a superior seal to retain cool air and minimise power consumption









4. Flexible power options Powered by AC and DC battery.



5. Efficient power consumption Optimised VMSO³ compressor cooling technology.









6. Easy to carry Strong aluminium carry handles.



Dometic CFX3 25

Portable fridge or freezer, 25 I

- Generous storage capacity of 25 I to fit 33 cans
- Heavy-duty yet lightweight ExoFrame construction with fender frame protected edges and aluminium alloy handles
- Powerful VMSO³ compressor cooling technology efficiently refrigerates and deep-freezes to -22°C
- seamless control and monitoring of fridge/freezer performance
- CFX3 app allows temperature control via Bluetooth or WiFi and provides performance history
- draw on dual batteries
- Gasket technology provides a superior seal to retain cool air and minimise power consumption



Dometic CFX3 35

Portable fridge or freezer, 36 I

- Generous storage capacity of 36 I to fit 50 cans
- · Heavy-duty yet lightweight ExoFrame construction with fender frame protected edges and aluminium alloy handles
- Powerful VMSO³ compressor cooling technology efficiently refrigerates and deep-freezes to -22°C
- Easy-to-read high-resolution colour display and soft touch buttons enabling Easy-to-read high-resolution colour display and soft touch buttons enabling seamless control and monitoring of fridge/freezer performance
 - CFX3 app allows temperature control via Bluetooth or WiFi and provides performance history
- 3-stage battery protection system prevents dead car battery or allows deep
 3-stage battery protection system prevents dead car battery or allows deep draw on dual batteries
 - Gasket technology provides a superior seal to retain cool air and minimise power consumption



Dometic CFX3 55IM

Portable fridge with ice maker, or freezer, 53 I

- Generous storage capacity of 53 l to fit 83 cans
- Rapid Freeze Plate and included silicon ice trays produces ice in a matter of hours
- Heavy-duty yet lightweight ExoFrame construction with fender frame protected edges and aluminium alloy handles
- Powerful VMSO³ compressor cooling technology efficiently refrigerates and deep-freezes to -22°C
- Easy-to-read high-resolution colour display and soft touch buttons enabling seamless control and monitoring of fridge/freezer performance
- 3-stage battery protection system prevents dead car battery or allows deep draw on dual batteries
- CFX3 app allows temperature control via Bluetooth or WiFi and provides performance history



Dometic CFX3 45

Portable fridge or freezer, 46 l

- Generous storage capacity of 46 l to fit 67 cans
- Heavy-duty yet lightweight ExoFrame construction with fender frame protected edges and aluminium alloy handles
- Powerful VMSO³ compressor cooling technology efficiently refrigerates and deep-freezes to -22°C
- Easy-to-read high-resolution colour display and soft touch buttons enabling seamless control and monitoring of fridge/freezer performance
- CFX3 app allows temperature control via Bluetooth or WiFi and provides performance history
- 3-stage battery protection system prevents dead car battery or allows deep draw on dual batteries
- Gasket technology provides a superior seal to retain cool air and minimise power consumption



Dometic CFX3 55

Portable fridge or freezer, 55 l

- Generous storage capacity of 55 l to fit 85 cans
- Heavy-duty yet lightweight ExoFrame construction with fender frame protected edges and aluminium alloy handles
- Powerful VMSO³ compressor cooling technology efficiently refrigerates and deep-freezes to -22°C
- Easy-to-read high-resolution colour display and soft touch buttons enabling seamless control and monitoring of fridge/freezer performance
- CFX3 app allows temperature control via Bluetooth or WiFi and provides performance history
- 3-stage battery protection system prevents dead car battery or allows deep draw on dual batteries
- Gasket technology provides a superior seal to retain cool air and minimise power consumption



Dometic CFX3 95DZ

Portable fridge and freezer, 95 l

- Generous storage capacity of 94 I to fit 133 cans (55 I and 39 | compartments)
- Heavy-duty yet lightweight ExoFrame construction with fender frame protected edges and aluminium alloy handles
- Powerful VMSO³ compressor cooling technology efficiently refrigerates and deep-freezes to -22°C
- Easy-to-read high-resolution colour display and soft touch buttons enabling seamless control and monitoring of fridge/freezer performance
- CFX3 app allows temperature control via Bluetooth or WiFi and provides performance history
- 3-stage battery protection system prevents dead car battery or allows deep draw on dual batteries
- Dual storage compartments with independent temperature control for simultaneous cooling and freezing





Dometic CFX3 75DZ

Portable fridge and freezer, 75 l

- Generous storage capacity of 75 | to fit 113 cans (45 | and 30 I compartments)
- Heavy-duty yet lightweight ExoFrame construction with fender frame protected edges and aluminium alloy handles
- Powerful VMSO³ compressor cooling technology efficiently refrigerates and deep-freezes to -22°C
- Easy-to-read high-resolution colour display and soft touch buttons enabling seamless control and monitoring of fridge/freezer performance
- CFX3 app allows temperature control via Bluetooth or WiFi and provides performance history
- 3-stage battery protection system prevents dead car battery or allows deep draw on dual batteries
- Dual storage compartments with independent temperature control for simultaneous cooling and freezing



The Dometic CFX3 portable fridge/freezer, was a winner of the Red Dot Award for Outstanding Design Quality. Jurors comprising of experienced experts from different disciplines from all over the world awarded the CFX3 portable fridge/freezer as a winner thanks to the product aesthetics and its ability to set new design standards in our industry.


FOOD & BEVERAGE PORTABLE REFRIGERATION

Storage capacity (i)253646Can count (375 m)335067Voltage12/24 VDC and 100 - 240 VAC12/24 VDC and 100 - 240 VAC12/24 VDC and 100 - 240 VACUSB charging outlet5 V / 2 A rating5 V / 2 A rating5 V / 2 A ratingPower consumptionAverage current draw x numing time. Amerage current draw x numing time. DBBA/h (2012 V 4 ' Cest 22' C. Minimum setting of -18 'C recommended for normal usage)10 'C to -22 'C. (Minimum setting of -18 'C recommended for normal usage)110 'C to -22 'C. (Minimum setting of -18 'C recommended for normal usage)110 'C to -22 'C. (Minimum setting of -18 'C recommended for normal usage)110 'C to -22 'C. (Minimum setting of -18 'C recommended for normal usage)110 'C to -22 'C. (Minimum setting of -18 'C recommended for normal usage)110 'C to -22 'C. (Minimum setting of -18 'C recommended for normal usage)110 'C to -22 'C. (Minimum setting of -18 'C recommended for normal usage)110 'C to -22 'C. (Minimum setting of -18 'C recommended for normal usage)110 'C to -22 'C. (Minimum setting of -18 'C recommended for normal usage)110 'C to -22 'C. (Minimum setting of -18 'C recommended for normal usage)110 'C to -22 'C. (Minimum setting of -18 'C recommended for normal usage)110 'C to -22 'C. (Minimum setting of -18 'C recommended for normal usage)110 'C to -22 'C. (Minimum setting of -18 'C recommended for normal usage)110 'C to -22 'C. (Minimum setting of -18 'C recommended for normal usage)110 'C to -22 'C. (Minimum setting of -18 'C recommended for normal usage)110 'C to -22 'C. (Minimum setting of -18 'C recommended for normal usage)110 'C to -22 'C. (Minimum setting of -18 'C r	SPECIFICATIONS	Dometic CFX3 25 Portable Fridge or Freezer	Dometic CFX3 35 Portable Fridge or Freezer	Dometic CFX3 45 Portable Fridge or Freezer
Votage12/24 V DC and 100 - 240 V AC12/24 V DC and 100 - 240 V AC12/24 V DC and 100 - 240 V ACUSB charging outlet5 V / 2 A rating5 V / 2 A rating5 V / 2 A ratingPower consumptionAverage current draw x running time. Average 0.272 C/ Minimum setting of -10°C to -22°C (Minimum setting of 	Storage capacity (I)	25	36	46
USB charging outletS V/2 A ratingS V/2 A ratingPower cossumptionAverage current draw x running time. Average 02 Ab /h (6) 2 V / C set, 32 °C ambient, Bluetooth on, WFi off)Average current draw x running time. 0.98 Ab/h (6) 2 V / C set, 32 °C ambient, Bluetooth on, WFi off)Average current draw x running time. 1.03 Ab/h (6) 2 V / C set, 32 °C ambient, Bluetooth on, WFi off)Temperature range+10°C to -22 °C (Minimum setting of -18° C recommended for normal usage)+10°C to -22 °C (Minimum setting of -18° C recommended for normal usage)+10°C to -22 °C (Minimum setting of -10°C to -22 °C (Minimum setting of	Can count (375 ml)	33	50	67
Power consumption (CC12V)Average current draw yr unning time, haverage 0.93 Ah/h (gl2V, 4°C set, 32°C ambient, Bluetooth on, WiFi off)Average current draw yr unning time, 0.98 Ah/h (gl2V, 4°C set, 32°C ambient, Bluetooth on, WiFi off)Average current draw yr unning time, 1.03 Ah/h (gl2V, 4°C set, 32°C ambient, Bluetooth on, WiFi off)Average current draw yr unning time, 1.03 Ah/h (gl2V, 4°C set, 32°C ambient, Bluetooth on, WiFi off)Average current draw yr unning time, 1.03 Ah/h (gl2V, 4°C set, 32°C ambient, Bluetooth on, WiFi off)Average current draw yr unning time, 1.03 Ah/h (gl2V, 4°C set, 32°C ambient, Bluetooth on, WiFi off)Average current draw yr unning time, 1.03 Ah/h (gl2V, 4°C set, 32°C ambient, Bluetooth on, WiFi off)Average current draw yr unning time, 1.03 Ah/h (gl2V, 4°C set, 32°C ambient, Bluetooth on, WiFi off)Average current draw yr unning time, 1.03 Ah/h (gl2V, 4°C set, 32°C ambient, Bluetooth on, WiFi off)Average current draw yr unning time, 1.03 Ah/h (gl2V, 4°C set, 32°C ambient, Bluetooth on, WiFi off)Average current draw yr unning time, 1.03 Ah/h (gl2V, 4°C set, 32°C ambient, Bluetooth on, WiFi off)Average current draw yr unning time, 1.03 Ah/h (gl2V, 4°C set, 32°C ambient, Bluetooth on, WiFi off)Average current draw yr unning time, 1.03 Ah/h (gl2V, 4°C set, 32°C ambient, Bluetooth on, WiFi off)Average current draw yr unning time, 1.03 Ah/h (gl2V, 4°C set, 32°C ambient, Bluetooth on, WiFi off)Average current draw yr unning time, 2.02 C (Mninum setting of 1.8°C recommended for normal usage)Average current draw yr unning time, def 1.8°C recommended for normal usage)Average current draw yr unning time, def 1.8°C recompensor with integrated WMSOP electronics, low and state batter, AC rath, def	Voltage	12/24 V DC and 100 – 240 V AC	12/24 V DC and 100 – 240 V AC	12/24 V DC and 100 - 240 V AC
Prover ConsumptionAverage 0.32 Ar/h (g12V, 4 °C. set, 32°C ambient, Bluetooth on, WiFi off)0.98 Ar/h (g12V, 4 °C. set, 32°C ambient, Bluetooth on, WiFi off)10.33 Ar/h (g12V, 4 °C. set, 32°C ambient, Bluetooth on, WiFi off)Temperature range+10°C to -22 °C (Minimum setting of -18°C recommended for normal usage)+10°C to -22 °C (Minimum setting of -18°C recommended for normal usage)+10°C to -22 °C (Minimum setting of -18°C recommended for normal usage)InsulationCFC-free PU foam, generous thicknessCFC-free PU foam, generous thicknessCFC-free PU foam, generous thicknessSystemDometic Waeco ACV20DC compressor with history Advisor adjustable for leisure and starter and starter batery, AC mains priority circuit, dynamically ventilated fin/tube condenser, aluminium rollbond evaporatorDometic Waeco ACV20DC compressor voltage protection, adjustable for leisure and starter batery, AC mains priority circuit, dynamically ventilated fin/tube condenser, aluminium rollbond evaporatorDometic Waeco ACV20DC compressor voltage protection, adjustable for leisure and starter batery, AC mains priority circuit, dynamically ventilated fin/tube condenser, aluminium rollbond evaporatorDometic Waeco ACV20DC compressor voltage protection, adjustable for leisure and starter batery, AC mains priority circuit, dynamically ventilated fin/tube condenser, aluminium alloy Hinges: aluminium alloy & stainless steelCabinet & lid: polypropylene Handles: aluminium alloy Hinges: aluminium alloy & stainless steelColourBody: dark grey; Lid: light greyBody: dark grey; Lid: light greyBody: dark grey; Lid: light greyWeight (kg)13.416.918.7Ouality featuresBluetooth & WiFi ena	USB charging outlet	5 V / 2 A rating	5 V / 2 A rating	5 V / 2 A rating
Hemperature range18 °C recommended for normal usage)18 °C recommended for normal usage)18 °C recommended for normal usage)InsulationCFC-free PU foam, generous thicknessCFC-free PU foam, generous thicknessCFC-free PU foam, generous thicknessSystemDometic Waeco ACV20DC compressor with integrated VMSO' electronics, low voltage protection, adjustable for leisure and starter battery, AC mains priority circuit, dynamically untilated fin/tube condenser, aluminium rollbond evaporatorDometic Waeco ACV20DC compressor with integrated VMSO' electronics, low voltage protection, adjustable for leisure aluminium rollbond evaporatorDometic Waeco ACV20DC compressor with integrated VMSO' electronics, low voltage protection, adjustable for leisure aluminium rollbond evaporatorMaterialCabinet & lid: polypropylene Handies: aluminium alloy Hinges: aluminium alloy Hinges: aluminium alloy Hinges: aluminium alloyCabinet & lid: polypropylene Handies: aluminium alloy Hinges: aluminium alloy Hinges: aluminium alloyCabinet & lid: polypropylene Handies: aluminium alloy Hinges: aluminium alloyMaterialCabinet & lid: polypropylene Handies: aluminium alloy Hinges: aluminium alloyBody: dark grey; Lid: light greyBody: dark grey; Lid: light greyWeight (kg)13.416.918.7Dimensions W X H x D (mm)342 x 420 x 569398 x 407 x 694398 x 476 x 694Ouality featuresBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 WSO' electronics, USB port, TFI LCD display (dimmable), 3-stage battery protection, al x M6 nutserts in baseDC and AC connection cables, removable wire baskets, spring	•	Average 0.92 Ah/h (@12 V, 4 °C set, 32 °C	0.98 Ah/h (@12 V, 4 °C set, 32 °C ambient,	1.03 Ah/h (@12 V, 4 °C set, 32 °C ambient,
SystemDometic Waeco ACV20DC compressor with integrated WISO' electronics, low voltage protection, adjustable for lesure and starter battery, AC mains priority circuit, dynamically woltage protection, adjustable for lesure and starter battery, AC mains priority circuit, dynamically wentilated fin/tube condenser, aluminium rollbond evaporatorDometic Waeco ACV20DC compressor with integrated WISO' electronics, low voltage protection, adjustable for lesure and starter battery, AC mains priority circuit, dynamically wentilated fin/tube condenser, aluminium alloy Hinges: aluminium alloy Hinges: aluminium alloy Hinges: aluminium alloy Hinges: aluminium alloy K stainless steelDometic Waeco ACV20DC compressor with integrated WISO' electronics, low voltage protection, adjustable for lesure and starter battery, AC mains priority circuit, dynamically wentilated fin/tube condenser, aluminium alloy Hinges: aluminium alloy Hinges: aluminium alloy K stainless steelDometic Waeco ACV20DC compressor with integrated WISO' electronics, low voltage protection, adjustable for lesure and starter battery, AC mains priority circuit, dynamically wentilated fin/tube condenser, aluminium alloy & stainless steelDometic Waeco ACV20DC compressor with integrated WISO' electronics, low voltage protection, adjustable for lesure and starter battery, AC mains priority circuit, dynamically wentilated fin/tube condenser, aluminium alloy & stainless steelDometic Waeco ACV20DC ventilated fin/tube condenser, aluminium alloy & stainless steelColourCabinet & lid; polypropylene Handles: aluminium alloy # stainless steelCabinet & lid; polypropylene Handles: aluminium alloy & stainless steelColourBody: dark grey; Lid; light grey Weight (kg)Body: dark grey; Lid;	Temperature range			
Systemintegrated WSO ² electronics, iow voltage protection, adjustable for lessure and starter battery, AC mains priority circuit, dynamically ventilated fin/tube condenser, aluminium rollbond evaporatorwith integrated WSO ² electronics, iow voltage protection, adjustable for lessure and starter battery, AC mains priority circuit, dynamically ventilated fin/tube condenser, aluminium rollbond evaporatorwith integrated WSO ² electronics, iow voltage protection, adjustable for lessure and starter battery, AC mains priority circuit, dynamically ventilated fin/tube condenser aluminium rollbond evaporatorMaterialCabinet & lid: polypropylene Handles: aluminium alloy Hinges: aluminium alloy Hinges: aluminium alloy Hinges: aluminium alloy A stainless steelCabinet & lid: polypropylene Handles: aluminium alloy A stainless steelColourBody: dark grey; Lid: light greyBody: dark grey; Lid: light greyBody: dark grey; Lid: light greyWeight (kg)13.416.918.7Dimensions W xH xD (mm)Bluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 WMSO ³ electronics, USB port, TFILCD display (dimmable), 3-stage battery protection, alustable for lessure dimmable), 3-stage battery protection, adjustable for lessure aluminium alloy & stainless steelScope of deliveryDC and AC connection cables, removable wire baskets, spring-loaded carrying handlesDC and AC connection cables, removable wire baskets, spring-loaded carrying handlesDC and AC connection cables, removable wire baskets, spring-loaded carrying handlesDC and AC connection cables, removable wire baskets, spring-loadedDC and AC connection cables, removable wire baskets, sprin	Insulation	CFC-free PU foam, generous thickness	CFC-free PU foam, generous thickness	CFC-free PU foam, generous thickness
MaterialHandles: aluminium alloy Hinges: aluminium alloy & stainless steelHandles: aluminium alloy Hinges: aluminium alloy & stainless steelHandles: aluminium alloy Hinges: aluminium alloy Hinges: aluminium alloy & stainless steelColourBody: dark grey; Lid: light greyBody: dark grey; Lid: light greyBody: dark grey; Lid: light greyWeight (kg)13.416.918.7Dimensions W x H x D (mm)342 x 420 x 569398 x 407 x 694398 x 476 x 694Cuality featuresBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, 4 x M6 nutserts in baseBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, 4 x M6 nutserts in baseDC and AC connection cables, removable wire baskets, spring-loaded carrying handlesDC and AC connection cables, removable alume carrying handlesDC and AC connection cables, removable carrying handlesDC and AC connection cables, removable car	System	integrated VMSO ³ electronics, low voltage protection, adjustable for leisure and starter battery, AC mains priority circuit, dynamically ventilated fin/tube condenser, aluminium	with integrated VMSO ³ electronics, low voltage protection, adjustable for leisure and starter battery, AC mains priority circuit, dynamically ventilated fin/tube condenser,	with integrated VMSO ³ electronics, low voltage protection, adjustable for leisure and starter battery, AC mains priority circuit, dynamically ventilated fin/tube
Weight (kg)13.416.918.7Dimensions WxHxD(mm)342 x 420 x 569398 x 407 x 694398 x 476 x 694Quality featuresBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, 4 x M6 nutserts in baseBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, 4 x M6 nutserts in baseBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, 4 x M6 nutserts in baseBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, 4 x M6 nutserts in baseBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, anti-condensation heating, 4 x M6 nutserts in baseBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, anti-condensation heating, 4 x M6 nutserts in baseDC and AC connection cables, removable 	Material	Handles: aluminium alloy	Handles: aluminium alloy	Handles: aluminium alloy
Dimensions Wx Hx D (mm) $342 \times 420 \times 569$ $398 \times 407 \times 694$ $398 \times 476 \times 694$ Ouality featuresBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, $4 \times M6$ nutserts in baseBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, $4 \times M6$ nutserts in baseBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, $4 \times M6$ nutserts in baseBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, $4 \times M6$ nutserts in baseBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, $4 \times M6$ nutserts in baseBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, $4 \times M6$ nutserts in baseBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, $4 \times M6$ nutserts in baseBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, $4 \times M6$ nutserts in baseScope of deliveryDC and AC connection cables, removable wire basket, spring-loaded carrying handlesDC and AC connection cables, removable wire baskets, spring-loaded <b< td=""><td>Colour</td><td>Body: dark grey; Lid: light grey</td><td>Body: dark grey; Lid: light grey</td><td>Body: dark grey; Lid: light grey</td></b<>	Colour	Body: dark grey; Lid: light grey	Body: dark grey; Lid: light grey	Body: dark grey; Lid: light grey
W x H x D (mm)342 x 420 x 569398 x 407 x 694398 x 476 x 694Quality featuresBluetooth & WiFi enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, 4 x M6 nutserts in baseBluetooth & WiFi enabled, detachable electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, 4 x M6 nutserts in baseBluetooth & WiFi enabled, detachable electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, 4 x M6 nutserts in baseBluetooth & WiFi enabled, detachable electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, 4 x M6 nutserts in baseBluetooth & WiFi enabled, detachable electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, 4 x M6 nutserts in baseBluetooth & WiFi enabled, detachable electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, 4 x M6 nutserts in baseBluetooth & WiFi enabled, detachable electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, anti-condensation heating, 4 x M6 nutserts in baseBluetooth & WiFi enabled, detachable electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, at x M6 nutserts in baseScope of deliveryDC and AC connection cables, removable wire basket, spring-loaded carrying handlesDC and AC connection cables, removable wire baskets, spring-loaded carrying handlesDC and AC connection cables, removable wire baskets, spring-loaded carrying handles	Weight (kg)	13.4	16.9	18.7
Quality featuresBluetooth & WiF enabled, detachable lid, interior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, 4 x M6 nutserts in baseinterior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, 4 x M6 nutserts in baseinterior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, anti-condensation heating, 4 x M6 nutserts in baseinterior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, anti- condensation heating, 4 x M6 nutserts in baseinterior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, anti- condensation heating, 4 x M6 nutserts in baseinterior light, drain plug, CFX3 VMSO3 electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, anti- condensation heating, 4 x M6 nutserts in baseScope of deliveryDC and AC connection cables, removable wire basket, spring-loaded carrying handlesDC and AC connection cables, removable wire baskets, spring-loaded carrying handlesDC and AC connection cables, removable wire baskets, spring-loaded carrying handles		342 x 420 x 569	398 × 407 × 694	398 x 476 x 694
Scope of delivery DC and AC connection cables, removable wire basket, spring-loaded carrying handles wire baskets, spring-loaded carrying handles wire baskets, spring-loaded carrying handles	Quality features	lid, interior light, drain plug, CFX3 VMSO ³ electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection,	interior light, drain plug, CFX3 VMSO ³ electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, anti- condensation heating,	interior light, drain plug, CFX3 VMSO ³ electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, anti-condensation heating,
Ref No. 9600028368 9600028616 9600028617	Scope of delivery		wire baskets, spring-loaded	wire baskets, spring-loaded
	Ref No.	9600028368	9600028616	9600028617


Dometic CFX3 55 Portable Fridge or Freezer	Dometic CFX3 55IM Portable Fridge and Ice Maker, or Freezer	
55	53	
85	83	
12/24 V DC and 100 – 240 V AC	12/24 V DC and 100 – 240 V AC	
5 V / 2 A rating	5 V / 2 A rating	
Average current draw x running time. 1.10 Ah/h (@12 V, 4 °C set, 32 °C ambient, Bluetooth on, WiFi off)	Average current draw x running time. 1.20 Ah/h (@12 V, 4 °C set, 32 °C ambient, ice maker on/ maintenance, Bluetooth on, WiFi off)	Ave 3.0 (sn
+10 °C to -22 °C (Minimum setting of -18 °C recommended for normal usage)	+10 °C to -22 °C (Minimum setting of -18 °C recommended for normal usage)	+10 °C
CFC-free PU foam, generous thickness	CFC-free PU foam, generous thickness	CFC
Dometic Waeco ACV20DC compressor with integrated VMSO ³ electronics, low voltage protection, adjustable for leisure and starter battery, AC mains priority circuit, dynamically ventilated fin/tube condenser, aluminium rollbond evaporator	Dometic Waeco ACV20DC compressor with integrated VMSO ³ electronics, low voltage protection, adjustable for leisure and starter battery, AC mains priority circuit, dynamically ventilated fin/tube condenser, aluminium rollbond evaporator	Don with volta and
Cabinet & lid: polypropylene Handles: aluminium alloy Hinges: aluminium alloy & stainless steel	Cabinet & lid: polypropylene Handles: aluminium alloy Hinges: aluminium alloy & stainless steel	Hing
Body: dark grey; Lid: light grey	Body: dark grey; Lid: light grey	
20.4	21.3	
720 x 480 x 455	720 × 480 × 455	
Bluetooth & WiFi enabled, detachable/ reversible lid, interior light, drain plug, CFX3 VMSO ³ electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, anti-condensation heating, 4 x M6 nutserts in base	Bluetooth & WiFi enabled, ice maker, detachable/reversible lid, interior light, drain plug, CFX3 VMSO ³ electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, anti-condensation heating, 4 x M6 nutserts in base	Blu refi rever CFX LCD pro
DC and AC connection cables, 2 x removable wire baskets, spring-loaded carrying handles	DC and AC connection cables, 2 x removable wire baskets, spring-loaded carrying handles, ice maker housing with lid, 2 x ice trays with lid	D rem
9600028619	9600028620	

Dometic CFX3 55

Dometic CFX3 55IM











+ additional 2 year (parts only) compressor

68 - DOMETIC.COM

FOOD & BEVERAGE

Dometic CFX3 95DZ

Portable Fridge and Freezer

75	94
113 (68/45)	133 (81/52)
12/24 V DC and 100 – 240 V AC	12/24 V DC and 100 – 240 V AC
5 V / 2 A rating	5 V / 2 A rating
Average current draw x running time. 3.04 Ah/h (@12 V, 4 °C (large), -15 °C (small), 32 °C ambient, Bluetooth on, WiFi off)	Average current draw x running time. 3.57 Ah/h (@12 V, 4 °C (large), -15 °C (small), 32 °C ambient, Bluetooth on, WiFi off)
+10 °C to -22 °C (Minimum setting of -18 °C recommended for normal usage)	+10 °C to -22 °C (Minimum setting of -18 °C recommended for normal usage)
CFC-free PU foam, generous thickness	CFC-free PU foam, generous thickness
Dometic Waeco ACV20DC compressor with integrated VMSO ³ electronics, low voltage protection, adjustable for leisure and starter battery, AC mains priority circuit, dynamically ventilated fin/tube condenser, aluminium rollbond evaporator	Dometic Waeco ACV25DC compressor with integrated VMSO ³ electronics, low voltage protection, adjustable for leisure and starter battery, AC mains priority circuit, dynamically ventilated fin/tube condenser, aluminium rollbond evaporator
Cabinet: steel & polypropylene Lid: polypropylene Handles: aluminium alloy Hinges: aluminium alloy & stainless steel	Cabinet: steel & polypropylene Lid: polypropylene Handles: aluminium alloy Hinges: aluminium alloy & stainless steel
Body: dark grey; Lid: light grey	Body: dark grey; Lid: light grey
27.8	29.8
892 x 472 x 495	962 x 472 x 530
Bluetooth & WiFi enabled, dual zone refrigeration or freezing, detachable/ reversible lids, interior lights, drain plugs, CFX3 VMSO ³ electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, anti-condensation heating, 4 x M6 nutserts in base	Bluetooth & WiFi enabled, dual zone refrigeration or freezing, detachable/ reversible lids, interior lights, drain plugs, CFX3 VMSO ³ electronics, USB port, TFT LCD display (dimmable), 3-stage battery protection, anti-condensation heating, 4 x M6 nutserts in base
DC and AC connection cables, 3 x	DC and AC connection cables, 3 x

Dometic CFX3 75DZ

Portable Fridge and Freezer

DC and AC connection cables, 3 x removable wire baskets, spring-loaded carrying handles

9600028622



removable wire baskets, spring-loaded carrying handles

9600028621



MOBILE LIVING MADE EASY - 69

CFX3 PROTECTIVE COVERS

Accessories for the portable fridge/freezer range

Whether it's downhill, off-road, in the outback or in the backyard, the CFX3 protective covers provide the ultimate peace of mind for CFX3 owners. Not only does the thermoformed EVA and 1200D nylon construction protect the CFX3 from dirt, dust and damage, it also looks great in the back of the 4WD thanks to its elegant charcoal design. The tight-fitting four-piece design assembles with concealed zips and the clip-on lid cover means that detaching the lid cover to open the lid is a thing of the past. CFX3 protective covers come with integrated storage pockets for carrying power cords and other valuables. Equip a CFX3 portable fridge/freezer with a protective cover for the ultimate confidence to travel further and experience more.

- Made from tough 1200D nylon and thermoformed EVA
- Protects against dirt, dust, sand, moisture and water splashes
- Integrated storage pockets with zipper at the front and sides of the cover
- Four-piece design fits securely against the CFX3

PRODUCT	Ref No.
DOMETIC CFX3-PC25	9600028649
DOMETIC CFX3 PC35	9600026468
DOMETIC CFX3 PC45	9600026469
DOMETIC CFX3 PC55 / 55IM	9600026470
DOMETIC CFX3 PC75	9600026471
DOMETIC CFX3 PC95	9600026472



1. Easy access Contoured cutout for easy access to CFX3 user interface.

Integrated storage pockets for carrying cords and



2. Heavy-duty construction Resilient thermoformed EVA panels protect the CFX3 from scuffing.



5. Vent clearance Avoids overheating and ensures reliable performance.



3. A perfect fit The four-piece design fits securely against the CFX3.



6. Premium finish Durable fabric in a modern charcoal colour.



A 📷



CF Series

The compact CF series that can go anywhere with a handy shoulder strap (CF11 only) and carry handles, the CF Series is a range of compact fridge/freezers that you can take anywhere. Super-slim and easy to fit in the smallest of spaces, the CF fridge/freezers can deep freeze food and drinks with minimal power consumption. Offering greater convenience the CF Series is even lighter than its predecessor thanks to its new compact compressor.





70 - DOMETIC.COM

4. Added storage

other accessories.

CFF Series

A great partner for embarking on life's greatest adventures this series is designed to keep adventurers off the grid for longer, integrating impressive cooling or freezing with efficient interior storage. Whether it's storing for short stays, long trip dinners, or wine and soft drink bottles, the CFF series makes the most of its optimised capacity and allows everyone to enjoy everything cool that Dometic has to offer.







CFF 70DZ PACK COMPRESSOR FRIDGE AND FREEZER

The Dometic CFF 70DZ Pack features dual storage compartments with independent temperature control for simultaneous cooling and freezing in any combination, making it a versatile portable fridge and freezer that is flexible, and remarkably user friendly. It comes with a digital electronic control system and can keep its interior as low as –18 °C. Enjoy the flexibility to choose between running the CFF 70DZ as a fridge, freezer or both, removing the boundaries when it comes to deciding what to pack for a trip. The CFF range was

designed for more effective use of storage space and temperature distribution, with dimmable digital displays making it easy to set and monitor in any ambient light. The CFF range is a perfect choice for the outdoor enthusiast to upgrade from a traditional icebox. The CFF 70DZ Pack includes an insulated cover that helps protect your fridge or freezer from dirt, dust, sand, moisture, and water splashes. This new insulated cover is the next step in caring for your CFF 70DZ.



Dometic Coolfreeze

• Extremely compact,

super-slim design

• With shoulder strap for

easy transport

light in weight

For more information

visit dometic.com

• Storage volume 10.5 l

Portable fridge or freezer, 13 cans

• Refrigeration and deep-freezing

• Compact compressor, therefore

• Refrigeration from +10 °C to -18 °C

• 12 or 24 V DC, 100-240 V AC

Not available for sale in NSW.

CF 11

WARE OF STREET

Dometic CFF 20

Portable fridge or freezer, 21 I

- Total volume of 21 l fits up to six standard 1.5 l bottles or 27 cans (375 ml)
- Energy efficient design provides rapid cooling, even in high outside temperatures
- Robust, lightweight and compact
 design ensures excellent portability
- Strong handles for carrying convenience, can also act as safety tie down points
- Digital temperature display for easy monitoring and adjustment

Gross volume	111	211	441	701(40/30)	
Voltage	12/24 V DC, 100 - 240 V AC	12/24 V DC, 100-240 V AC	12/24 V DC and 100 - 240 V AC	12/24 V DC and 100 - 240 V AC	
Power input (AC 230 V)	30 W	-	-	-	
Power consumption (DC 12 V)	Average current draw x running time. Average 0.45 Ah/h [†]	Average current draw x running time. Energy Consumption 12 V DC (Internal @ 4 C, Ambient @ 32 C), [Ah/h] Average current draw x running time. 1.07 Ah/h (@12 V, 4 °C set, 32 °C ambient)		Average current draw x running time. 2.9 Ah/h (@12 V, 4 °C (large), -15 °C (small), 32 °C ambient)	
Temperature range	+10 °C to -18 °C	+10 °C to -18 °C	+10 °C to -18 °C	+10 °C to -18 °C	
Insulation	CFC-free PU foam	CFC-free PU foam	CFC-free PU foam	CFC-free PU foam	
System	Compressor with integrated control electronics, low voltage protection (can be adjusted), electronic fuse/automatic reverse pole protection	Compressor with integrated control electronics, low voltage protection (can be adjusted)	Dometic Waeco ACV20DC compressor with integrated VMSO ² electronics, low voltage protection, adjustable for leisure and starter battery, AC mains priority circuit, dynamically ventilated wire/tube condenser, aluminium rollbond evaporator	Dometic Waeco ACV20DC compressor with integrated VMSO ² electronics, low voltage protection, adjustable for leisure and starter battery, AC mains priority circuit, dynamically ventilated wire/tube condenser, aluminium rollbond evaporators	
Material	Housing and lid polypropylene	-	Cabinet & lid: polypropylene Handles: glass filled nylon & powder coated steel Hinges: acetyl	glass filled nylon & Lids: polypropylene Handles: glass filled nylon & powd er coated steel	
Colour	Body: Dark grey sides, lid light grey	Body: Dark grey sides, lid light grey	Body: dark grey sides with light grey top highlight, Lid: light grey	Body: dark grey, Lids: light grey	
Weight (kg)	8.5	10.8	18.9	26.4	
Dimensions $W \times H \times D$ (mm)	235 x 358 x 540	283 x 430 x 660 (Including handles)	715* x 475 x 398 (*590 without handles)	914* x 500 x 443 (*785 without handles)	
Quality features	Extremely compact design, electronic thermostat with digital temperature display, 3-stage battery monitor, LED interior light, adjustable shoulder strap, two drink holders, easy and secure fastening with the vehicle safety belt	Energy efficient design provides rapid cooling, even in high outside temperatures Robust, lightweight and compact design ensures excellent portability Strong handles for carrying convenience, can also act as safety tie down points	Double-sided opening lid, interior light, dimmable display, 3-stage battery protection, vertical space for standing wine or soft drink bottles	Dual zone refrigeration or freezing, detachable/reversible lids, interior lights, dimmable display, 3-stage battery protection, vertical space for standing wine or soft drink bottles	
Scope of delivery	DC and AC connection cable, carry strap	DC and AC connection cables, detachable handles	DC and AC connection cables, removable wire basket, detachable carrying handles, insulated cover	DC and AC connection cables, 2 x removable wire baskets, detachable carrying handles, insulated cover	
Ref No.	9600010779	9600028324	9600028653	9600028328	





Dometic CFF 45 Pack

Portable fridge or freezer, 44 I, insulated cover included

- 44 l of storage for convenient cooling
- Double-sided lid for user-friendly opening
- Single compartment allows either refrigeration or freezing
- Can be set between 10°C and -18°C, with the ability to run at -18°C up to 50°C below ambient temperature
- Includes insulated cover with pockets for storing power leads and other fridge accessories



Dometic CFF 70DZ Pack

Portable fridge and freezer, 70 l, insulated cover included

- 70 (40/30) I of storage for convenient cooling
- Dual storage compartments with independent temperature control for simultaneous cooling and freezing
- Can be set between 10°C and -18°C, in either compartment
- Includes insulated cover with pockets for storing power leads and other fridge accessories

ACCESSORIES



Dometic CFX-28 Fixing Kit

Fixing kit

• Suitable for the CFX3 25 & CFX 28

Dimensions W x H x D (mm): 250 x 30 x 422 Weight (kg): 1.9 Ref No. 9105306218



Dometic CFX Fixing Kit

- Fixing kit • Suits all CFX portable fridge and freezers
- Ref No. 9108300002



Dometic CFX3-SLD3545

Fridge slide

- Suitable for use with CFX3 35, CFX3 45 and CFX 35W/40W, CFF 45, CF 40/50
- Maximum load capacity of 100 kg

Dimensions W x H x D (mm): 481 x 85 x 735 Extended: D1418 mm (inc. lever) Weight (kg): 14.2 Ref No. 9610000651






Dometic Coolpower RAPS72 Kit

Battery cradle

- Fits two RAPS battery kits
- Sturdy powder coated cradle
- Connection lead included

Dimensions WxHxD (mm): 232.2 x 215.2 x 450.1 Weight (kg): 1.04 Ref No. 9105303701



Dometic Tropicool AC-UFK-T

Fixing kit

- Vehicle fixing kit for TCX 14/21 & TC 14/21
- on the move
- For safe fastening of cooler
- Heavy duty straps

Ref No. 9105303709



Dometic CFX3-SLD55

Fridge slide

- Suitable for use with CFX3 55, CFX3 55IM and legacy CFX models of comparable size
- Maximum load capacity of 100 kg

Dimensions W x H x D (mm): 539 x 85 x 759 Extended: D1496 mm (inc. lever) Weight (kg): 15.7 Ref No. 9610000652



Dometic CFX-SLD75

Fridge slide

- Up to 100 kg max load capacity
- Secure fridge/freezer to slide with tie-down straps or screws from underneath

Dimensions $W \times H \times D$ (mm): 580 x 79 x 940 Extended: D1710 mm (inc. lever) Weight (kg): 20.5 Ref No. 9610000653



Dometic CFX-SLD95/100

Fridge slide

- Up to 115 kg max load capacity
- Secure fridge/freezer to slide with tie-down straps or screws from underneath

Dimensions W x H x D (mm): 613 x 79 x 1011 Extended: D1850 mm (inc. lever) Weight (kg): 22 Ref No. 9105306558



Dometic Coolfreeze Fridge Stand

Fridge stand

• Up to 80 kg load capacity

Dimensions H x D (mm): 450 x 330 Weight (kg): 2 Ref No. 9108400101



Dometic HWK-DC

DC Hardwiring kit

- Surface or panel mount
- Standard DC socket • 2-pin threaded socket

Dimensions W x H x D (mm): 115 x 55 x 89 Weight (kg): 1.19 Ref No. 9600024832



FOOD & BEVERAGI

• For secure use of fridge/freezer while



Dometic Coolfreeze AC-UFK

Fixing kit

• CF 25 - CF 60

Ref No. 9105303708

• 10 AWG cable with eyelets & 15 A blade fuse, 6 m



DOMETIC PATROL

Through heat and dust, pouring rain and mud, Dometic Patrol iceboxes take it all in their stride. The robust one-piece rotomoulded polyethylene design makes the icebox tough enough for years of outdoor adventure. On hikes, rides and climbs, its dependable cool storage make the Patrol an ever present partner. Ready for the challenge, it dares you to go further because it can handle harsh treatment. And every scratch tells a story.

Key Benefits

- Thick PU insulation keeps ice frozen for days
- Large, leak-proof drain makes cleaning easy
- Deep-freeze lid seal ensures no gaps for air to enter or escape
- Rugged construction with one-piece rotomoulded PE
- One-handed rubber latches for convenient opening and closing of the lid



1. Large drain Leak-proof drain for easy cleaning.



2. Highly insulated Keeps ice cold for days.



4. Tough design One-piece rotomoulded polyethylene.



5. Convenient dock (optional) Multi use dock with cup holder, bottle opener and rod holder.

rod holder.

proof drain, deep freeze lid seal and one hand rubber latch opening. For extra functionality, a clever accessory dock can house optional

accessories including: a bottle opener, cup holder or fishing



FOOD & BEVERAGE





3. Easy access Open with one hand thanks to convenient rubber latches.



6. Customisable Each box comes with a set of stickers for personalisation.

PATROL

Iceboxes with a sense of adventure



Dometic Patrol 20

Capacity: 15 cans / 18.8 l Dimensions W x H x D (mm): $526 \times 379 \times 356$ Weight (kg): 8 Available colours: Mist, Slate, Ocean, Olive, Mango

PRODUCT	Ref No.		
PATR2OM (Mist)	9600028784		
PATR2OS (Slate)	9600028787		
PATR200 (Ocean)	9600028790		
PATR2000 (Olive)	9600028792		
PATR20MS (Mango)	9600028794		





Dometic Patrol 35

Capacity: 28 cans / 35.6 l Dimensions W x H x D (mm): 691 x 389 x 414 Weight (kg): 11.7 Available colours: Mist, Slate, Ocean, Olive, Mango

PRODUCT	Ref No.		
PATR35M (Mist)	9600028785		
PATR35S (Slate)	9600028788		
PATR350 (Ocean)	9600028791		
PATR3500 (Olive)	9600028793		
PATR35MS (Mango)	9600028795		



ACCESSORIES





Dometic Patrol/ CI BR

Bracket for Patrol and Cl iceboxes

- Suitable for use with Patrol and Cl iceboxes
- Easy to install and
- remove as required • Made from durable PBT material

Ref No. 9108400901

Dometic Patrol/ **CI RH**

Drink holder for Patrol and Cl iceboxes Cl iceboxes

• Suitable for use with Patrol and Cl iceboxes Easy to install and

Dometic Patrol/ CI DH

remove as required Made from durable PBT material

Ref No. 9108400902

- Suitable for use with Patrol and Cl iceboxes • Easy to install and remove as required
- Made from durable PBT material

Ref No. 9108400903

Dometic Patrol 55

Capacity: 43 cans / 54.3 l Dimensions W x H x D (mm): 757 x 417 x 478 Available colours: Mist, Slate, Ocean

PRODUCT	Ref No.		
PATR55M (Mist)	9600028786		
PATR55S (Slate)	9600028789		
PATR550 (Ocean)	9600029271		



Rod holder for Patrol and





Bottle opener for Patrol and Cl iceboxes

- Suitable for use with Patrol and Cl iceboxes
- Easy to install and remove as required
- Made from durable stainless steel

Ref No. 9108400904



Dometic CI-FK

Fixing kit for Cl iceboxes

- Suitable for use with Cl iceboxes
- Heavy duty straps
- Low profile tie-down anchor points

Ref No. 9108400905







STAY COOL



RV Refrigerators

Are you in the market for a new refrigerator? A fitted model or a freestanding one? Choose from the most comprehensive range currently available. If you'd like the option to use gas for cooling, take a look at our noiseless absorption appliances. They are ultra convenient, even when powered with electricity. Our compressor refrigerators provide high performance cooling regardless of ambient temperatures. They run on battery power and are tailor made for operation, using a solar power system.



Truck Refrigerators

What is your way of having a break? Are you the "just grab a snack while driving" type? Or do you feel like something more substantial now and then? Is food storage for longer journeys an issue for you? Or are you in the market for a matching refrigerator to fill an unused corner of your truck cab? Whatever it is, Dometic has the right refrigerator to suit your take a break habits, your vehicle and your budget.



Boat Refrigerators

Are you looking for a new refrigerator? A space saving fitted model or a freestanding one with ample capacity for a longer cruise? We have put together a collection of cooling solutions that satisfy every need - compact and mid sized drawer fridges, top loaders using the depth of the cupboard space and freestanding premium refrigerators well equipped like your refrigerator at home.

RUA SERIES



Dometic RUA 5208X

Absorption refrigerator, 153 I

- Narrow cabinet design with slim footprint
- Reversible door suits any layout
- Freezer compartment with internal door
- Easy-to-use control panel with colour
- T-rated cooling system ensures excellent cooling performance in all conditions
- Adjustable shelves and door bins

Gross volume: 153 l Fridge storage volume: 133 I Freezer storage volume: 13 l Dimensions (W x H x D) mm: $550 \times 1191 \times 677$ Weight (kg): 49 Ref No. 9600015786

RUC SERIES



Dometic RUC 5280X

Compressor refrigerator, 1531

- Narrow cabinet design with slim footprint
- Reversible door suits any layout
- Freezer compartment with internal door
- TFT display
- T-rated cooling system ensures excellent cooling performance in all conditions

Gross Volume: 153 I Fridge Storage Volume: 133 | Freezer Storage Volume: 13 I Dimensions (W x H x D) mm: 550 x 1191 x 677 Weight (kg): 43 Ref No. 9600028640



Dometic RUA 6408X

Absorption refrigerator, 1881

- 2 door fridge & freezer
- Generous storage capacity of 1801

TFT display

Gross volume: 188 l

Weiaht (ka): 60

- TFT display

Ref No. 9600008777



Dometic RUC 6408X

Compressor refrigerator, 188 I

- 2 door fridge & freezer
- Generous storage capacity of 1801

TFT display

- Easy-to-use control panel with colour
- Adjustable shelves and door bins

Gross volume: 188 | Fridge storage volume: 1341 Freezer storage volume: 46 l Dimensions (W x H x D) mm: 550 x 1447 x 677 Weight (kg): 43 Ref No. 9600008779

- Narrow cabinet design with slim footprint
- T-rated cooling system ensures excellent
- cooling performance in all conditions
- Automatic switching from DC to AC power
- when AC mains is available • Easy-to-use control panel with colour
- Adjustable shelves and wire doors
- Fridge storage volume: 134 l Freezer storage volume: 46 l Dimensions (W x H x D) mm: 550 x 1447 x 677



Dometic RUA 8408X

Absorption refrigerator, 224 I

- 2 door fridge & freezer
- Generous storage capacity of 216 l
- Narrow cabinet design with slim footprint
- T-rated cooling system ensures excellent cooling performance in all conditions
- Automatic switching from DC to AC power when AC mains is available
- Easy-to-use control panel with colour TFT display
- Adjustable shelves and wire doors

Gross volume: 224 l Fridge storage volume: 170 l Freezer storage volume: 46 l Dimensions (W x H x D) mm: $550 \times 1657 \times 677$ Weight (kg): 64 Ref No. 9600003697



- Narrow cabinet design with slim footprint
- T-rated cooling system ensures excellent
- cooling performance in all conditions
- Automatic switching from DC to AC power
- when AC mains is available • Easy-to-use control panel with colour
- Adjustable shelves and wire doors

Dometic RUC 8408X

Compressor refrigerator, 224 I

- 2 door fridge & freezer
- Generous storage capacity of 216 l
- Narrow cabinet design with slim footprint
- T-rated cooling system ensures excellent cooling performance in all conditions
- Automatic switching from DC to AC power when AC mains is available
- Easy-to-use control panel with colour TFT display
- Adjustable shelves and wire doors

Gross volume: 2241 Fridge storage volume: 170 l Freezer storage volume: 46 l Dimensions (W x H x D) mm: $550 \times 1657 \times 677$ Weight (kg): 46 Ref No. 9600003698



REFRIGERATORS

Coolmatic CRX Series

Cooler than ever

The CRX Series of refrigerator is a veritable chameleon. It's a fridge, it's a fridge-freezer and it's a freezer. This patented invention is down to the removable freezer compartment and smart electronics that regulate the compressor speed, simultaneously saving energy. The freezer compartment can simply be pulled out to make a larger fridge or short-term freezer and the desired temperature manually set. (CRX 110 and 140 does not include removable freezer compartment).

- Variable Motor Speed Optimisation ensures excellent energy efficiency
- CFC-free polyurethane foam provides excellent insulation
- Fully hermetic compressor with integrated control electronics
- Ambient temperature controlled fan speed to reduce noise



1. Adjustable shelves Easily change the height of the shelves to suit any size bottle.



2. Two in one The fridge's control panel also has an integrated light.



3. Organised storage The fridge interior is well organised with shelves.



4. Seperate storage The separate compartment is ideal for storing fresh fruit and vegetables.



Dometic Coolmatic CRX 50

Compressor refrigerator, 47 I

Gross volume (I): 47 Fridge storage volume (I): 41.2 Freezer storage volume (I): 4.4 Dimensions $W \times H \times D$ (mm): $380 \times 534 \times 500$ Weight (kg): 17 Ref No. 9600028416



Dometic Coolmatic CRX 65

Compressor refrigerator, 601

Gross volume (I): 60 Fridge storage volume (I): 50 Freezer storage volume (I): 7 Dimensions W x H x D (mm): 448 x 525 x 545 Weight (kg): 19 Ref No. 9600028417





Gross volume (I): 136

Weight (kg): 30.6

Ref No. 9600028420

Dometic Coolmatic CRX 110

Compressor refrigerator, 109 l

Gross volume (I): 109 Fridge storage volume (I): 98 Freezer storage volume (I): 9.5 Dimensions W x H x D (mm): 520 x 745 x 558 Weight (kg): 27.6 Ref No. 9600028419







Dometic Coolmatic CRX 80

Compressor refrigerator, 81 I

Gross volume (I): 81 Fridge storage volume (I): 70.6 Freezer storage volume (I): 7.5 Dimensions $W \times H \times D$ (mm): 475 \times 640 \times 528 Weight (kg): 21 Ref No. 9600028418



Dometic Coolmatic CRX 140

Compressor refrigerator, 1361

Fridge storage volume (I): 124 Freezer storage volume (I): 11 Dimensions $W \times H \times D$ (mm): 525 \times 812 \times 620



CD Series

The CD series of refrigeration turns a small unused space into a very usable drawer fridge



Dometic Coolmatic CD 20

Drawer fridge, 20 I

- Its compact design is perfect if you're low on space
- Temperature control with continuously variable thermostat improves efficiency
- Convenient access with easy-pull drawer running on roller bearing slides
- User-friendly unlocking and opening with a single movement
- Temperature range +15 °C to 0 °C
- The cooling unit can be installed up to 1.5 m away giving you flexibility of position

Gross volume (l): 20 Dimensions W x H x D (mm): 440 x 250 x 564 Weight (kg): 16.1 Ref No. 9600008369

ACCESSORIES

EFM Flush

Dometic CoolMatic flush mount installation frame

A flush mount installation frame for various models of Dometic Coolmatic fridge: CR and CRX.



	PRODUCT	Description	Ref No.		
	Dometic Coolmatic CR-IFFM-50-N	Flush mount installation frame for CRX 50	9105306410		
	Dometic Coolmatic CR-IFFM-65-N	Flush mount installation frame for CRX 65	9105306411		
-	Dometic Coolmatic CR-IFFM-80-N	Flush mount installation frame for CRX 80	9105306412		
	Dometic Coolmatic CR-IFFM-110-N	Flush mount installation frame for CRX 110	9105306413		
	ometic Coolmatic CR-IFFM-50-N Flush mount installation frame for C ometic Coolmatic CR-IFFM-65-N Flush mount installation frame for C ometic Coolmatic CR-IFFM-80-N Flush mount installation frame for C ometic Coolmatic CR-IFFM-110-N Flush mount installation frame for C	Flush mount installation frame for CRX 140	9105306414		

EST Standard

Dometic CoolMatic standard installation frame

A standard installation frame for various models of Dometic Coolmatic fridge: CR and CRX.

PRODUCT	Description	Ref No.
Dometic Coolmatic CR-IFST-50-N	Standard installation frame for CRX 50	9105306405
Dometic Coolmatic CR-IFST-65-N	Standard installation frame for CRX 65	9105306406
Dometic Coolmatic CR-IFST-80-N	Standard installation frame for CRX 80	9105306407
Dometic Coolmatic CR-IFST-110-N	Standard installation frame for CRX 110	9105306408
Dometic Coolmatic CR-IFST-140-N	Standard installation frame for CRX 140	9105306409



Dometic Coolmatic CD 30

Drawer fridge, 301

- Compact design and smart solution: the compressor can be fitted to the side of the refrigerator (left or right) and up to 1.5 m away
- Temperature control with continuously variable thermostat improves efficiency
- Convenient access with easy-pull drawer running on roller bearing slides
- User friendly unlocking and opening with a single movement
- Safe locking mechanism

Gross volume (l): 30 Dimensions W x H x D (mm): 440 x 250 x 730 Weight (kg): 19.3 Ref No. 9105330083



LS SERIES

Ventilation grills

Ventilation grill for single and double-door models: Attached to the outside of the vehicle. Specially designed ventilation system for mounting on the outside wall of the vehicle. Built to prevent energy wasting heat accumulation behind the fridge. In addition, they allow easy access for service and maintenance without removing the fridge.



Dometic Ventilation Grill LS300-B

Black ventilation grill

- Avoid wasting energy by removing heat which builds up around your fridge
- The lower grill allows cool air in while the upper grill allows warm air to escape
- Suitable for Dometic single-door models of fridge

Dimensions W x H x D (mm): 518 x 278 x 42 Ref No. 9600003022



Dometic Ventilation Grill LS300

White ventilation grill

- Avoid wasting energy by removing heat which builds up around your fridge
- The lower grill allows cool air in while the upper grill allows warm air to escape
- Suitable for Dometic single-door models of fridge

Dimensions W x H x D (mm): 518 x 278 x 42 Ref No. 9600003033



RM SERIES

Cool food and drink on the go for any mobile space

For keeping food and drink cool and fresh while on the road, the Americana refrigerators are reliable, efficient and stylish. The internal layout is well designed to maximize capacity. Available in a range of sizes and a choice of single or double doors, the Americana is designed to suit a wide range of needs – all at an affordable price.

Absorption Refrigeration for 12 V, 240 V and Gas

- Famous 3-way silent operation LP Gas, 12 V and 240 V
- Performance enhanced cooling units designed and manufactured for harsh Australian conditions
- UES models (RM 2356) allow the user to simply turn the refrigerator on and the refrigerator will select the best available enery source; 240 V being its first option then sourcing 12 V (sense when your engine is running) and gas thereafter
- Doors can be hinged from right to left opening
- Friendly to the environment CFC free
- Door panels are replaceable to suit any décor
- Automatic flame failure safety device shuts of the gas supply if the flame is extinguished
- Flame indicator for gas operation (manual models only)
- Lockable doors for travelling
- Magnetic door seals
- Full 3-year warranty

Choose from 4 options:

1. Manual control

- 2. MES: Manual Energy Selection with Automatic Gas Ignition
- 3. AES: Automatic Energy Selection (fully automatic)
- 4. UES: Universal Energy Selection (switchable between MES & AES)





Dometic RM 2350

Absorption refrigerator, 90 I

- Gross capacity of 90 l
- Dimensions: 556 x 577 x 766 mm
- Cut-out dimensions: 521 x 520 x 756 mm
- T-rated cooling unit ensures excellent performance in all conditions
- Manual Energy Selection (MES)
- Powerful absorption refrigeration technology
- No moving parts results in completely silent operation

Weight (kg): 29 Ref No. 9105304001

Dometic RMD10.5XS

Absorption refrigerator, 173 I

- Smart door that can be changed from the left-hand side to right-hand side with ease
- Interior parts comply with food safety regulation
- User-friendly control panel featuring LED colour display
- Flexible interior storage with crispers
- Detachable door decor panel can be customised
- Smart lock system
- Noiseless absorption cooling

Dimensions W x H x D (mm): 526 x 1246 x 622 Weight (kg): 52.5 Ref No. 9600028656





Dometic RM 2356

Absorption refrigerator, 95 I

- Patented UES (Universal Energy Selection) control system that is switchable between manual (MES) and automatic energy select (AES)
- Same cut out size as most 0.85 cubic metre models but 10% bigger inside
- User friendly control panel featuring LED indicator lights
- Generous door and wall insulation for greater performance
- Includes hinge kit to easily change the door's opening direction
- Easy access to inter

Weight (kg): 28 Ref No. 9105305687



/ Sanitation

/ Cleaning

FIGENE & SANGATON





WHEN NATURE CALLS



RV Toilets

Compromising on sanitation affects your well-being and prevents you from really relaxing. In addition, the space in a recreational vehicle is very confined and the time you spend in it is far too precious. Treat yourself to a mobile toilet from Dometic and enjoy the comforts of home wherever you go.



Boat Toilets

Convenient, space-saving hygienic comfort for your boat. The portable toilets from Dometic combine many useful functions in the smallest of spaces.



Accessories

To keep your sanitation equipment clean and in good working order, we supply everything you need in the way of accessories. These include retrofit kits, spare parts, a comprehensive range of cleaning products and renew kits - allowing you to upgrade your toilet system without investing in a new one.

RV TOILETS

Sometimes all you need to know is that you are choosing a comfortable, clean and safe toilet. The Saneo ceramic toilet is unrivalled in the conscientious design involved in ensuring your ultimate well-being is always protected. This ceramic toilet has patented safety features. We care and we think about it, so that you don't have to.



Dometic Saneo CLP

Ceramic low-profile cassette toilet, 16 l

- allows more space at the top of the console
- Suitable for RVs with tight spaces
- Scratch-resistant, very easy to clean ceramic inlay
- Insens Touch Control Display
- Ergonomically shaped, comfortable seat
- Bowl can be adjusted up to 90° in both directions
- Built-in breather tube on the cassette helps to remove odours

Tank capacity wastewater: 161 Dimensions W x H x D (mm): 377 x 496 x 602 Weight (kg): 13 Ref No. 9600023296



Cassette toilet

both directions

Weight (kg): 13.6

Ref No. 9107100658

- Low profile console that is lightweight and ceramic inlay
 - Insens Touch Control Display



1. Anti-splash Ceramic bowl prevents splash back and improves ventilation.





• Scratch-resistant, very easy to clean

• Ergonomically shaped, comfortable seat • Bowl can be adjusted up to 90° in

• Prepared for the SOG exhaust system

Tank capacity wastewater: 16 I Dimensions W x H x D (mm): $377 \times 680 \times 602$



Dometic Saneo BLP

Plastic low-profile cassette toilet, 16 l

- Low profile console that is lightweight and allows more space at the top of the console
- Suitable for RVs with tight spaces
- Scratch-resistant, very easy to clean ceramic inlay
- Insens Touch Control Display
- Ergonomically shaped, comfortable seat
- Bowl can be adjusted up to 90° in both directions
- Built-in breather tube on the cassette helps to remove odours

Tank capacity wastewater: 161 Dimensions W x H x D (mm): $377 \times 496 \times 602$ Weight (kg): 10.4 Ref No. 9600023297



2. Robust materials

Ensure reliable and long product life.

CT4000



500 SERIES

The premium quality 500 series of gravity flush toilets install into a diverse range of boats.

Dometic 510

Gravity Toilet

- Low-flush water consumption: less than 390 ml per flush
- Pedal flush requires no electric power
- Elongated enamelled wood seat and residential-style deep bowl for enhanced comfort
- Proven in thousands of marine applications
- Integral vacuum breaker protects water supply


Dimensions W x H x D (mm): 387 x 476 x 521 Weight (kg): 17 Ref No. 9108552866



1. Quality ceramic High-quality lightweight ceramic inlay is scratch-resistant and easy to clean.



2. Ergonomic design Adjustable seat height ensures maximum comfort. Small footprint saves valuable space.



A perfectly designed range of toilets for motorhomes. The toilets within this CT4000 range are perfect for motorhomes as they

hygienic finish. They can also be retrofitted with the SOG air ventilation system for an ultra fresh adventure into the unknown.

are lightweight, functional and beautifully designed with a high-quality ceramic inlay bowl for a scratch resistant,



1. Optimised bowl design The ergonomic toilet bowl ensures comfort.



2. High power flush Optimised flush ring and vacuum breaker for impressive flushing capacity.





Dometic 511 PS

Gravity-Flush Toilet

- This gravity drop toilet requires no electricity
- Efficient: the patented flush uses less than 0.5 l of water
- Robust by design, yet elegant in appearance with a high gloss china finish
- Designed to be installed directly above a holding tank with an air tight seal • Available in sparkling white
- Integrated vacuum breaker protects the water supply

Dimensions W x H x D (mm): 438 x 372 x 521 Weight (kg): 16.6 Ref No. 9108685758

3. Compact

PORTABLE TOILETS

970 Series

The 970 series of portable toilets provide comfort, simplicity and the latest technology. When on the move, people wish for the comforts of home and the 970 Series of portable toilets provides just that. The powerful touch-button flush technology sets this toilet range miles apart from their competitors as no pumping or batteries are required. They are available in two sizes with an adult-sized seat comfortable beyond words.



Dometic 972

Portable toilet

- High-strength ABS construction withstands harsh environments; smooth, easy-to-clean finish
- Prismatic tank level indicator allows easy tank level monitoring
- Push-button flush clears bowl instantly
- Full-size seat for comfort; latching lid for security

Dimensions W x H x D (mm): 334 x 318 x 387 Weight (kg): 5.44 Ref No. 9108552682



Dometic 976

Portable toilet

- High-strength ABS construction withstands harsh environments; smooth, easy-to-clean finish
- Prismatic tank level indicator allows easy tank level monitoring
- Push-button flush clears bowl instantly
- Full-size seat for comfort; latching lid for security

Dimensions W x H x D (mm): 334 x 387 x 387 Weight (kg): 6.35 Ref No. 9108552688



1. Less pump This effective system requires less pump action.



2. Push button operation A simple push button operation.



3. Less mess Less mess due to an extra-long pivoting discharge spout.

ACCESSORIES



Dometic Brush & Stow Toilet cleaning brush Ref No. 9600005999



Dometic Dryroll Water tight tissue dispenser Ref No. 9600024493





CLEANING

Additives & Consumables

Dometic provides a complete line of innovative products to help keep your sanitation systems clean and comfortable. These include eco-friendly tabs and fluid additives for holding and flushing tanks, multi-purpose cleaners and much more.





Sanitation additive

- No spills or mess
- The dose is pre-measured so no possible overdosing and waste
- Easy storage in a handy tub
- Suitable for all portable and cassette toilets
- Fast breakdown of waste without the build-up of unpleasant gas or odours
- Lighter in weight and less cumbersome than liquids • Ready to use tabs in a soluble film
- Ref No. 9600000125



Dometic Greencare Tabs

Sanitation additive

- An environmentally friendly toilet tab that doesn't cost the earth
- The dose is pre-measured preventing overdose and waste
- No spills or mess
- Suitable for all portable and cassette toilets
- Fast breakdown of waste without the build-up of unpleasant gas or odours
- Ready to use tabs in a soluble film
- Lighter in weight and less cumbersome than liquids

Ref No. 9600000133



Dometic Extra Care Pink

Sanitation additive

- Provides a micro-thin protective layer against stains
- Protects the workings of your toilet to ensure a smoother flush
- Pleasant fragrance from an integrated deodoriser
- Suitable for all portable and cassette toilets

Ref No. 9107200001



Dometic Extra Care Blue

Sanitation additive

- A new and improved formula where one dose can last up to four days
- Highly effective at breaking down waste and preventing nasty odours
- Works even after freezing and thawing
- Has a handy dose measuring strip on the bottle
- Has a fresh and pleasant fragrance

Ref No. 9107200002





/ Control Devices / Energy & Lighting

3

10





Dometic Tec 29

Petrol generator

- Small footprint for flexible internal or external mounting
- Inverter technology 230 V ±1 % pure sign wave with total distortion maximum 1 %
- Low unleaded petrol fuel consumption, generator RPM adjusts to the load applied at max 1.2 l/h
- Stainless steel cabinet
- High continuous and peak output power (2600/2900 W)
- Parallel connection to boost power to 4800 W
- Bonded earth to neutral for RCD fitment

Dimensions W x H x D (mm): 480 x 290 x 385 Weight (kg): 44 Ref No. 9102900291



GENERATOR

Dometic PGE121

Portable inverter generator, 2100 VA

Never be caught without a reliable source of power with the DometicRPM based on the connected load. You can run even the mostPGE121 portable inverter generator. The Dometic PGE121 boastssensitive appliances in the way that's most convenient for you,powerful pure sine wave inverter technology with a maximum powerwith three output types available: 12 V DC, 240 V AC, and USB.output of 2100 VA. Fuel efficiency is maximised and noise is minimisedMoving the PGE121 around the campsite is easy, with built-in wheelsand an extended handle ensuring that no heavy lifting is required.

Stay as long as you like

- Powerful pure sine wave inverter technology
- High peak power output of 2100 VA and continuous output of 1800 VA
- Retractable handle and robust wheels for easy transportation
- Can be easily stored upright or on its side when the fuel is turned off
- Outputs include 2 x 240 V AC sockets, 1 x 12 V DC socket and 2 x USB sockets
- Output power can be boosted with an optional parallel connection

Dimensions W x H x D (mm): 530 x 430 x 320 Weight (kg): 26.5 Fuel tank capacity (l): 4.2 Engine oil capacity (l): 0.35 Fuel: 4-stroke Unleaded petrol Ignition system: CDI Ref No. 9600027157



1. Multiple output options Ability to power appliances with 12 V DC, 240 V AC or USB power.

HIGH PEAK

2100 VA



2. Elescopic handle

240 V AC







Easily extend the handle to suit your height.





3. Robust wheels Built-in wheels for simple manoeuvring.





CHARGERS

Dometic PBC110

Portable battery charger, 10 A

Stay for longer on your next outdoor adventure with the Dometic PBC110 portable battery charger, perfect for keeping common battery types at full charge, including LiFePO4, AGM, GEL and Sealed Lead Acid batteries. A safe and reliable charge is guaranteed thanks to the PBC110's adjustable charging current output, which can be switched between 2 A, 5 A and 10 A, and its internal protection systems, which prevent reverse polarity, short-circuiting and internal

Never be without a reliable source of power

- Adjustable charging current for maintaining a perfect charge
- Can charge common battery types, including LiFePO4, AGM, GEL and Sealed Lead Acid batteries
- Protection systems prevent reverse polarity, short-circuiting, and internal overheating
- Temperature sensor automatically adjusts charging curve based on ambient temperature
- Wall and floor mountable

Dimensions $W \times H \times D$ (mm): 205 x 52 x 90 Weight (kg): 1 Input voltage AC (V): 220 - 240 Output voltage (V): 12 Maximum output current (A): 10 Battery types: AGM, Lithium Iron Phosphate (LiFePO4), GEL, Sealed Lead Acid Ref No. 9600027158





1. Led user interface Displays battery charging status and power output.

104 - DOMETIC.COM



ADJUSTABLE OUTPUT



2. Flexible mounting Lightweight, portable and durable design. Can also be securely mounted to a wall.



240 V AC



12 / 24 V DC



3. The complete package

alligator clips.

Comes packaged with a 1.8 m cable with

WALL & FLOOR MOUNTABLE



overheating. Overheating protection is achieved by the PBC110's built-in temperature sensor, which adjusts the charging curve based on the ambient temperature. The PBC110 is easy to use, with simple push-button operation to select charging current or battery type and a user-friendly LED interface that displays the charging status, power output and any errors in maintaining a charge.

Perfectcharge MCA

IUOU automatic charge

Starter batteries and supply batteries are designed for different tasks. These special features must be considered by the charging To start the engine, starter batteries must initially supply a high current technology to protect the batteries from damage and ensure they level and will then serve as an energy buffer with smaller partial cycles. have a long service life. The IUOU battery chargers function using a Supply or on-board batteries, in contrast, are discharged at lower unique six-stage charging cycle. They provide optimum charging current levels over longer periods of time and then charged again. for all gel, AGM and wet batteries, because they charge quickly and This means they are subjected to considerably higher loads. gently at the same time.



Dometic Perfectcharge MCA1215

Battery charger

- 15 A charger
- Gentle charging of 12 V batteries with optimised 6-stage IUOU charging technology
- Simultaneous charging of one battery plus the starter battery
- Very compact design, lightweight and easy to install
- Sleep mode for quiet charging at half power - ideal at night or in parking spaces with low electrical circuit protection
- Comes standard with a bus interface for smooth integration in existing bus systems
- Compatible with the Dometic MPC 01 battery controller for perfect power management

Dimensions W x H x D (mm): $179 \times 63 \times 238$ Weight (kg): 1.6 Ref No. 9108400809

Dometic Perfectcharge MCA1225

Battery charger

- 25 A charger
- Gentle charging of 12 V batteries with optimised 6-stage IUOU charging technology
- starter batterv
- Very compact design, lightweight and easy to instal
- Sleep mode for quiet charging at half power - ideal at night or in parking spaces with low electrical circuit protection
- integration in existing bus systems

controller for perfect power management Dimensions W x H x D (mm): 179 x 63 x 238

Weight (kg): 1.7 Ref No. 9108400810







- Simultaneous charging of one battery plus the
- Comes standard with a bus interface for smooth
- Compatible with the Dometic MPC 01 battery



Battery charger

- 35 A charger
- Gentle charging of 12 V batteries with optimised 6-stage IUOU charging technology
- Simultaneous charging of one battery plus the starter batterv
- Very compact design, lightweight and easy to instal
- Sleep mode for quiet charging at half power - ideal at night or in parking spaces with low electrical circuit protection
- Comes standard with a bus interface for smooth integration in existing bus systems
- Compatible with the Dometic MPC 01 battery controller for perfect power management

Dimensions $W \times H \times D$ (mm): 179 x 63 x 274 Weight (kg): 1.9 Ref No. 9108400811

INVERTERS

Sinepower

Pure sine wave inverters

Dry your hair, brew an espresso, watch your favourite movies as you would at home. Travel with all the amenities you love. Your SinePower sine wave inverter will gladly deliver the perfect voltage. Simply select the model to suit your wattage needs.



Dometic sinepower MSI 412

Sine wave inverter

- 230 V AC like at home
- Suitable for supplying
- sensitive devices
- Quick and easy installation
- Compact design easy to store
- 350 W continuous output
- 700 W peak output

Dimensions $W \times H \times D$ (mm): 124 x 49 x 199 Weight (kg): 0.8 Ref No. 9108400851





Sine wave inverter

MSI 912

- 230 V AC like at home • Suitable for supplying
- sensitive devices
- Quick and easy installation
- Compact design easy to store
- 800 W continuous output
- 1600 W peak output

Dimensions $W \times H \times D$ (mm): 197.5 x 94 x 291 Weight (kg): 3 Ref No. 9108400812



Dometic sinepower MSI 1812T

MCR-9

Remote control

Ref No. 9108400853

- With battery saving mains
- Compact design easy to store
- 1600 W continuous output • 3200 W peak output

Dimensions $W \times H \times D$ (mm): 197.5 x 94.3 x 406 Weight (kg): 6.5 Ref No. 9108400813

Dometic Sinepower Accessory

• Inverter operation by remote control

• On/Off and sleep mode switch



Dometic Perfectpower MCI-150-12

Power inverter

- Compact: the size of a drinks can, it will conveniently fit in vehicle's cup holder!
- 150 W continuous output
- USB output for charging
- Overload, short circuit,
- high voltage and battery polarity protection system
- Low voltage shutdown
- Peak output power 250 W
- DC cigarette lighter socket

Dimensions $W \times H \times D$ (mm): 21 x 21 x 173 Weight (kg): 0.49 Ref No. 9109002373







BATTERIES

Dometic PLB40

Portable lithium battery, 40 Ah

The Dometic PLB40 Ah Lithium Iron Phosphate battery delivers high levels of mobile power - this means that one full charge of the PLB40 allows campers to get the most out of their trip when they're living mobile. Designed for powering portable fridge/freezers and other 12 V appliances while being off-grid. Thanks to its lightweight and compact design you can enjoy true independence and travel off-grid for longer.

- Enables you to travel off-grid for longer
- Three-way charging via 12 V socket, solar panel or AC house power
- Extremely lightweight, ergonomically designed stainless steel carry-handle
- Built-in LCD screen displays: capacity, charging status and output
- Specifically designed for Dometic CFX and other powered fridge/freezers
- Powerful battery cells provide 512 Wh of energy, 40 Ah
- Can power a Dometic CFX3 45 fridge/freezer for up to 53 hours on a single charge (inside temperature +5 °C)

Dimensions W x H x D (mm): 197 x 257 x 197 Weight (kg): 7.54 Ref No. 9600009460





Ideal for charging mobile devices.

2. Bring to any remote location 3. Easy to use Lightweight and ergonomically designed stainless steel handle

Dometic Coolpower RAPS44

Battery pack

1. USB Ports

- Dual output sockets (12 V and Hella)
- 44 Ah deep cycle AGM battery cells
- Benefits of dual battery systems that are normally fitted permanently into cars, 4WD's, trucks and boats, except that it is portable, for added flexibility and convenience.
- Built-in charging posts for charging via 240 V DC charger (charger not included)
- 1.5 m 12 V charging lead
- Battery condition LED's/test button
- Rechargeable via solar panels

Dimensions W x H x D (mm): 230 x 245 x 227 Weight (kg): 13.5 Ref No. 9105330164





by LED LED error indication (over-voltage, low voltage, overheating, short circuiting)

ACCESSORIES

Battery voltage indicator

106 - DOMETIC.COM

Remote control

Dimensions W x H x D (mm): 130 x 120 x 25 Weight (kg): 0.4 Ref No. 9108400852

• Inverter operation by remote control

Standby and power-save modes indicated

• On/Off and sleep mode switch





priority circuit













Built-in LCD screen displays charging status and output.



4. Three-way charging Via 12 V socket, solar panel or AC house power.



SOLAR PANELS



Dometic Portable Solar PS120A

Portable solar panel

- Fold up easily and is compact
- Battery temperature sensor
- Adjustable feet for optimum angle to the sun
- 12 V, 10 A heavy duty regulator
- High performance monocrystalline silicon 6.63 a output
- 5 m lead with alligator clips anderson plug connector
- Lightweight at only 12.25 kg with cables and protective carry bag included

Dimensions $W \times H \times D$ (mm): 534 x 754 x 70 Weight (kg): 12.25 Ref No. 9108400883

ACCESSORIES



Dometic Coolpower RAPS72 Kit

Battery cradle

- Fits two RAPS battery kits
- Sturdy powder coated cradle
- Connection lead included

Dimensions $W \times H \times D$ (mm): 232.2 x 215.2 x 450.1 Weight (kg): 1.04 Ref No. 9105303701



Dometic Portable Solar PS180A **Dometic RTS 160**

- Folds up easily and is compact
- Battery temperature sensor
- Three adjustable feet for optimum angle to
- the sun

Dometic SC1230

Low voltage disconnect

Informative backlight LCD display

• Multiple load control modes

• Suitable for use with a range of battery types

Dimensions W x H x D (mm): 181 x 100.9 x 59.8

• Operating temperature range of -25°C - +55°C

Twin USB ports

Weight (kg): 0.55


Ref No. 9600005819

30 A solar charge controller

Portable solar panel

- 12 V, 20 A heavy-duty regulator • High performance monocrystalline silicon 9.95 a output
- 5 m lead with alligator clips anderson plug connector
- Lightweight at only 17 kg with cables and protective carry bag included

Dimensions $W \times H \times D$ (mm): 538 x 758 x 115 Weight (kg): 17 Ref No. 9108400917



Solar panel

- Easy to install with mounting brackets
- Withstands extreme conditions including strong
- wind and snow • Strong yet lightweight aluminium frame
- · Integrated with two bypass diodes to prevent cell damage from overheating
- Efficient monocrystalline silicon cells
- Topped with durable tempered glass
- IP65 junction box protects against dust and water

Dimensions $W \times H \times D$ (mm): 1480 x 35 x 670



150 mm

Dometic BK 150mm Dometic BK 300mm

- 3 stage intelligent PWM solar charging
 - Made from durable materials
 - Allows airflow to circulate under the

Ref No. 9600006224 (300 mm)

ACCESSORIES

Electronics

Accessories for fridge/freezers and refrigerators

No need to accept any restrictions in the use of your cooling box, even if you have a simple or older make. CoolPower accessories give you plenty of flexibility. You can run a 12 V device from a 24 V battery,



Dometic Coolpower MPS-50

Power adapter

240 V AC to 12 V DC rectifier adapter for problem free connection to 110-240 V mains systems. Suitable for Dometic compressor CD and CU models. Comes with switch mode for automatic priority of mains operation and integrated cigarette lighter socket.

- Adapter for problem free connection to 110–240 V
- Suitable for Dometic compressor CD and CU models
- Includes switch mode for automatic priority of mains operation


Dimensions W x H x D (mm): 120 x 70 x 200 Weight (kg): 1 Ref No. 9109002476

AWARDS






The Dometic PLB40 portable lithium battery pack, was a winner of the Good Design Award for Excellence in Design and Innovation. Judges awarded the PLB40 portable lithium battery pack as a winner thanks to its ability to meet criteria for Good Design, Design Innovation and Design Impact.












- Bracket
- - Easy to install to the rooftop of RVs
 - solar panel

Ref No. 9600005820 (150 mm)

Ref No. 9600028740





300 mm



or from a mains supply in your holiday home. You can also connect a clever device to prevent excessive battery drainage.



Dometic Coolpower EPS-157

Power adapter

This rectifier adapter converts 240 V AC to 12 V DC power. Ideal for the connection of listed DC compressor driven fridges and freezers. Suitable for all other 12 V thermoelectric coolers or as a universal power unit via the vehicle's integrated cigarette lighter socket.

- Maximum power consumption of 72 W
- Ideal for use at home, in a hotel, or on a campsite
- Suitable for CF, CDF, MDC fridge/freezer models

Dimensions W x H x D (mm): 115 x 64 x 170 Weight (kg): 0.6 Ref No. 9109002086



The Dometic PLB40 portable lithium battery pack, was arbiter of quality for exceptional design.



The Dometic PLB40 portable lithium battery pack, was a winner of the Red Dot Award for Outstanding Design Quality. Jurors comprising of experienced experts from different disciplines from all over the world awarded the PLB40 portable lithium battery pack as a winner thanks to its performance and stability that characterise this well-thought-out mobile device.

/ Driving Assistance Systems

/ Safety Solutions

SAFETY & SECURITY



REVERSING SYSTEMS



Safely navigate your precious vehicle through winding backstreets or into narrow parking spaces and tight-spots, your PerfectView safety assistant shows you all you need to see to avoid bumps and scrapes. The ready-to-install set includes all essential components: a brilliant LCD monitor, a watchful camera, plus all cables and mounting accessories. You can easily upgrade it for more safety.



Dometic Perfectview RVS 545

Reversing video system with silver colour camera and 12.7 cm monitor

- Flat, elegant 12.7 cm LCD monitor
- Up to three cameras can be connected
- Automatic recognition of a trailer camera
- Great image quality in all light conditions
- Small colour camera with closed housing for nearly invisible guidance of cable
- Normal or mirrored picture function
- Microphone

Ref No. 9600028632



Dometic Perfectview RVS 745

Reversing video system with silver colour camera and 17.8 cm monitor

- Flat, elegant 17.8 cm LCD monitor
- Up to three cameras can be connected
- Automatic recognition of a trailer camera
- Great image quality in all light conditions
- Small colour camera with closed housing for nearly invisible guidance of cable
- Normal or mirrored picture function
- Temperature-controlled heater

Ref No.9600028633



1. Safe connection Lockable plug-in connectors are both dust wand waterproof.



2. Easy to use With illuminated keys and day-night switching.



3. Anti-reflection technology Bright, high-contrast display for excellent readability in all light conditions.

SPECIFICATIONS					
Product	RVS 545	RVS 745			
Input Voltage (DC)	12 V	12/24 V			
Weight	0.55 kg	0.6 kg			
Ref No.	960000562	960000563			

MONITORS: SUPER-FLAT MONITORS WITH BRILLIANT IMAGE QUALITY

Flat, compact and easy to adjust: a PerfectView monitor is the ideal teammate for your reversing camera. You can easily connect more cameras - up to, depending on the model. The range includes monitors with 12.7 cm or 17.8 cm screens, all with advanced digital LCD technology to give you high-contrast images day and night. Some models are designed and certified for professional use.



Dometic Perfectview M 55L

Digital 12.7 cm LCD monitor

- Digital LCD technology with LED backlighting achieve top image quality day and night
- Flat, compact and easy to adjust thanks to a ball mounting
- Up to three cameras can be connected for safe all-around vision
- Image settings can be saved separately for each camera input
- Automatic trailer camera recognition
- Elegant monitor base with concealed cable routing
- · Mirror function can be set to give you a familiar rear mirror view

Ref No.9600012898



1. Convenient handling Precisely adjustable ball mount for optimal positioning of the monitor.

2. Easy to use With illuminated keys and day-night switching.

SPECIFICATIONS					
Product	M 55L	M 75L			
$\textbf{Dimensions} D {\bf x} H {\bf x} W(mm)$	26 x 87 x 148	26 x 110 x 190			
Input Voltage (DC)	12/24 V	12/24 V			
Resolution	384000 px	384000 px			
Weight	0.35 kg	0.4 kg			
Ref No.	960000061	960000062			



Digital 17.8 cm LCD monitor

- Digital LCD technology with LED backlighting achieve top image quality day and night
- Flat, compact and easy to adjust thanks to a ball mounting
- Up to three cameras can be connected for safe all-around vision
- Image settings can be saved separately for each camera input
- Automatic trailer camera recognition
- Elegant monitor base with concealed cable routing
- Mirror function can be set to give you a familiar rear mirror view

Ref No.9600012882

3. Anti-reflection technology				
Bright, high-contrast display for excellent				
readability in all light conditions.				





REVERSING CAMERAS

Extra Eyes for better Vision

Regardless of what you are driving - a motorhome, van or truck - drive with a peace of mind. PerfectView cameras keep a watchful eye on what is happening around your vehicle. There's a perfect model for every demand: standard or heavy-duty, with one or two eyes, or as a custom fit for tricky mounting conditions. Enjoy clear pictures day and night, on cold winter days and in the summer sun.

Dometic Perfectview CAM45

Colour camera, silver, PAL

- Housing with nearly invisible guidance of cable
- Separate infrared LEDs for optimal night-time vision
- Temperature-controlled heater for cold climate use
- Integrated microphone
- Normal or mirrored picture function
- Protection class: IP 69K
- Prepared for connection to navigation systems

Ref No.960000523



1 YEAR

SPECIFICATIONS	
Product	CAM45
Dimensions D x H x W (mm)	50 × 60 × 78
Input Voltage (DC)	12 V
Resolution	250000 px
Weight	0.2 kg
Ref No.	960000523





Dometic Perfectview System

Extension cable 5 m

- Extension cable
- Waterproof 6-pin screw connectors
- For light-duty applications
- 5 m extension cable

Dometic Perfectview System

Extension cable 10 m

- Extension cable
- Waterproof 6-pin screw connectors
- For light-duty applications
- 10 m extension cable



Dometic Perfectview CAB38

Quick coupler set including two trailer cables, 30 cm

- Includes surface mounted sockets
- Ready-to-use

Dometic Perfectview Accessories Adapt 2

Cable adapter • Plug and play system upgrading

- No need to lay new cables when replacing
- older makes of cameras
- 6-pin DIN black cable adapts to Dometic CRT
- systems built until 2009
- Connects new socket and old plug

SPECIFICATIONS							
Product	PerfectView system extension cable 5 m	PerfectView system extension cable 10 m	PerfectView system extension cable 20 m	PerfectView CAB 38	PerfectView Adapt 2	PerfectView Adapt 3	SMF102 Towing Mirrors
Ref No.	960000206	960000207	960000208	960000223	9102200043	9102200046	9600028614









Dometic Perfectview System

Extension cable 20 m

- Standard cable
- Waterproof 6-pin screw connectors
- For light-duty applications
- 20 m extension cable



Dometic Perfectview Accessories Adapt 3

Cable adapter

- Plug and play system upgrading
- No need to lay new cables when replacing older makes of cameras
- 6-pin DIN black cable adapts to Dometic CRT systems built until 2009
- Connects new socket and old plug

AUSTRALIA

Dometic Australia Pty Ltd PO Box 1140 Clayton South VIC 3169 Tel 1300 304 220 Mail dometic.com/contact

BELGIUM

Dometic Branch Office Belgium Lourdesstraat 84 B B-8940 Geluwe Tel +32 2 3598040 Fax +32 2 3598050 Mail info@dometic.be

DENMARK

Dometic Denmark A/S Nordensvej 15, Taulov DK-7000 Fredericia

Tel +45 75585966 Fax +45 75586307 Mail info@dometic.dk

FINLAND Dometic Finland OY

Valimotie 15 FIN-00380 Helsinki Tel +358 20 7413220 Fax +358 9 7593700

FRANCE Dometic SAS

ZA du Pré de la Dame Jeanne B.P. 5 F-60128 Plailly Tel +33 3 44633525 Fax +33 3 44633518 Mail lodging@dometic.fr

SCAN TO VIEW

GERMANY & AUSTRIA

 Dometic GmbH

 In der Steinwiese 16

 D-57∪74 Siegen

 Tel
 +49(0) 271 692 0

 Fax
 +49 (0) 271 692 302

 Mail
 info@dometic.de

HUNGARY

Dometic Zrt. Sales Office H-1147 Budapest Kerékgyártó u. 5. Tel +3614684400 Fax +3614684401

Mail budapest@dometic.hu

ITALY

Dometic Italy S.r.I. Via Virgilio, 3 I-47122 Forli (FC) Tel +39 0543 754901 Fax +39 0543 754983 Mail vendite@dometic.it

NETHERLANDS

Dometic Benelux B.V. Ecustraat 3 NL-4879 NP Etten-Leur Tel +31 76 5029000 Fax +31 76 5029019 Mail info@dometic.nl

NORWAY

Dometic Norway AS Elveveien 30B 3262 Larvik Tel +47 33428450 Fax +47 33428459 Mail firmapost@dometic.no POLAND

 Dometic Poland Sp. z o.o

 ul. Puławska 435A

 PL-02-801 Warszawa

 Tel
 +48 22 414 3200

 Fax
 +48 22 414 3201

 Mail
 info@dometic.pl

PORTUGAL

 Dometic Spain, S.L.

 Branch Office em Portugal

 Rot. de São Gonçalo nº 1– Esc. 12

 2775-399 Carcavelos

 Tel +351 219 244 173

 Fax +351 219 243 206

 Mail info@dometic.pt

RUSSIA

 Pometic RUS LLC

 Komsomolskaya square 6 – 1

 RU-107140 Moscow

 Tel
 +7 495 780 79 39

 Fax
 +7 495 916 56 53

 Mail
 info@dometic.ru

SPAIN

Dometic Spain S.L. Avda. Sierra del Guadarrama, 16 E-28691 Villanueva de la Cañada Madrid Tel +34 91 833 6089 Fax +34 900 100 245 Mail info@dometic.es

SWEDEN

Dometic Scandinavia AB Gustaf Melins gata 7 S-421 31 Västra Frölunda

 S-421 31 Vastra Frolunda

 Tel
 +46 31 7341100

 Fax
 +46 31 7341101

 Mail
 info@dometic.se

SWITZERLAND

 Dometic Switzerland AG

 Riedackerstrasse 7a

 CH-8153 Rümlang

 Tel
 +41 44 8187171

 Fax
 +41 44 8187191

 Mail
 info@dometic.ch

MIDDLE EAST & AFRICA Dometic Middle East FZCO

P.O. Box 17860 S-D 6, Jebel Ali Freezone Dubai Tel +971 4 883 3858 Fax +971 4 883 3868 Mail info@dometic.ae

UNITED KINGDOM Dometic UK Ltd.

Dometic House, The Brewery, Blandford St. Mary Dorset DT11 9LS Tel +44 344 626 0133 Fax +44 344 626 0143 Mail sales@dometic.co.uk

We distribute our products in around 100 markets. Please ask for your contact point if not listed here, or check our website Dometic.com

Dometic is a global market leader in the mobile living industry. Millions of people around the world use Dometic products in outdoor, residential, and professional applications. Our motivation is to create smart, sustainable, and reliable products with aspirational design for an outdoor and mobile lifestyle in the areas of Food & Beverage, Climate, Power & Control, and Other Applications. Dometic employs approximately 7,700 people worldwide, had net sales of SEK 16.2 billion in 2020 and is headquartered in Stockholm, Sweden.

E & OE. Please note: Dometic may introduce modifications to products, therefore details herein are subject to change without notice. No liability is accepted for errors. Printing processes may not depict colour accurately.

