



TECHNICAL DATA SHEET

BV1300 W VS

2023



This communication contains confidential & proprietary information of Austral by Hussmann and is not to be used or disclosed to anyone other than the intended recipient of the document.



BV1300W VS



*Please note that cooler image is shown indicatively for general reference.
As-built cabinet manufactured may have some differences according offered features or preferences*

AUSTRAL by HUSSMANN	BV1300W VS
---------------------	------------

ENERGY CLASS	-
---------------------	---

Dimensions	
External Dimensions (WxDxH), mm	1200*767*2190
Internal Dimensions (WxDxH), mm	1126*622*1571
External Dimensions With Package (W*D*H), mm	1224*791*2322
Gross Weight (kg)	199
Net Weight (kg)	185


Cabinet	
Inner Liner	Pre-painted sheet
Number of shelves	6
Cabinet Back Type	Pre-painted sheet
Type of feet	4 Castor and 2 Adjustable Leg
Lock	Yes, mechanical lock for door
Palette Type	Heat Treated Wooden Pallette
Canopy	No
Front Grid	Yes, DKP sheet
Handle	Painted Galvanize
Door type	Hinged,Al
Self Closing Door	Yes
Glass Type	Standard C-condition, 2 layers Low E Argon Filled Tempered Glass

Refrigeration	
Cooling Performance	C-Cond. (-1+5C°)
Refrigerant	R290
Refrigerant amount	110 gr
Compressor	DONPER_VKZ130CU_FQ_50/60Hz_R290
Condenser	WOT
Evaporator	FIN
Evaporator Fin Spacing	4.5
Evaporator pipe diameter (mm)	5
Evaporator dimensions (mm)	250*108*275
Condenser Fan Type	220-240V_12/20W_SAIWEI
Evap Fan Type	220-240V_7/12W_SAIWEI
Power and voltage values	270W / 220-240V
Noise level (dB)	58,06


Electrical	
Thermostat	Electronic
Canopy Illumination	N/A
Cabinet Illumination	2x Vertical: LED_T3_%3_HD_CW_55AD_715LM_11,52W_L1375
Drivers	LED_DRIVER_24VDC_40W_TAURAS_EMC_VDC
Light Switch	NO
Fan Switch	YES
Compressor (cooling) Switch	No

Color&Artwork	
Sticker	Optional
Handle Color	Black
Outer Cabinet Color	Black
Inner Cabinet Color	Black
Grid Color	Black
Door Frame Color	Black

SECTION VIEW



ELECTRICAL DIAGRAM



Australia Head Office

66 Glendenning Road Glendenning, NSW 2761 Australia

ph. +612 8805 0400

w. www.husmann.com.au

Additional Information

All Dimensions shown in Millimetres (mm) unless otherwise stated. Dimensions and features are subject to change. Please obtain current technical information prior to order confirmation.

NOTE: We reserve the right to change or revise specifications and product design in connection with any feature of our products. Such changes do not entitle the buyer to corresponding changes, improvements, additions or replacements for equipment previously sold or Shipped.