

POLAR

REFRIGERATION

COMMERCIAL REFRIGERATION COLLECTION



An extensive range of professional refrigeration
equipment from retail display to the commercial kitchen



OVER 300,000 UNITS SOLD GLOBALLY

Polar Refrigeration is a trusted brand among commercial caterers across the globe. With more than a decade of experience, our competitively priced refrigerators and freezers cover heavy duty cabinets to large dual zone wine coolers. From prep counters in busy commercial kitchens, to ice makers and cold drink dispensers, Polar features all the essentials needed in the day-to-day running of a business. To date more than 300,000 Polar Refrigeration products have been sold worldwide.

Now with a two year warranty on most of our products, you can be sure they are built to last.


This is professional refrigeration, built for commercial service. Whatever your requirements, Polar Refrigeration has the right product for you.



High Energy
Efficiency Rating



Two Year Warranty
*Excludes Ice Machines



Plug Fitted



Global Brand -
Trusted by the Trade

KEY



STATIC

Distributes cold air in a more natural way. Generally the most cost effective option.



FORCED AIR

Draws air over the cold evaporator, reducing the temperature quicker. Ideal for kitchens with a hot ambient temperature or for frequent opening and closing of the door.



FAN ASSISTED

Allows a steady flow of air around the cabinet reducing areas of warm or cold spots.



TROPICALLY RATED

Specifically designed for hot conditions. Built to operate and function in ambient temperatures up to 43°C, helping prolong the life of your refrigerators.

Countertop Display Chillers

Four-sided glass display cabinet with curved front and internal LEDs for an eye-catching display. Features digital temperature control for precision and rear sliding doors for easy access. Durable and Ideal for chilling drinks, desserts, dairy products, sandwiches and more.

- **Stainless Steel Front Panel**
- **2 x Adjustable Chrome Shelves**
- **Rear Sliding Doors**
- **Internal LED Light**
- **Auto Off-Cycle Defrost**



Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
CD229-A	120Ltr	230V 160W	Gross: 120Ltr	2°C to 12°C	32°C	R600a	686(H) x 707(W) x 568(D)mm	64kg
CD230-A	160Ltr	230V 160W	Gross: 160Ltr	2°C to 12°C	32°C	R600a	686(H) x 886(W) x 568(D)mm	71kg

Refrigerated Deli Display Showcases

Attractively displays cakes, pastries, sandwiches and more with this stylish unit. Fitted with innovative features that reduce condensation and ice build up, to keep your products looking great. Fan cooled for consistent chilling. Sliding rear doors for easy serving and restocking.

- **2 x Display Shelves**
- **LED Display Lighting**
- **Accurate Digital Controller with Temperature Display**
- **Toughened, Triple-Glazed Anti-Fog Tempered Glass**
- **Stainless Steel & Glass Finish**
- **Castors for Easy Moving**



Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
DB951-A	1200(W)mm	220-240V	Gross: 385Ltr	2°C to 8°C	35°C	R290	1200(H) x 1200(W) x 680(D)mm	215kg
DB952-A	1500(W)mm	220-240V	Gross: 485Ltr	2°C to 8°C	35°C	R290	1200(H) x 1500(W) x 680(D)mm	254kg
DB959-A	1800(W)mm	230-240V	Gross: 585Ltr	2°C to 8°C	35°C	R290	1200(H) x 1800(W) x 680(D)mm	286kg

Chilled Display Cabinets

Chilled display cabinets with a ventilated refrigeration compartment that perfectly circulates the air, for superb, efficient chilling. Fitted with an electronic thermostat and LED temperature control for easy use, and internal LED lighting for simple merchandising.

- **CFC Free Refrigerant & Foam**
- **Off-Cycle Defrost**
- **Double Glazed**
- **Internal LED Lighting**



Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
GC870-A	68Ltr White	230V 164W	Gross: 68Ltr	2°C to 12°C	32°C	R134a	Ext: 927(H) x 428(W) x 386(D)mm Int: 535(H) x 400(W) x 358(D)mm	35kg
CS627-A	68Ltr Black	230V 164W	Gross: 68Ltr	0°C to 12°C	32°C	R134a	Ext: 970(H) x 488(W) x 446(D)mm Int: 760(H) x 400(W) x 358(D)mm	35kg
GC871-A	98Ltr White	230V 200W	Gross: 98Ltr	2°C to 12°C	32°C	R134a	Ext: 1150(H) x 428(W) x 386(D)mm Int: 760(H) x 400(W) x 358(D)mm	41kg
CS628-A	98Ltr Black	230V 200W	Gross: 98Ltr	0°C to 12°C	32°C	R134a	Ext: 1200(H) x 495(W) x 453(D)mm Int: 760(H) x 400(W) x 358(D)mm	41kg

Cold Drink Dispenser

Fitted with self-stirring paddles to prevent froth build-up in whatever you're serving – from juice, to ice tea to fresh lemonade and more. Perfect for front-of-house dispensing, with two large 12 litre containers. Easily removable bowls for quick cleaning.

- **2 x 12Ltr Polycarbonate Bowls**
- **Adjustable Thermostat Control**
- **Non-Drip Stainless Steel Taps**
- **Froth-Free Stirring**



Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
CF761-A	2 x 12Ltr	220-240V 392W	Gross: 24Ltr	6°C to 12°C	32°C	R290	Ext: 640(H) x 430(W) x 430(D)mm	28kg

Glass Door Display Units

Durable and fantastic value chillers in a variety of sizes. All feature easy-read LED temperature displays and simple-to-use controls. Rear castors mean each unit can be placed easily and moved for simple cleaning. Lockable for extra security.

- Easy to Use Controls
- LED Digital Temperature Display
- Reversible Doors
- Lockable
- Rear Castors



CD086-A



CD087-A



Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
CD086-A	150Ltr Undercounter Fridge	230V 150W	Gross: 150Ltr	0°C to 8°C	32°C	R600a	Ext: 850(H) x 600(W) x 600(D)mm Int: 620(H) x 510(W) x 485(D)mm	47kg
CD087-A	400Ltr Fridge	230V 185W	Gross: 400Ltr	0°C to 8°C	32°C	R600a	Ext: 1850(H) x 600(W) x 600(D)mm Int: 1620(H) x 510(W) x 485(D)mm	72kg
CD088-A	600Ltr Fridge	230V 185W	Gross: 600Ltr	0°C to 8°C	32°C	R600a	Ext: 1895(H) x 777(W) x 735(D)mm Int: 1680(H) x 657(W) x 581(D)mm	93kg

Upright Display Chillers

Attractive upright display units with double glazed doors for merchandising and display. Illuminated upper display panel.

- Adjustable Shelves
- Interior Light
- Lockable Doors
- Supplied with Castors for Manoeuvrability
- Electronic Thermostat
- Single Door has 4 Adjustable Shelves, Double has 8



CD984-A



DM075-A



DM075-A CD984-A
DM076-A

Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
DM075-A	218Ltr Single Door Fridge	230V 185W	Gross: 218Ltr	2°C to 8°C	32°C	R134a	Ext: 1610(H) x 530(W) x 575(D)mm Int: 1090(H) x 436(W) x 450(D)mm	124kg
DM076-A	322Ltr Single Door Fridge	230V 340W	Gross: 364Ltr	2°C to 8°C	32°C	R134a	Ext: 1900(H) x 620(W) x 570(D)mm Int: 1376(H) x 526(W) x 445(D)mm	134kg
CD984-A	944Ltr Double Door Fridge	230V 550W	Gross: 944Ltr	2°C to 8°C	32°C	R290	Ext: 2050(H) x 1200(W) x 710(D)mm Int: 1380(H) x 1110(W) x 595(D)mm	204kg

Wine Coolers

Efficient, low noise coolers with adjustable thermostats, reversible doors and adjustable feet which provide great installation flexibility.

- Painted Steel Construction
- Double Glazed Door
- Bordeaux Style Bottle (750ml) Capacity



CE204-A



CE203-A



Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
CE203-A	26 x 750ml Bottle Capacity	230V 85W	Gross: 88Ltr	2°C to 18°C	32°C	R600a	Ext: 825(H) x 430(W) x 480(D)mm Int: 728(H) x 333(W) x 368(D)mm	26kg
CE204-A	48 x 750ml Bottle Capacity	230V 85W	Gross: 130Ltr	2°C to 18°C	32°C	R600a	Ext: 820(H) x 550(W) x 570(D)mm Int: 723(H) x 442(W) x 415(D)mm	36kg

Premium Bar Fridges

Keep your drinks chilled and on display with these two-in-one bar fridges. Fitted with a tough stainless steel top that doubles as prep space, and a handy drawer for storing those essential bar utensils. Works in high temperatures of up to 43°C, making them ideal for bustling bars. Castors for easy placement and cleaning.

- Stainless Steel Construction & Shelves
- Forced Air Cooling
- Working Bench Height 1030mm
- Thermostatic Control & LED Temperature Display
- Utility Drawer
- 50mm Splashback
- Castors



CK490-A



CK492-A



CK491-A



Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
CK490-A	366Ltr 2 Door	230V 350W	Gross: 366Ltr	2°C to 6°C	38°C	R134a	Ext: 1080(H) x 1505(W) x 600(D)mm Int: 724(H) x 929(W) x 480(D)mm	120kg
CK491-A	543Ltr 3 Door	230V 350W	Gross: 543Ltr	2°C to 6°C	38°C	R134a	Ext: 1080(H) x 2005(W) x 600(D)mm Int: 724(H) x 1429(W) x 480(D)mm	150kg
CK492-A	720Ltr 4 Door	230V 350W	Gross: 720Ltr	2°C to 6°C	38°C	R134a	Ext: 1080(H) x 2505(W) x 600(D)mm Int: 724(H) x 1929(W) x 480(D)mm	180kg

Single Door Bar Display Coolers

Keep your bestsellers chilled and on display with these back bar coolers. Fitted with LED interior lighting for easy merchandising, an auto defrost feature and two adjustable shelves. Double glazed for efficiency, with a fully automatic integral temperature controller.



CE205-A



- 2 Adjustable Shelves
- Interior Display Light
- Double Glazed Lockable Door
- Adjustable Feet



DL815-A

Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
DL815-A	Black	230V 160W	Gross: 150.6Ltr	2°C to 8°C	38°C	R134a	Ext: 870(H) x 602(W) x 535(D)mm Int: 735(H) x 535(W) x 370(D)mm	66kg
CE205-A	Stainless Steel	230V 160W	Gross: 140Ltr	2°C to 8°C	38°C	R600a	Ext: 925(H) x 600(W) x 540(D)mm Int: 760(H) x 537(W) x 370(D)mm	54kg

Double Door Bar Display Coolers



CE206-A



- Hinged or Sliding Double Glazed Lockable Doors
- 4 x Adjustable Shelves
- Interior Display Lights
- Adjustable Feet



DL816-A

Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
DL816-A	Black Hinged Doors	230V 280W	Gross: 254.3Ltr	2°C to 8°C	38°C	R134a	Ext: 870(H) x 920(W) x 535(D)mm Int: 835(H) x 424(W) x 735(D)mm	87kg
CF759-A	Black Sliding Doors	230V 280W	Gross: 210Ltr	2°C to 8°C	38°C	R600a	Ext: 870(H) x 900(W) x 535(D)mm Int: 735(H) x 835(W) x 370(D)mm	62kg
CE206-A	Stainless Steel Hinged Doors	230V 280W	Gross: 223Ltr	2°C to 8°C	38°C	R600a	Ext: 925(H) x 920(W) x 540(D)mm Int: 765(H) x 855(W) x 370(D)mm	75kg

Triple Door Bar Display Coolers

Bigger chillers for bigger bars. Feature internal LEDs, lockable doors and six adjustable shelves. Easy to use, with handy automatic integral temperature controller.

- Hinged or Sliding Double Glazed Doors
- Internal Display Light
- 6 x Adjustable Shelves
- Lockable Doors



Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
DL818-A	Black Hinged Doors	230V 315W	Gross: 381.9Ltr	2°C to 8°C	38°C	R134a	Ext: 870(H) x 1350(W) x 535(D)mm Int: 1285(H) x 735(W) x 370(D)mm	118kg
DL819-A	Black Sliding Doors	230V 315W	Gross: 320.3Ltr	2°C to 8°C	38°C	R134a	Ext: 870(H) x 1350(W) x 535(D)mm Int: 1285(H) x 735(W) x 370(D)mm	114kg
CE207-A	Stainless Steel Hinged Doors	230V 315W	Gross: 335Ltr	2°C to 8°C	38°C	R600a	Ext: 925(H) x 1350(W) x 540(D)mm Int: 765(H) x 1285(W) x 370(D)mm	95kg

Single Door Bar Display Coolers



High capacity bar cooler displays your stock and keeps it at a ready to serve temperature. Useful features include integral temperature controller, adjustable feet and a single hinged door - making this a practical and high quality drinks fridge.

- 307Ltr Capacity
- Single Hinged Door
- 4 x Adjustable Shelves
- Lockable Door
- Interior Display Lighting
- Double Glazed Doors
- Off-Cycle Defrost



Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
GJ447-A	Black Hinged Door	230V 300W	Gross: 307Ltr	2°C to 8°C	32°C	R600a	Ext: 1880(H) x 600(W) x 514(D)mm Int: 1437(H) x 735(W) x 424(D)mm	98kg
CK479-A	Stainless Steel Hinged Door	230V 310W	Gross: 307Ltr	2°C to 8°C	32°C	R134a	Ext: 1872(H) x 600(W) x 520(D)mm Int: 1437(H) x 535(W) x 424(D)mm	85kg

Double Door Bar Display Coolers



Attractively merchandise up to 490 litres with these efficient double door display coolers. Features interior light for customers to see what's on display and lockable doors for security.

- 490Ltr Capacity
- 8 x Adjustable Shelves
- Off-Cycle Defrost
- Interior Display Lighting
- Double Glazed
- Integral Temperature Controller
- Hinged or Sliding Door Options



Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
GJ448-A	Black Sliding Doors	230V 400W	Gross: 490Ltr	2°C to 8°C	32°C	R134a	Ext: 1880(H) x 920(W) x 514(D)mm Int: 1437(H) x 855(W) x 424(D)mm	125kg
GJ449-A	Black Hinged Doors	230V 400W	Gross: 490Ltr	2°C to 8°C	32°C	R134a	Ext: 1880(H) x 920(W) x 514(D)mm Int: 1437(H) x 855(W) x 424(D)mm	125kg
CK478-A	Stainless Steel Sliding Doors	230V 510W	Gross: 490Ltr	2°C to 8°C	32°C	R134a	Ext: 1872(H) x 920(W) x 520(D)mm Int: 1437(H) x 855(W) x 424(D)mm	130kg
CK477-A	Stainless Steel Hinged Doors	230V 510W	Gross: 490Ltr	2°C to 8°C	32°C	R134a	Ext: 1872(H) x 920(W) x 520(D)mm Int: 1437(H) x 855(W) x 424(D)mm	120kg

Hotel Room Mini Bar

Completely silent operation mini bar fridge ideal for use in hotel rooms. Versatile and easy to install. Features absorption cooling system and auto defrost.

- 30Ltr Capacity
- Easy-Clean ABS Interior
- Freestanding or Built In
- Reversible & Lockable Door
- 2 Shelves & 2 Door Racks
- Silent Operation



CE322-A



Code	Description	Power	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
CE322-A	30Ltr	220-240V 60W	0°C to 8°C	32°C	R717	Ext: 530(H) x 400(W) x 415(D)mm Int: 435(H) x 330(W) x 210(D)mm	15kg

Undercounter Fridges or Freezers

Space-saving undercounter units with easy-to-use digital controllers and clear digital temperature display. Feature rear castors for easy placement and cleaning. Lockable and CFC free.

- White or Stainless Steel Exterior
- LED Digital Temperature Display
- Lockable
- CFC Free
- Fridges Have Adjustable Shelves
- Freezers Have Fixed Shelves



CD610-A CD611-A
CD080-A CD081-A



CD610-A



CD611-A

Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
CD610-A	Fridge White	230V 120W	Gross: 150Ltr	2°C to 8°C	32°C	R134a	Ext: 850(H) x 600(W) x 600(D)mm Int: 620(H) x 510(W) x 485(D)mm	44kg
CD080-A	Fridge Stainless Steel	230V 120W	Gross: 150Ltr Net: 78 Ltr	2°C to 8°C	32°C	R600a	Ext: 850(H) x 600(W) x 600(D)mm Int: 620(H) x 510(W) x 485(D)mm	44kg
CD611-A	Freezer White	230V 150W	Gross: 140Ltr	-25°C to -10°C	32°C	R134a	Ext: 870(H) x 600(W) x 620(D)mm Int: 620(H) x 480(W) x 471(D)mm	44.5kg
CD081-A	Freezer Stainless Steel	230V 150W	Gross: 140Ltr Net: 78 Ltr	-25°C to -10°C	32°C	R600a	Ext: 870(H) x 600(W) x 620(D)mm Int: 620(H) x 480(W) x 471(D)mm	44.5kg

Upright Fridge or Freezer

Light duty units with LED digital temperature display and electronic controller and rear castors for manoeuvrability. Fridge features four adjustable shelves and freezer features seven fixed shelves.

- 400Ltr Fridge or 365Ltr Freezer Capacity
- Choice of Stainless Steel or White Exterior
- Lockable
- Reversible Door
- Fridges use Fan Assisted Cooling
- Freezers use Static Cooling



CD082-A



CD613-A



CD612-A
CD082-A

CD613-A
CD083-A

Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
CD612-A	400Ltr Fridge White	230V 185W	Gross: 400Ltr Net: 238 Ltr	2°C to 8°C	38°C	R600a	Ext: 1850(H) x 600(W) x 600(D)mm Int: 1620(H) x 510(W) x 485(D)mm	74kg
CD613-A	365Ltr Freezer White	230V 210W	Gross: 365Ltr Net: 258 Ltr	-25°C to -10°C	38°C	R600a	Ext: 1850(H) x 600(W) x 600(D)mm Int: 1620(H) x 480(W) x 471(D)mm	84kg
CD082-A	400Ltr Fridge Stainless Steel	230V 185W	Gross: 400Ltr Net: 238 Ltr	2°C to 8°C	38°C	R600a	Ext: 1850(H) x 600(W) x 600(D)mm Int: 1620(H) x 510(W) x 485(D)mm	74kg
CD083-A	365Ltr Freezer Stainless Steel	230V 210W	Gross: 365Ltr Net: 258 Ltr	-25°C to -10°C	38°C	R600a	Ext: 1850(H) x 600(W) x 600(D)mm Int: 1620(H) x 480(W) x 471(D)mm	84kg

600Ltr Upright Fridges or Freezers

Large capacity units designed for commercial kitchens. The thick 60mm insulation provides excellent efficiency, while the reversible doors give you total flexibility over where you place them. Fitted with rear castors for easy movement, especially handy when cleaning. 2/1 gastronorm compatible.

- 600Ltr Capacity & 2/1 GN Compatible
- White or Stainless Steel Exterior
- 60mm Insulation
- Fridges use Fan Assisted Cooling
- Freezers use Static Cooling
- Reversible Door
- Lockable



CD614-A



CD084-A



CD614-A CD615-A
 CD084-A CD085-A

Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
CD614-A	White Fridge	230V 185W	Gross: 600Ltr Net: 476 Ltr	2°C to 8°C	38°C	R600a	Ext: 1890(H) x 780(W) x 695(D)mm Int: 1680(H) x 657(W) x 581(D)mm	90kg
CD084-A	Stainless Steel Fridge	230V 185W	Gross: 600Ltr	2°C to 8°C	38°C	R600a	Ext: 1890(H) x 780(W) x 695(D)mm Int: 1680(H) x 657(W) x 581(D)mm	90kg
CD615-A	White Freezer	230V 350W	Gross: 600Ltr Net: 469 Ltr	-25°C to -10°C	38°C	R600a	Ext: 1890(H) x 780(W) x 695(D)mm Int: 1680(H) x 657(W) x 581(D)mm	95kg
CD085-A	Stainless Steel Freezer	230V 350W	Gross: 600Ltr	-25°C to -10°C	38°C	R600a	Ext: 1890(H) x 780(W) x 695(D)mm Int: 1680(H) x 657(W) x 581(D)mm	95kg

600Ltr Cabinet Fridges or Freezers

Large cabinets with space for up to 10 x 2/1 gastronorm pans of 100mm depth (brackets not included). Castors allow for easy movement when cleaning or installing. Easy to use, with fully automatic controller and constant digital display for at-a-glance temperature monitoring. Perfect for light to medium duty commercial kitchens.

- **600Ltr (10 x 2/1 GN) Capacity**
- **Castors**
- **Adjustable Shelves**
- **Easy-Clean Aluminium Interior**



CK480-A DL899-A
DL894-A DL893-A

Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
DL899-A	Fridge White	230V 380W	Gross: 537Ltr	-2°C to 8°C	43°C	R134a	Ext: 2000(H) x 680(W) x 845(D)mm Int: 1384(H) x 564(W) x 680(D)mm	145kg
DL893-A	Fridge Stainless Steel	230V 380W	Gross: 537Ltr	-2°C to 8°C	43°C	R134a	Ext: 2000(H) x 680(W) x 845(D)mm Int: 1384(H) x 564(W) x 680(D)mm	145kg
CK480-A	Freezer White	230V 600W	Gross: 537Ltr	-22°C to -18°C	43°C	R134a	Ext: 2000(H) x 680(W) x 845(D)mm Int: 1384(H) x 564(W) x 680(D)mm	148kg
DL894-A	Freezer Stainless Steel	230V 600W	Gross: 537Ltr	-22°C to -18°C	43°C	R134a	Ext: 2000(H) x 680(W) x 845(D)mm Int: 1384(H) x 564(W) x 680(D)mm	148kg

1200Ltr Cabinet Fridges or Freezers

High capacity chillers designed specifically for use in busy, hot commercial kitchens. Heavy duty compressors provide superb cooling in temperatures up to 43°C, and sturdy castors make placement and cleaning quick and easy. Fully automatic controller and constant digital temperature display. Fit up to 20 x 2/1 gastornorm pans of 100mm depth.

- 1200Ltr (20 x 2/1 Gastronorm) Capacity
- Stainless Steel or White Exterior
- Aluminium Interior
- 6 x Adjustable Shelves



DL897-A DL898-A
DL896-A DL895-A

Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
DL898-A	Fridge White	230V 700W	Gross: 1200Ltr	-2°C to 8°C	43°C	R134a	Ext: 2000(H) x 1340(W) x 845(D)mm Int: 1384(H) x 1224(W) x 680(D)mm	195kg
DL895-A	Fridge Stainless Steel	230V 700W	Gross: 1200Ltr	-2°C to 8°C	43°C	R134a	Ext: 2000(H) x 1340(W) x 845(D)mm Int: 1384(H) x 1224(W) x 680(D)mm	195kg
DL897-A	Freezer White	230V 900W	Gross: 1200Ltr	-22°C to -18°C	43°C	R404a	Ext: 2000(H) x 1340(W) x 845(D)mm Int: 1384(H) x 1224(W) x 680(D)mm	195kg
DL896-A	Freezer Stainless Steel	230V 900W	Gross: 1200Ltr	-22°C to -18°C	43°C	R404a	Ext: 2000(H) x 1340(W) x 845(D)mm Int: 1384(H) x 1224(W) x 680(D)mm	195kg

Slimline Cabinet Fridge or Freezer



Competitively priced lockable cabinets with auto-return doors, for light to medium duty commercial kitchen and catering environments. Fully automatic controller with digital display. Slimline to fit into smaller spaces and narrow areas. Easy to clean with removable filter. Lockable castors.

- **440Ltr Capacity**
- **Stainless Steel Exterior, Aluminium Interior**
- **Off-Cycle Defrost**
- **Fan Assisted Cooling**
- **3 x Adjustable Shelves & 1 x Floor Shelf**



G590-A



G591-A

Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
G590-A	Fridge	230V 300W	Gross: 440Ltr Net: 313 Ltr	2°C to 8°C	43°C	R134a	Ext: 2000(H) x 680(W) x 700(D)mm Int: 1380(H) x 560(W) x 580(D)mm	130kg
G591-A	Freezer	230V 600W	Gross: 440Ltr Net: 313 Ltr	-20°C to -10°C	32°C	R404a	Ext: 2000(H) x 680(W) x 700(D)mm Int: 1380(H) x 560(W) x 580(D)mm	130kg

Slimline Double Door Fridge or Freezer



Slimline double door units ideal when access or space may be an issue. Bottom mounted refrigeration system draws air from the coolest part of the kitchen. Lockable with auto return doors, for light to medium duty commercial kitchen and catering environments. Fully automatic controller.

- **960Ltr Capacity**
- **Stainless Steel Exterior, Aluminium Interior**
- **Lockable Castors**
- **6 x Adjustable Shelves and 2 x Floor Shelves**
- **Digital Display**
- **Off-Cycle Defrost**



GD879-A

Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
GD879-A	Fridge	230V 800W	Gross: 960Ltr Net: 671 Ltr	0°C to 5°C	32°C	R134a	Ext: 2000(H) x 1340(W) x 700(D)mm Int: 1380(H) x 1220(W) x 570(D)mm	165kg
GD880-A	Freezer	230V 900W	Gross: 960Ltr Net: 671 Ltr	-22°C to -18°C	32°C	R404a	Ext: 2000(H) x 1340(W) x 700(D)mm Int: 1380(H) x 1220(W) x 570(D)mm	165kg

Counter Fridges

Refrigerated storage counters with stainless steel work surfaces. Hold six, nine or 16 gastronorm 1/1 100mm deep pans depending on number of doors. Undermounted compressor/ condenser reduces units' footprint, saving valuable space. Fully automatic controllers with constant digital displays. Auto defrost.

- 1/1 Gastronorm Compatible
- Stainless Steel Exterior & Interior
- Fan Assisted Cooling
- Adjustable Shelves & Floor Shelves



G598-A



U636-A



G598-A

Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
U636-A	2 Door 6 x 1/1 GN	230V 230W	Gross: 240Ltr Net: 201 Ltr	2°C to 8°C	32°C	R134a	Ext: 880(H) x 900(W) x 700(D)mm Int: 456(H) x 830(W) x 595(D)mm	81kg
G622-A	3 Door 9 x 1/1 GN	230V 230W	Gross: 368Ltr Net: 308 Ltr	2°C to 8°C	32°C	R134a	Ext: 880(H) x 1370(W) x 700(D)mm Int: 456(H) x 1295(W) x 595(D)mm	110kg
G598-A	4 Door 16 x 1/1 GN	230V 350W	Gross: 553Ltr	-2°C to 10°C	43°C	R134a	Ext: 860(H) x 2230(W) x 700(D)mm Int: 560(H) x 1669(W) x 580(D)mm	153kg

2 Door Counter Fridges

Make the most of your spaces with these dual-purpose counter chillers. Fitted with easy-clean stainless steel tops that double as additional prep space. Gastronorm-compatible interiors make them ideal for commercial kitchens, while auto-defrost setting and digital temperature display provide total ease-of-use. Fitted with sturdy castors for easy placement and cleaning.

- **Gastronorm Compatible**
- **Available with or without Upstand**
- **Forced Air Circulation**
- **2 Door has 2 x Adjustable Shelves, 3 Door has 3 x Adjustable Shelves**



G596-A
DL916-A

Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
G596-A	Fridge without Upstand	230V 350W	Gross: 282Ltr	-2°C to 8°C	43°C	R134a	Ext: 860(H) x 1360(W) x 700(D)mm Int: 560(H) x 799(W) x 580(D)mm	98kg
G599-A	Freezer without Upstand	230V 750W	Gross: 282Ltr	-20°C to -10°C	32°C	R404a	Ext: 860(H) x 1360(W) x 700(D)mm Int: 560(H) x 799(W) x 580(D)mm	98kg
DL914-A	Fridge with Upstand	230V 350W	Gross: 282Ltr Net: 205 Ltr	-2°C to 8°C	32°C	R134a	Ext: 960(H) x 1360(W) x 700(D)mm Int: 560(H) x 799(W) x 580(D)mm	108kg
DL916-A	Freezer with Upstand	230V 750W	Gross: 282Ltr Net: 205 Ltr	-20°C to -10°C	43°C	R404a	Ext: 960(H) x 1360(W) x 700(D)mm Int: 560(H) x 799(W) x 580(D)mm	108kg

3 Door Counter Fridges

Ideal for commercial kitchens where space is at a premium, these counter units provide chilled or frozen storage and additional work surface space. Fully automatic defrost with constant digital display. CFC free. Fitted lockable castors for easy manoeuvring. All models gastronorm compatible.

- **Gastronorm Compatible**
- **Stainless Steel Exterior & Interior**
- **3 Door**
- **3 Adjustable Shelves**




G597-A
DL915-A

DL915-A

Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
G597-A	Fridge without Upstand	230V 350W	Gross: 417Ltr	-2°C to 8°C	43°C	R134a	Ext: 860(H) x 1795(W) x 700(D)mm Int: 560(H) x 1234(W) x 580(D)mm	134kg
G600-A	Freezer without Upstand	230V 750W	Gross: 417Ltr	-20°C to -10°C	38°C	R404a	Ext: 860(H) x 1795(W) x 700(D)mm Int: 560(H) x 1234(W) x 580(D)mm	136kg
DL915-A	Fridge with Upstand	230V 350W	Gross: 417Ltr Net: 358 Ltr	-2°C to 8°C	43°C	R134a	Ext: 960(H) x 1795(W) x 700(D)mm Int: 560(H) x 1234(W) x 580(D)mm	139kg
DL917-A	Freezer with Upstand	230V 750W	Gross: 417Ltr Net: 358 Ltr	-20°C to -10°C	32°C	R404a	Ext: 960(H) x 1795(W) x 700(D)mm Int: 560(H) x 1234(W) x 580(D)mm	143kg

Refrigerated Servery Toppers



Compact countertop units that allow you to keep your food on display while it chills – ideal for delis, restaurants, supermarkets and much more. Heavy duty compressors ensure superb chilling in environments up to 43°C. Suitable for gastronorms up to 100mm deep.

- **Gastronorm Compatible**
- **304 Stainless Steel Construction**
- **Off-Cycle Defrost**
- **Static Cooling**
- **Glass Sneeze-Screen Surround**



Code	Description	Power	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
GD875-A	3 x 1/3 GN + 1 x 1/2 GN	230V 150W	2°C to 8°C	43 °C	R600a	435(H) x 1200(W) x 395(D)mm	55kg
GD876-A	5 x 1/3 GN + 1 x 1/2 GN	230V 150W	2°C to 8°C	43 °C	R600a	435(H) x 1500(W) x 395(D)mm	63kg
GD877-A	8 x 1/3 GN	230V 150W	2°C to 8°C	43 °C	R600a	435(H) x 1800(W) x 395(D)mm	72kg
S726	GN Kit for GD875-A	- -	-	-	-	100mm Deep	3.01kg
S727	GN Kit for GD876-A	- -	-	-	-	100mm Deep	4.21kg
S728	GN Kit for GD877-A	- -	-	-	-	100mm Deep	5.42kg

Refrigerated Prep Counters with Marble Top

Refrigerated storage counters with a marble work surface, which provides a cool surface to help prevent dough and pastry sticking. Holds GN 1/1 pans. Space saving compressor/condenser fitted underneath. Comes with a fully automatic controller with constant digital display.



- **Stainless Steel with Marble Top**
- **Adjustable Shelves**
- **60mm Insulation**
- **Fan Assisted Cooling**
- **1/1 100mm Deep Gastronorm Compatible**



Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
CL108-A	2 Door 6 x 1/1 GN	230V 230W	Gross: 240Ltr Net: 201 Ltr	2°C to 8°C	32°C	R134a	Ext: 870(H) x 903(W) x 700(D)mm Int: 456(H) x 830(W) x 595(D)mm	97kg
CL109-A	3 Door 9 x 1/1 GN	230V 230W	Gross: 368Ltr Net: 308 Ltr	2°C to 8°C	32°C	R134a	Ext: 870(H) x 1365(W) x 700(D)mm Int: 456(H) x 1295(W) x 595(D)mm	145kg

Refrigerated Prep Counters

Practical and convenient counters, ideal for preparing pizzas, salads, sandwiches and much more. Features stainless steel worktop, gastronorm pan area with hinged stainless steel cover to protect contents and refrigerated under counter storage. Fully automatic controller with constant digital display and off-cycle defrost. Gastronorm pans sold separately.

- **Gastronorm Compatible Topper & Cabinet**
- **Stainless Steel Construction**
- **Fan Assisted Cooling**
- **Supplied with 1/1 Gastronorm Sized Adjustable Shelves**
- **Castors Available (Sold Separately)**



Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
G604-A	2 Door	230V 230W	Gross: 254Ltr	2°C to 8°C	32°C	R134a	Ext: 1010(H) x 900(W) x 700(D)mm Int: 456(H) x 830(W) x 595(D)mm	80kg
G605-A	3 Door	230V 230W	Gross: 390Ltr	2°C to 8°C	32°C	R134a	Ext: 1010(H) x 1370(W) x 700(D)mm Int: 456(H) x 1295(W) x 595(D)mm	120kg

Megatop Preparation/Salad Counters

Huge capacity prep counters, with space up top for your ready-to-use ingredients and chilled storage below. The ultra-durable HDPE work surface is perfect for chopping, slicing and dicing and the heavy duty compressor/ condenser provides superb chilling in the hottest of workplaces. Auto defrost and LED temperature display.

- **Stainless Steel**
- **Auto Defrost**
- **HDPE Work Surface/Cutting Board**
- **CFC Free**
- **Lockable Castors**
- **Supplied with Pans**



Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
GD882-A	1225(W)	230V 300W	Gross: 405Ltr	0°C to 5°C	43°C	R290	Ext: 1097(H) x 1225(W) x 760(D)mm Int: 614(H) x 1104(W) x 632(D)mm	138kg
GD883-A	1555(W)	230V 450W	Gross: 527Ltr	0°C to 5°C	43°C	R290	Ext: 1097(H) x 1555(W) x 760(D)mm Int: 614(H) x 1434(W) x 632(D)mm	159kg

Chest Freezers

Efficient and reliable chest freezers with convenient, easy to open stainless steel lids which can also be used as additional prep space.



- **Stainless Steel Lid**
- **White Steel Exterior**
- **Static Cooling**
- **Supplied with 2 Baskets**



Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
CE210-A	390Ltr	230V 250W	Gross: 390Ltr	-24°C to -18°C	38°C	R134a	Ext: 852(H) x 1330(W) x 701(D)mm Int: 704(H) x 1190(W) x 492(D)mm	63kg
CE211-A	466Ltr	230V 250W	Gross: 466Ltr	-24°C to -18°C	38°C	R134a	Ext: 830(H) x 1483(W) x 701(D)mm Int: 688(H) x 1343(W) x 492(D)mm	66kg
CE212-A	598Ltr	230V 280W	Gross: 598Ltr	-24°C to -18°C	38°C	R134a	Ext: 934(H) x 1603(W) x 733(D)mm Int: 795(H) x 1462(W) x 524(D)mm	85kg

Blast Chillers/Freezers

Two-in-one units that can chill or freeze large quantities of hot food in rapid time. Ideal for preserving the look and taste of food for longer. Fitted with self-closing doors for energy efficiency and 70mm of insulation to prevent heat-loss. Gastronorm compatible.

- **Chills from 70°C to 3°C in 90mins**
- **Freezes from 70°C to -18°C in 240mins**
- **1/1 GN Compatible**
- **Food Probe**
- **Stainless Steel Construction**
- **70mm Insulation Thickness**
- **Fully Automatic Defrost**



Code	Description	Power	Volume	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
DN492-A	3 x 1/1 GN	230V 770W	Gross: 140Ltr	5°C to -35°C	32°C	R404a	Ext: 945(H) x 800(W) x 815(D)mm Int: 330(H) x 660(W) x 414(D)mm	104kg
DN494-A	10 x 1/1 GN	230V 1300W	Gross: 240Ltr	5°C to -35°C	32°C	R404a	Ext: 1645(H) x 800(W) x 815(D)mm Int: 870(H) x 660(W) x 414(D)mm	185kg

20kg Mains Fill Ice Maker

Mains fill machine for high output of fresh ice – ideal for pubs, bars and restaurants. Produces bullet-shaped ice that crushes easily, ideal for cocktails and slushes. Supplied with scoop and mains water connection kit.

- 20kg/24hr Max Output
- 4kg Storage Bin
- Easy-Clean Stainless Steel Exterior
- Bullet Shaped Ice
- Adjustable Feet
- High Quality Insulation



Code	Description	Power	Max Ambient Temp	Refrigerant	Dimensions	Weight
T316-A	20kg/24hr	230V 200W	32 °C	R134a	590(H) x 380(W) x 477(D)mm	28kg

17kg Manual Fill Ice Maker

Compact table top ice maker with durable, easy clean 304 stainless steel housing. Flip top lid for quick, easy access. To fill, simply lift lid and fill reservoir. Ice fills into removable internal 2kg capacity basket. Supplied with scoop.

- Countertop & Portable
- 17kg/24hr Max Output
- 2kg Storage Bin
- Bullet Shaped Ice
- 3 Cube Sizes



Code	Description	Power	Max Ambient Temp	Refrigerant	Dimensions	Weight
G620-A	17kg/24hr	230V 150W	32 °C	R134a	415(H) x 365(W) x 420(D)mm	18kg



We reserve the right to change the design and specification of goods without notice. Descriptions in the leaflet are correct at the time of going to press but are subject to alteration. Details of any changes will be available.

