

Safety Data Sheet

Infosafe No™ 5GEXU Issue Date : June 2017 Status : ISSUED

Product Name **Slip Stream 60 Car Polish**

Classified as hazardous

1. Identification

GHS Product Identifier Slip Stream 60 Car Polish
Company Name Cargroomers International Trust
Address 10 Binary Street YATALA
QLD 4207 Australia
Telephone/Fax Number Tel: (07) 3807 7577
Emergency phone number (07) 3807 7577
Recommended use of the chemical and restrictions on use Car care product.
Additional Information NZ Contact:
J.A.W Ltd
87 Barrys Point Road
Takapuna
Auckland 0622
Ph 09 2159743
Fax 09 4887000

2. Hazard Identification

GHS classification of the substance/mixture Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia
Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)
Gases under Pressure: Compressed Gas
Flammable Aerosol: Category 1
Signal Word (s) DANGER
Hazard Statement (s) Extremely flammable aerosol.
Contains gas under pressure; may explode if heated.
Precautionary statement – General Keep out of reach of children.
Pictogram (s) Flame, Gas cylinder



Precautionary statement – Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Do not spray on an open flame or other ignition source.
Pressurized container: Do not pierce or burn, even after use.
Precautionary statement – Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
Precautionary statement – Storage Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	Petroleum gases, liquefied, sweetened	68476-86-8	3-30 %

Safety Data Sheet

Infosafe No™ 5GEXU Issue Date : June 2017 Status : ISSUED

Product Name **Slip Stream 60 Car Polish**

Classified as hazardous

Other ingredients classified as non hazardous at the concentrations used according to the criteria of Safework Australia to 100%

4. First-aid measures

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Ingestion If swallowed, do NOT induce vomiting.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin or hair with running water.

Eye contact If in eyes wash out immediately with water.

First Aid Facilities Ventilation and respiratory aid.

Advice to Doctor Treat symptomatically.

Other Information You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

5. Fire-fighting measures

Fire Fighting Measures If a significant quantity of this product is involved in a fire, call the fire brigade. There is a danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is full fire kit and breathing apparatus.

Suitable extinguishing media In case of fire, use carbon dioxide, dry chemical, foam, water fog. Water fog or fine spray is the preferred medium for large fires. Try to contain spills, minimise spillage entering drains or water courses.

Hazards from Combustion Products The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is a moderate risk of an explosion from this product if commercial quantities are involved in a fire. Firefighters should take care and appropriate precautions. Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Specific hazards arising from the chemical Hazardous decomposition: Carbon dioxide, carbon monoxide and other organic complexes upon incomplete burning or oxidation.

Other Information Highly Flammable (AS1940)

6. Accidental release measures

Emergency Procedures This product is sold in small packages, and the accidental release from one of these is not usually a cause for concern. For minor spills, clean up, rinsing to sewer and put empty container in garbage. Although no special protective clothing is normally necessary because of occasional minor contact with this product, it is good practice to wear impermeable gloves when handling chemical products. In the event of a major spill, prevent spillage from entering drains or water courses and call emergency services.

Personal Precautions Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under 'Storage' should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

7. Handling and storage

Precautions for Safe Handling Store in a well-ventilated area away from incompatible materials such as strong acids and bases and strong oxidising materials. Check containers for

Safety Data Sheet

Infosafe No™ 5GEXU Issue Date : June 2017 Status : ISSUED

Product Name **Slip Stream 60 Car Polish**

Classified as hazardous

Conditions for safe storage, including any incompatibilities

integrity periodically and vent containers in hot weather. Employ good industrial hygiene when using this product, i.e. wash hands before and after use.

If you keep more than 25kg of flammable gases, you are probably required to license the premises or notify your Dangerous Goods authority. If you have any doubts, we suggest you contact your Dangerous Goods authority in order to clarify your obligations. Check packaging - there may be further storage instructions on the label.

8. Exposure controls/personal protection

Occupational exposure limit values

The time weighted average concentration (TWA) for the liquid component of this product is: not listed. The liquid product component of this product is isolated in an aerosol device.

Appropriate engineering controls

The use of local exhaust ventilation is recommended to control process emissions near the source for this product when used as a aerosol. Laboratory samples should be handled in a fume hood. Provide mechanical ventilation of confined spaces. Use explosion proof equipment for any atomised products such as aerosols.

Respiratory Protection

Where concentrations in air may approach or exceed the limits described in the National Exposure Standards, it is recommended to use a half-face filter mask to protect from overexposure by inhalation. A type 'A' filter material is considered suitable for this product.

Eye Protection

Face shield and goggles or chemical goggles should be worn.

Hand Protection

Impervious gloves should be worn. Gloves contaminated with the product should be discarded. Polyfluorinated polyethylene has been suggested.

Personal Protective Equipment

Consider wearing long sleeves, long trousers, or coveralls, and enclosed footwear or safety boots when handling this product. It is recommended to consider wearing protective gloves when handling this product.

9. Physical and chemical properties

Form

Aerosol

Appearance

Aerosol product containing a mobile liquid.

Boiling Point

No data

Solubility in Water

No data

pH

Not determined

Vapour Pressure

Not available

Density

No data

Flash Point

Below -90°C

Auto-Ignition Temperature

No data

Solubility in other solvents (kg/m3)

No data

10. Stability and reactivity

Chemical Stability

Stable at room temperature and pressure

Conditions to Avoid

Avoid strong oxidising agents, ignition sources, excessive heat and naked flames. Store below 30°C.

Hazardous Decomposition Products

Strong acids, bases and oxidisers, heat and ignition sources.

11. Toxicological Information

Ingestion

Significant oral exposure is considered to be unlikely. However, this product may be irritating to mucous membranes.

Inhalation

Intentional misuse by deliberately concentrating and inhaling contents of aerosol containers can be harmful or fatal.

Safety Data Sheet

Infosafe No™ 5GEXU Issue Date : June 2017 Status : ISSUED

Product Name **Slip Stream 60 Car Polish**

Classified as hazardous

Skin Major health effect from this product is misuse of the aerosol function. If sprayed continuously on skin or in eyes, it can cause frostbite.

Eye If sprayed directly in the eye, this product will irritate. If spraying is prolonged, it may cause damage through frostbite.

Carcinogenicity No data.

Chronic Effects There are no known chronic health effects with use of this product.

12. Ecological information

Ecological Information Expected to be harmful to aquatic life.

Persistence and degradability Information is not available for this specific product.

13. Disposal considerations

Disposal Considerations This product must be disposed in accordance with the local authority in chemical waste management.

Special precautions for landfill or incineration This product is not suitable for disposal by either landfill or via municipal sewers, drains, natural streams or rivers. This product should be treated and disposed through chemical waste treatment in accordance with the local authority, or considered for use in recycling.

14. Transport information

Transport Information Dangerous Goods of Class 2.1 Flammable Gases, or with a subsidiary risk of 2.1, are incompatible in a placard load with any of the following: - Class 1, Class 3, if both the Class 2.1 and Class 3 dangerous goods are in bulk, Class 4, Class 5, and Class 7.

U.N. Number 1950

UN proper shipping name AEROSOLS

Transport hazard class(es) 2.1

EPG Number 2D1

IERG Number 49

15. Regulatory information

Regulatory Information Classified as Hazardous according to the Globally Harmonised System of classification and labelling of chemicals (GHS) including Work, Health and Safety regulations, Australia

Poisons Schedule Not Applicable

HSNO Approval Number HSR002515

AICS (Australia) All ingredients listed.

Other Information NZ Group Standard: Aerosols (Flammable) Group Standard 2006
NZ Classification: Flammable aerosol 2.1.2A

16. Other Information

Other Information Issue #2
Reason for revision: Add NZ Classification, Convert to Australian GHS format
DO NOT MIX WITH OTHER CHEMICALS WITHOUT PRIOR CONSULTATION WITH THE MANUFACTURER. Always use product as directed. Never return any unused material to original drum.
Every endeavour has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and

Safety Data Sheet

Infosafe No™ 5GEXU

Issue Date : June 2017

Status : ISSUED

Product Name **Slip Stream 60 Car Polish**

Classified as hazardous

no warranty expressed or implied is made as to its accuracy, reliability or completeness. Cargroomers International Pty Ltd accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.

...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.