TRADE ESSENTIALS

See Page 2

FIRST FOR TOOLS, CONSUMABLES AND WORKSHOP EQUIPMENT

See Page 5

See Page 3

See Page 2

ISSUE 55 1 AUGUST - 31 OCTOBER 2022



NEW PRODUCTS

1000V ISOLATED TOOLS

PROTECT YOURSELF From Electric Shock



See Page 4

See Pa

IF YOU HAVEN'T GOT IT, YOU CAN'T USE IT!

See Page 1

🐜 Get organised

TOOL KITS



- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- TPR grip on the pliers and bi-material handles on the screwdrivers for a more secure and comfortable grip
- Hard wearing case with tools laid out to easily identify where tools belong Secure lock system to ensure that the lid is closed correctly

1000V Screwdrivers:

🕞 mm:	2.5 x 75	3 x 100	4 x 100	5.5 x 125	6.5 x 150				
🕂 mm:	PH0 x 60	PH1 x 80	PH2 x 100	PH3 x 150					
🕀 mm:	PZ0 x 60	PZ1 x 80	PZ2 x 100	PZ3 x 150					
1000V Diama									

1000V Pliers:

6" side cutters, 8" heavy duty side cutters, 8" combination, 8" long nose, 7" wire strippers

56PC GENERAL METIC EVA TOOL KIT



The EVA foam is laser cut to fit the exact shape of each tool for a perfect fit and added protection.

The size and description of every tool is etched into the foam so you don't have to waste time searching for that 10mm socket again!

- 1/2" Dr Skts: 8, 10-25, 27, 30, 32 & 34mm 1/2" Drive Wobble Ext 3", 6" & 10"
- 7" Heavy Duty Combination Plier
 6" Side Cutter
- 8" Long Nose Plier
- 5M Measuring Tape
 1/2" Drive Flex Handle
- Ball Pein Hammer 24oz
- Combination Spanners: 8, 10-19mm
- 9 Piece Hex Key Set MM Screwdrivers: PZ2, PH2, FL6.5mm
- 1/2" Drive Ratchet Handle
- 1/2" Drive Universal Joint
- Safety Glasses
- 5 Drawer Cantilever Tool Box



00000000

\$740.05 inc

144PC TOOL KIT W/TC540 CANTILEVER TOOLBOX

- A comprehensive selection of tools for service technicians Supplied in the TengTools 5 drawer cantilever tool box (TC540)
- Padlock facility and full length piano hinges with turned edges for added safety



	r					
1/4" Drive	FRP ratchet, universal joint, 2" & 4" extension bars, coupler adaptor, 3/8"F:1/4"M adaptor					
1/2" Drive	FRP ratchet, universal joint, 2½" & 6" extension bars, 3/8"F:1/2"M T bar adaptor					
1/4" Drive 6 point sockets:						
Regular:	4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm					
Deep:	6, 7, 8, 10, 12, 13mm					
1/2" Drive 12 poi	nt sockets:					
Regular:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm					
1/4" Hex Bits:	TX10, TX15, TX20, 5mm hex, 6mm hex, PH1, PH2, PZ1, PZ2, 4mm flat, 5.5mm flat					
Spanners:	5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm					
Hex Keys:	9 piece ball point hex key set, 1.5, 2.0 & 2.5mm hex keys, 10" adjustable wrench					
Screwdrivers:	3.5mm, 5.5mm & 6.5mm flat, PH0, PH1, PH2, PZ0, PZ1, PZ2, 4mm flat 1000 volt insulated					
Pliers:	8" combination, 8" long nose, 10" water pump, 6" side cutters, 8" side cutters, 10" power grip					
Service Tools:	Drill bit set, magnetic lamp, measuring tape, hacksaw with spare blades, utility knife, centre punch, parallel pin punch set, soft face hammer, ball pein hammer, tin snips, magnetic bracelet					

SERVICE CASE 118 PIECE EVA TOOL SET

- Supplied in the unique Teng Tools TC-SC service case with the tools supplied in 3 EVA trays especially designed to fit the service case
 Tools are held in place using three colour pre-cut EVA foam clearly showing where
- each tool belongs
- · Complete with suspension wheels and retractable handle for easy carrying



Contents					
Compartment	Product No	Description			
1/3	TEFMD54	54 Pc Screwdriver Set			
2/3	TEFMBP7	7 Pc Plier & Ball Pein Hammer Set			
3/3	TEFSK57	57 Pc 1/4" & 3/8" Dr Socket & Spanner Set			
5/5	1215107	si re il 4 a si o bi societ a spannel set			





• 3/8" Drive Insulated Ratchet

- 3" & 6" Insulated Extension Bar
- Size 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 & 20mm



14 PC 3/8" DR. INSUL SKT SET

• 3/8" Drive Insulated Ratchet

• 6" Insulated Extension Bar • Size - 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm



• Retaining rings & pins • 1/2" Drive Size - 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" & 1"

\$234.13

\$269.25 inc

 Retaining rings & pins • 1/2" Drive Size - 3/8", 7/16", 1/2", 9/16", 5/8", 3/4", 13/16", 7/8", 1", 1 1/16", 1 1/8" & 1 1/4"

\$**169**.15

\$194.52 inc





Set Contents: MBV441-6 - 150mm (6") Side Cutters MBV451-7 - 175mm (7") Combination (Linesman) Pliers MBV461-8 - 200mm (8") Long Nose Pliers MBV499-7 - 175mm (7") Wire Stripping Pliers




^{\$}67^{.38} \$77.49 inc GST Set including 6 insulated screwdrivers (with Slotted, Phillips Two layers with different colour insulated shafts.

ains:	
320N - 0.4x2.5x75mm	MDV822N - 0.5x3.0x100mm
324N - 0.8x4.0x100mm	MDV826N - 1.0x5.5x125mm
342N - PH1-80	MDV844N - PH2-100



- Short stubby spanners for use in confined spaces
 72 teeth ratchet spanners giving a 5° increment between clicks
- Hip Grip on the ring end, turn spanner over to change direction
- Chrome vanadium satin finish
- Size: 10, 11, 12, 13, 14, 15, 16, 17, 18, & 19mm









\$38^{.95}(ex gst)

\$41.55(ex gst)

\$42^{.85}(ex gst)

\$45.45_(ex gst)

6005M16RS - 16mm

6005M17RS - 17mm

6005M18RS - 18mm

6005M19RS - 19mm

\$44^{.79}(inc gst)

\$47.78(inc gst)

\$49^{.28}(inc gst)

\$52.27(inc gst)


FROM


\$36.61 inc

\$31.83

Double offset ring spanner with different size TX-E sockets at each end. Angled 25° towards the handle. Reversible action. Chrome Vanadium. Satin finish.

- Size: E14 x E16
- Length: 172mm
- Height: 10.2mm





- Use on insulated, non insulated terminals and connectors.
- Wire stripping capacity from 0.75 to 6mm • Cutting function for M2 to M5 bolt sizes
- Plastic grips for more comfortable use
- **CP50 -** Red

CP51 - Grev



\$39.89 \$45.88 inc

EACH

7" WIRE STRIPPING PLIER

- · Use on insulated, non insulated terminals and connectors
- Wire stripping capacity from 0.8 to 3.2mm
- Cutting capacity 1.0mm copper cable
- Return spring for repeated use
- · Locking action for easier storage



\$**40**.19 \$46^{.22}


10" HEAVY DUTY RATCHET CRIMPING PLIER CP58

- Compound ratchet action giving 30% extra strength
- Suitable for use with red, blue and yellow insulated terminals and connectors
- Wire stripping capacity from 0.75 to 6mm
- Automatic locking mechanism to ensure a consistent and correct crimping action
- Cutting function for M2 to M5 bolt sizes





CRIMP TYPE INSUL WIRING TERMINAL KIT



 136 Pieces Insulated Crimp Type • 14 Types incl. Spade, Ring, Tab and Splice

\$**81**.37

\$93.57

STRIPPING & CRIMPING TOOLS

9" HEAVY DUTY RATCHET CRIMPING PLIER

- Interchangeable ratchet crimping tool
- · Automatic locking mechanism to ensure a consistent and correct crimping action
- Cutting function for M2 to M5 bolt sizes
- Use on insulated, non insulated terminals and connectors







- **8" WIRE STRIPPING TOOL**
- · Easy to use pistol grip action Hardened SK5 steel blade for fast accurate wire
- stripping Wire stripping capacity 24-10AWG or 0.2 to 6mm
- · Built in wire cutter cuts up to 2mm diameter electrical wire







- Includes wire cutting and crimping functions
- Suitable for crimping insulated and non insulated terminals and
- · Return spring action for easier repeated use





CABLE LUGS KIT



- 66 Pieces
- 10 sizes
- Cable Solder Lugs Cable 25mm to 95mm









A premium quality electrician's tool pouch, made using durable ballistic fabric, with 12 pockets, and includes an electrical tape chain, a tape measure clip, a metal tool hook, and a padded pouch handle.

Features:

- 3 large main pockets and 3 smaller pockets.
- 6 large screwdriver holders and 4 internal tool loops.
- Electrical tape chain and tool snap.
- · Metal clip holds all measuring tape sizes.
- Double layer of rugged, ballistic poly fabric.

Reinforced base section.

Page 7

9 Pocket Electrical tool pouch combines the following features to provide the user with the best combination and toolholding.


Features

- Manufactured from polyester fabric.

Attaches to belt with heavy duty clip or belt loop.

TTG

- Side pockets for use with screwdrivers and torches.
- Tape Sling for electrical insulating tapes.
- · Webbing with reflective stripe.



Turn I

ER3100F1980

Durable Dense Moulded EVA Foam Kneepads, one size fits most!

If you spend time working on your knees,

these TTG kneepads will protect you from fatigue or injury from kneeling on sharp objects.

No more aches and pains after a days work kneeling down. Thick moulded foam construction for maximum comfort and protection. The Velcro style elasticated straps will keep the pads secure on the leg.

Features:

- · Made from durable moulded dense foam material
- · Light-weight for all-day wear
- · Adjustable elastic straps with hook and loop fasteners
- · Perfect for DIY as well as the Professional
- One size fits most

PROFESSIONAL MOULDED KNEE PADS





If you spend time working on your knees, these TTG kneepads will protect you from fatigue or injury from kneeling on sharp objects. No more aches and pains after a days work kneeling down.

TTG Gel Foam Knee Pads are made to last! Manufactured from quality materials to ensure their durability and

strength. EVA Foam Padding distributes weight and pressure evenly

plus breathable fabric provides added comfort for your knees. Slip Buckle Clips ensure you can fit your knee pads on and off quickly and keeps pads firmly in position while you kneel, crawl and walk.

Features

- EVA Foam padding with a soft Gel Core. Durable thick PVC shell.
- · Stretch fit neoprene straps with adjustable upper clips. Industrial strength Velcro.

One size fits most



SHOCK ABSORBING SINGLE CARABINEER

Shock absorbing tool lanyard with carabineer on one end and loop on the other end: Designed and tested to prevent falling objects and reduce the force your body sees if a drop occurs by absorbing the energy transmitted through the tool lanyard. By reducing the shock load this design prevents the tool from pulling the user down with it protecting those above as well as those below.

Features:

- Shock absorbing properties reduce the dynamic force on the body or other anchor point if drop occurs
- Durable 1680 denier polyester elastic blended webbing extends from 96cm 122cm
- · Low profile lightweight design reduces snag hazards and added weight
- Anodised aluminium alloy carabineer with captive eye
 Third party certified to a 10lbs (4.5kg) maximum capacity with 2:1 safety factor

Schumacher

JUMP STARTERS & CHARGERS

\$387.84 inc



• IP54 Rated

Page 9

• Runtime: 3 hrs for 100% brightness, 7 hrs for 50% brightness



- Battery Recovery
- 2 Year Warranty

Specifications

- Input: 220-240V
- Charging & Testing Stages: 9
- IP Rating: IP20

SMSPI16PRO - 16/8 Amp

- Rated Current (Min-Max): 4-8-16A
- Maintenance Capacity: 5Ah-550Ah

SMSPI25PRO - 25/12.5 Amp Rated Current (Min-Max): 5-12.5-25A • Charge Capacity: 5Ah-550Ah
 Maintenance Capacity: 5Ah-800Ah
 Showroom Function: 13.8V-21A

- Showroom Mode
- Frequency: 50-60Hz Battery Voltage: 12-24V

\$450^{.13}(ex gst) \$517.66(inc gst) Charge Capacity: 5Ah-360Ah

Showroom Function: 13.8V-13A

\$520^{.19}(ex gst) \$598.21(inc gst)

FROM \$450.13 \$517.66 inc



6

T-BOLT CLAMPS

HEAVY DUTY T BOLT CLAMPS

Kale HD T-Bolt clamps are manufactured utilising TOX®-Clinching joints. A cold forming press technique that is more than 70% stronger than welding and superior to tab

style mechanical locks.

Additional design features include:

- No welding and no contact corrosion points
- Hollow 'D' shape trunnions to reduce tensile force on the bolt and clinched joint
- A profiled bridge with extended tabs for secure attachment to the band without welding
- A high clamping force with low free torque value.

Available in 2 materials (W1 & W4) in sizes ranging from 17-19mm through to 239-252mm, typical applications include suction and pump hoses across a wide range of industries:

 Agriculture Band Carbon Steel* Automotive Marine Bridge Carbon Steel* Mining ISO 898-1 Plumbing Bolt FROM Class 8.8* • OEMs. Brush \$3.52 Trunnion Carbon Steel*

-1	
E	
	NEW
00	

						* 2	inc Plated		Transaction		
	W1 TOX (ea)				W4 TOX (ea)						
Product Code	Description	Band Width	Diameter Range	ex GST	inc GST	Product Code	Description	Band Width	Diameter Range	ex GST	inc GST
HD181719W1T	HD18 17-19mm	18mm	17-19mm	\$3.52	\$4.05	HD181719W4T	HD18 17-19mm	18mm	17-19mm	\$9.00	\$10.35
HD181921W1T	HD18 19-21mm	18mm	19-21mm	\$3.52	\$4.05	HD181921W4T	HD18 19-21mm	18mm	19-21mm	\$9.39	\$10.80
HD182123W1T	HD18 21-23mm	18mm	21-23mm	\$3.59	\$4.13	HD182123W4T	HD18 21-23mm	18mm	21-23mm	\$9.72	\$11.18
HD182325W1T	HD18 23-25mm	18mm	23-25mm	\$3.59	\$4.13	HD182325W4T	HD18 23-25mm	18mm	23-25mm	\$9.72	\$11.18
HD182527W1T	HD18 25-27mm	18mm	25-27mm	\$3.59	\$4.13	HD182527W4T	HD18 25-27mm	18mm	25-27mm	\$10.11	\$11.62
HD182729W1T	HD18 27-29mm	18mm	27-29mm	\$3.78	\$4.35	HD182729W4T	HD18 27-29mm	18mm	27-29mm	\$10.49	\$12.07
HD182931W1T	HD18 29-31mm	18mm	29-31mm	\$3.78	\$4.35	HD182931W4T	HD18 29-31mm	18mm	29-31mm	\$10.50	\$12.07
HD203134W1T	HD20 31-34mm	20mm	31-34mm	\$4.57	\$5.25	HD203134W4T	HD20 31-34mm	20mm	31-34mm	\$12.72	\$14.63
HD203437W1T	HD20 34-37mm	20mm	34-37mm	\$4.63	\$5.33	HD203437W4T	HD20 34-37mm	20mm	34-37mm	\$13.30	\$15.30
HD203740W1T	HD20 37-40mm	20mm	37-40mm	\$4.63	\$5.33	HD203740W4T	HD20 37-40mm	20mm	37-40mm	\$13.30	\$15.30
HD204043W1T	HD20 40-43mm	20mm	40-43mm	\$4.63	\$5.33	HD204043W4T	HD20 40-43mm	20mm	40-43mm	\$13.63	\$15.68
HD204347W1T	HD20 43-47mm	20mm	43-47mm	\$4.89	\$5.62	HD204347W4T	HD20 43-47mm	20mm	43-47mm	\$13.83	\$15.90
HD204751W1T	HD20 47-51mm	20mm	47-51mm	\$4.96	\$5.70	HD204751W4T	HD20 47-51mm	20mm	47-51mm	\$14.09	\$16.20
HD205155W1T	HD20 51-55mm	20mm	51-55mm	\$5.02	\$5.78	HD205155W4T	HD20 51-55mm	20mm	51-55mm	\$14.35	\$16.50
HD205559W1T	HD20 55-59mm	20mm	55-59mm	\$5.09	\$5.85	HD205559W4T	HD20 55-59mm	20mm	55-59mm	\$14.67	\$16.87
HD205963W1T	HD20 59-63mm	20mm	59-63mm	\$5.22	\$6.00	HD205963W4T	HD20 59-63mm	20mm	59-63mm	\$14.87	\$17.10
HD206368W1T	HD20 63-68mm	20mm	63-68mm	\$5.67	\$6.53	HD206368W4T	HD20 63-68mm	20mm	63-68mm	\$16.17	\$18.60
HD256873W1T	HD25 68-73mm	25mm	68-73mm	\$9.33	\$10.73	HD256873W4T	HD25 68-73mm	25mm	68-73mm	\$27.72	\$31.88
HD257379W1T	HD25 73-79mm	25mm	73-79mm	\$9.39	\$10.80	HD257379W4T	HD25 73-79mm	25mm	73-79mm	\$28.04	\$32.25
HD257985W1T	HD25 79-85mm	25mm	79-85mm	\$9.59	\$11.02	HD257985W4T	HD25 79-85mm	25mm	79-85mm	\$28.70	\$33.00
HD258591W1T	HD25 85-91mm	25mm	85-91mm	\$9.78	\$11.25	HD258591W4T	HD25 85-91mm	25mm	85-91mm	\$29.15	\$33.52
HD259197W1T	HD25 91-97mm	25mm	91-97mm	\$10.04	\$11.55	HD259197W4T	HD25 91-97mm	25mm	91-97mm	\$29.67	\$34.12
HD2597104W1T	HD25 97-104mm	25mm	97-104mm	\$10.30	\$11.84	HD2597104W4T	HD25 97-104mm	25mm	97-104mm	\$30.40	\$34.96
HD25104112W1T	HD25 104-112mm	25mm	104-112mm	\$10.83	\$12.45	HD25104112W4T	HD25 104-112mm	25mm	104-112mm	\$32.61	\$37.50
HD25112121W1T	HD25 112-121mm	25mm	112-121mm	\$11.15	\$12.82	HD25112121W4T	HD25 112-121mm	25mm	112-121mm	\$33.39	\$38.40
HD25121130W1T	HD25 121-130mm	25mm	121-130mm	\$12.98	\$14.93	HD25121130W4T	HD25 121-130mm	25mm	121-130mm	\$34.30	\$39.45
HD25130140W1T	HD25 130-140mm	25mm	130-140mm	\$13.50	\$15.53	HD25130140W4T	HD25 130-140mm	25mm	130-140mm	\$35.28	\$40.58
HD25140150W1T	HD25 140-150mm	25mm	140-150mm	\$13.76	\$15.83	HD25140150W4T	HD25 140-150mm	25mm	140-150mm	\$35.93	\$41.32
HD25150162W1T	HD25 150-162mm	25mm	150-162mm	\$15.85	\$18.22	HD25150162W4T	HD25 150-162mm	25mm	150-162mm	\$41.67	\$47.92
HD25162174W1T	HD25 162-174mm	25mm	162-174mm	\$17.02	\$19.57	HD25162174W4T	HD25 162-174mm	25mm	162-174mm	\$43.57	\$50.10
HD25174187W1T	HD25 174-187mm	25mm	174-187mm	\$17.61	\$20.25	HD25174187W4T	HD25 174-187mm	25mm	174-187mm	\$44.74	\$51.45
HD25187200W1T	HD25 187-200mm	25mm	187-200mm	\$18.13	\$20.85	HD25187200W4T	HD25 187-200mm	25mm	187-200mm	\$45.91	\$52.80
HD25200213W1T	HD25 200-213mm	25mm	200-213mm	\$19.02	\$21.87	HD25200213W4T	HD25 200-213mm	25mm	200-213mm	\$47.28	\$54.37
HD25213216W1T	HD25 213-226mm	25mm	213-226mm	\$19.37	\$22.28	HD25213216W4T	HD25 213-226mm	25mm	213-216mm	\$48.52	\$55.80
HD25226239W1T	HD25 226-239mm	25mm	226-239mm	\$21.07	\$24.23	HD25226239W4T	HD25 226-239mm	25mm	226-239mm	\$50.93	\$58.57
HD25239252W1T	HD25 239-252mm	25mm	239-252mm	\$21.65	\$24.90	HD25239252W4T	HD25 239-252mm	25mm	239-252mm	\$52.24	\$60.07

Material Combination

W4

Stainless Steel 1.4301

Stainless Steel 1.4301

ISO 3506-1

Class A2-70

Stainless Steel 1.4301

Stainless Steel 1.4301

* Zinc Plated

W1

Part Name

\$4.05 inc



PUMPS & EQUIPMENT

LEVER ACTION BARREL PUMP

This Barrel Pump is designed for fast transfer of oil based media, additives and other non-corrosive liquids from 50L to 205L drums.

- Delivers upto 250ml of liquid per stroke
- Pump Construction: Cast Aluminium
- Pipe Construction: Aluminium
- Cushioned vinyl handle
- Removable spout is threaded for garden hose fittings
 Built-in 1-1/2" & 2" NPT bung nut for use on drums with either openings
- Comes complete with curved metal spout & self-adjusting telescopic suction tube for use on 50 Litre to 205 Litre barrels





HYDRAULIC H FRAME SHOP PRESSES



500KG UTE CRANE W/ SWIVEL BASE



Designed for utes or small trucks, this trade quality heavy duty lifting crane lift loads up to 500kg. A 360° rotating base offers easy manoeuvring of most items. Suitable to be used with most light commercial vehicles.

- Max Load (Closed) 500kg
- Max Load (Extended) 250kg
- Min Height 430mm
- Max Height 1850mm
- Working Range 690 to 1050mm • 360° swivel
 - J° SWIVEI

\$557^{.03} \$640^{.58} inc st

\$**859**.87

\$988.85 inc

500KG HI-LIFT TRANSMISSION JACK



Safe Working Capacity: 500kg
Saddle Forward Tilt: 29.1°
Saddle Backward Tilt: 44.5°
Minimum Height: 850mm
Maximum Height: 1795mm

ROTARY BARREL PUMP



WORKSHOP ENGINE CRANES



566KG ENGINE STAND



500KG HI-LIFT TRANSMISSION JACK



\$608.33 in

\$**528**.98



POWER TOOLS & ACCESSORIES

BENCH GRINDERS



 Motor Power: 600W • Wheel Size: 200mm x 25mm

TM400-250 - 10" (250mm) Motor Power: 900W

• Wheel Size: 250mm x 25mm

750MM BENCH GRINDER STAND

\$298.25(inc gst) Speed: 2850RPM • Spindle Thread: M16 x 2mm \$475^{.08}(ex gst)

\$546^{.35}(inc gst) Speed: 2850RPM

• Spindle Thread: M16 x 2mm

200MM (8") BUFFER



760MM PREMIUM BENCH GRINDER STAND





· Premium Bench Grinder Stand for use with TM400-150, TM400-200, TM400-250, TM402-200

\$157^{.00}

\$180.55 inc

Specifications

Height: 840mm

• Weight: 14kg

*Can be bolted to the floor

350MM BENCH GRINDER



Features

- Powerful 600W Induction Motor.
- 25mm width grinding wheels with 36 and 60 grit for fast removal of material.
- Cast iron body and base for long lasting performance.
- · Vibration absorbing pads on base for smoother running.
- Capacitor Start-Stop motor for maximum performance.
- Heavy Duty tool rests for maximum user control.
- · Large eyes shields for increased user safety.

Specifications

Motor Power: 600W Speed: 2850RPM • Wheel Size: 200 x 25mm • Spindle Thread: M16 x 2mm

GRINDING WHEEL ALUMINIUM



Wheel comes complete with a "multi bore" bush. This caters for 1/2" (12.7mm), 5/8" (15.88mm), 3/4" (19.05mm) & 1" (25.4mm) shaft sizes.

Universal Fit - To use the wheel, push out the bushes smaller than the shaft size of your grinder.

TM406-001 - 150 x 25mm 36 Grit Coarse (Oxide)	\$13 ^{.38} (ex gst)	\$15 ^{.39} (inc gst)
TM406-002 - 150 x 25mm 60 Grit Medium (Oxide)	\$13 ^{.38} (ex gst)	\$15 ^{.39} (inc gst)
TM406-003 - 200 x 25mm 36 Grit Coarse (Oxide)	\$20 ^{.12} (ex gst)	\$23 ^{.13} (inc gst)
TM406-004 - 200 x 25mm 60 Grit Medium (Oxide)	\$20 ^{.12} (ex gst)	\$23 ^{.13} (inc gst)
TM406-005 - 150 x 25mm 80 Grit Fine (Silicone Carbide)	\$20 ^{.12} (ex gst)	\$23 ^{.13} (inc gst)
TM406-006 - 200 x 25mm 80 Grit Fine (Silicone Carbide)	\$30 ^{.15} (ex gst)	\$34 ^{.67} (inc gst)



ATTACHMENT PO482 W/ 250MM BENCH GRINDER



Features

- Vibration Absorbing Pads on Base for Smoother Running
- Capacitor Start/Stop Motor for Maximum Performance
 Heavy Duty Tool Rests for Maximum User Control
- Large Eyes Shield for Increased User Safety Cast Iron Body & Base

Specifications

- Powerful 240V/900W Induction Motor
- Wheel Size: 250 x 25mm
- 1220 x 50mm Belt
- Speed: 2850RPM • Spindle Thread: M16 x 2mm
- 178mm Sanding Disc

ATTACHMENT PO484 W/ 250MM BENCH GRINDER



Features

- Vibration Absorbing Pads on Base for Smoother Running
- Capacitor Start/Stop Motor for Maximum Performance
- Heavy Duty Tool Rests for Maximum User Control
- · Large Eyes Shield for Increased User Safety Cast Iron Body & Base

Specifications

- Powerful 240V/900W Induction Motor
- Wheel Size: 250 x 25mm
- 1220 x 100mm Belt
- Speed: 2850RPM • Spindle Thread: M16 x 2mm
- 178mm Sanding Disc

TABLE & MITRE BRACKET KIT





FEATURES

- Fits all Multitool models with a 7" (178mm) diameter sanding disc.
- · Ideal for grinding ends square and adjusting lengths and angles.

SPECIFICATIONS

- Dimensions: 110 x 204mm
- Tilt: Up 5° / Down 50°
- BracketSwivel: Plus and minus 60° from square

POWER TOOLS & ACCESSORIES

MULTITOOL BELT & DISC GRINDING ATTACHMENT



- 915 x 50mm Belt (100 Grit)
- 178mm Diameter Disc (120 Grit)
- 140mm Diameter Drive Wheel 89mm Diameter Rubber Contact
- Wheel
- Suits most popular 6" or 8" Bench Grinders
- Suits grinder shaft sizes of 5/8" & 1/2" • Fitting Kit supplied.

\$358.11 \$411.82 inc

MULTITOOL BELT & DISC GRINDING ATTACHMENT



• 915 x 100mm belt. 178mm diameter disc.

- 89mm Diameter Rubber Contact Wheel.
- 140mm Diameter Drive Wheel
- Suits most popular 8" bench grinders
- Suits grinder shafts sizes of 5/8" & 1/2".
- Fitting Kit supplied.



BELT & DISC GRINDING ATTACHMENT



- 1220 x 50mm belt.
- 178mm Diameter Disc.
- 89mm Diameter Rubber Contact Wheel
- 140mm Diameter Drive Wheel.
- · Suits most popular 8" bench grinders
- Suits shaft sizes of 5/8" & 1/2".
- Fitting Kit supplied.




BELT & DISC GRINDING ATTACHMENT



- 1220 x 100mm Belt.
- 178mm Diameter Disc.
- 89mm Diameter Rubber Contact Wheel.
- 140mm Diameter Drive Wheel.
- · Suits most popular 8" bench grinders
- Suits shaft sizes of 5/8" & 1/2"
- Fitting Kit supplied.



SHARPENING JIG



- · Re-tips screwdrivers.
- · Professional results and cuts the correct angles without overheating.





STRETCH CAP - FULL FACE STYLE ER68156815



ER695016950

Stretch Cap: Keeps ears and head protected from wind and cool conditions. Full face style. Features:

• 100% polyester knit

• Full face style

SAFETY BOLT BAG ER572814428

Topped Bolt Bag with Loop Design: Wide body and onehanded cinch-up top for keeping gear safe and secure.

Features:

- 16oz canvasOne-handed closure for safety
- Nickel-plated rivets 2 exterior tool loops
- Patented nickel-plated storm drain
 Maximum safe working capacity: 12kg (25lb)
 Third-party certified to a 4:1 safety factor



\$<mark>1</mark>.80

\$5.52 j

2-LAYER HEAD WARMER LINER REGULAR LENGTH ER85016850



3-Layer Extreme Series Winter Liner: Sherpa fleece comfort with warming pack pockets. Regular length.

Features:

3-LAYER HEAD WARMER LINER REGULAR LENGTH

- 3-Layer Nylon/Foam/Sherpa
- Shell: 100% quilted nylon
- Mid-Layer: Foam • Lining: 100% Poly Sherpa
- Regular length
- Elastic gather at forehead
- Warming pack pockets

\$**9**.60 \$11.04 inc

\$11.96

\$13.75 inc

Features: • 2-Layer Cotton/Fleece Shell: 100% cotton twill

2-Layer Cold Series Winter Liner: With warming

- Lining: 100% poly fleece
- Regular length
- Elastic gather at forehead
- Hook and loop chin strap

pack pockets for cold conditions.

Warming pack pockets

TOPPED PARTS POUCH ORANGE



Topped Parts Pouch has a hands-free, self closing trap door closure that prevents small parts, hardware, and tools from falling when working at heights.

Features:

- Waterproof tarpaulin material
- Trap door closure for safety and security
- · Patented nickel-plated storm drain
- 2 exterior tool loops
- 2 exterior nickel-plated D-rings for tool lanvard
- Maximum safe working capacity: 9.0kg (20lb) Third-party certified to a 4:1 safety factor

\$19.58 \$22.52 inc

16-POCKET TOOL POUCH W/LOOP FR5518136



- 1680D ballistic Polyester Patented Storm Drains
- 16-pockets for tools and fasteners
- Top cover flap with hook & loop closure
- Abrasion-resistant reinforced pouch bases
- · Four nickel-plated D-rings for tool lanyard attachment
- Maximum safe working capacity: 15kg (33lb)
- Third-party certified to a 4:1 safety factor

www.isl.nz

Stores advertised on this page of this catalogue are independent businesses. Every effort is made to ensure advertised stock is available, but due to factors beyond the control of ISL Industrial Limited (Importer), not all products in this catalogue are available at all stores. Prices for the products are recommended only. Regular prices may vary from store to store, the catalogue pricing is calculated in good faith as the average price at the time of preparation. ISL Industrial Limited (Importer) reserve the right to correct printing & pricing errors. Additional freight charges may apply if product is ordered in. All sizes shown are approximate only. Accessories shown do not come with product unless otherwise specified. Due to printing process, colours in this catalogue yary slightly to actual item. ISL Industrial Limited (Importer) will do everything possible with in reason to maintain stocks of products advertised but cannot be responsible for unforeseen shortfalls beyond their control. Reproduction in whole or part is prohibited without written approval © 2022. E & OE.

