



Massage Oil 1200 mg

Batch ID:	RO-MAS-1200-102020	Test ID:	T000105572
Type:	Solution	Submitted:	10/23/2020 @ 01:56 PM
Test:	Potency	Started:	10/23/2020
Method:	TM14	Reported:	10/26/2020

CANNABINOID PROFILE



Compound	LOQ (mg/mL)	Result (mg/mL)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	0.39	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	0.19	ND	ND
Cannabidiolic acid (CBDA)	0.13	1.67	2.1
Cannabidiol (CBD)	0.28	6.54	8.4
Delta 8-Tetrahydrocannabinol (Delta 8THC)	0.21	ND	ND
Cannabinolic Acid (CBNA)	0.54	ND	ND
Cannabinol (CBN)	0.23	ND	ND
Cannabigerolic acid (CBGA)	0.34	ND	ND
Cannabigerol (CBG)	0.19	ND	ND
Tetrahydrocannabivarinic Acid (THCVA)	0.33	ND	ND
Tetrahydrocannabivarin (THCV)	0.17	ND	ND
Cannabidivarinic Acid (CBDVA)	0.13	ND	ND
Cannabidivarin (CBDV)	0.07	ND	ND
Cannabichromenic Acid (CBCA)	0.30	ND	ND
Cannabichromene (CBC)	0.34	ND	ND
Total Cannabinoids		8.21	10.6
Total Potential THC**		ND	ND
Total Potential CBD**		8.00	10.3

NOTES:

Density = 0.778g/mL

N/A

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)
 * Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.
 ** Total Potential THC/CBD is calculated using the following formulas
 to take into account the loss of a carboxyl group during
 decarboxylation step.
 Total THC = THC + (THCa * (0.877)) and
 Total CBD = CBD + (CBDa * (0.877))
 ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL

	Mara Miller 26-Oct-2020 2:27 PM		Ben Minton 26-Oct-2020 3:02 PM
PREPARED BY / DATE		APPROVED BY / DATE	

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02


Batch ID:	0704001	Test ID:	T000085489
Reported:	14-Jul-2020	Method:	TM19
Type:	Concentrate		
Test:	Metals		

HEAVY METALS

Analyte	Dynamic Range (ppm)	Result (ppm)
Arsenic	0.066 - 6.61	ND
Cadmium	0.067 - 6.70	ND
Mercury	0.063 - 6.30	ND
Lead	0.066 - 6.65	ND

* ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL


Ryan Weems
14-Jul-2020
10:34 AM
PREPARED BY / DATE


Ben Minton
14-Jul-2020
3:26 PM
APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

Batch ID:	0704001	Test ID:	4354231.0017
Reported:	15-Jul-2020	Method:	TM17
Type:	Concentrate		
Test:	Pesticides		

PESTICIDE RESIDUE

Compound	Dynamic Range (ppb)	Result (ppb)	Compound	Dynamic Range (ppb)	Result (ppb)
Acephate	39 - 2472	ND*	Malathion	290 - 2472	ND*
Acetamiprid	40 - 2472	ND*	Metalaxyl	45 - 2472	ND*
Abamectin	>324	ND*	Methiocarb	38 - 2472	ND*
Azoxystrobin	46 - 2472	ND*	Methomyl	39 - 2472	ND*
Bifenazate	43 - 2472	ND*	MGK 264 1	170 - 2472	ND*
Boscalid	40 - 2472	ND*	MGK 264 2	102 - 2472	ND*
Carbaryl	39 - 2472	ND*	Myclobutanil	44 - 2472	ND*
Carbofuran	44 - 2472	ND*	Naled	45 - 2472	ND*
Chlorantraniliprole	63 - 2472	ND*	Oxamyl	40 - 2472	ND*
Chlorpyrifos	37 - 2472	ND*	Paclobutrazol	46 - 2472	ND*
Clofentezine	285 - 2472	ND*	Permethrin	277 - 2472	ND*
Diazinon	294 - 2472	ND*	Phosmet	47 - 2472	ND*
Dichlorvos	>270	ND*	Prophos	287 - 2472	ND*
Dimethoate	39 - 2472	ND*	Propoxur	42 - 2472	ND*
E-Fenpyroximate	33 - 2472	ND*	Pyridaben	38 - 2472	ND*
Etofenprox	40 - 2472	ND*	Spinosad A	31 - 2472	ND*
Etoxazole	290 - 2472	ND*	Spinosad D	78 - 2472	ND*
Fenoxycarb	>48	ND*	Spiromesifen	>272	ND*
Fipronil	42 - 2472	ND*	Spirotetramat	>276	ND*
Flonicamid	46 - 2472	ND*	Spiroxamine 1	17 - 2472	ND*
Fludioxonil	>304	ND*	Spiroxamine 2	21 - 2472	ND*
Hexythiazox	40 - 2472	ND*	Tebuconazole	305 - 2472	ND*
Imazalil	273 - 2472	ND*	Thiacloprid	41 - 2472	ND*
Imidacloprid	41 - 2472	ND*	Thiamethoxam	40 - 2472	ND*
Kresoxim-methyl	43 - 2472	ND*	Trifloxystrobin	45 - 2472	ND*

* ND = None Detected (Defined by Dynamic Range of the method)

N/A

FINAL APPROVAL


Tyler Wiese
15-Jul-2020
2:34 PM

PREPARED BY / DATE



Greg Zimpfer
15-Jul-2020
2:49 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

Batch ID:	N/A	Test ID:	T000109253
Type:	Concentrate	Submitted:	11/10/2020 @ 12:15 PM
Test:	Microbial Contaminants	Started:	11/12/2020
Method:	TM24, TM25, TM26, TM27, TM28	Reported:	11/15/2020

MICROBIAL CONTAMINANTS

Contaminant	Result (CFU/g)*
Total Aerobic Count**	None Detected
Total Coliforms**	None Detected
Total Yeast and Molds**	None Detected
E. coli	Absent
STEC and 0157 E. coli	None Detected
Salmonella	None Detected

* CFU/g = Colony Forming Unit per Gram

** Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples: $10^2 = 100$ CFU
 $10^3 = 1,000$ CFU
 $10^4 = 10,000$ CFU
 $10^5 = 100,000$ CFU

NOTES:

Free from visual mold, mildew, and foreign matter


TYM: None Detected

Total Aerobic: None Detected

FINAL APPROVAL


Nick Tumminaro
15-Nov-2020
2:49 PM

PREPARED BY / DATE


Ben Minton
15-Nov-2020
5:33 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.03. Testing associated with this certificate of analysis performed by an external ISO17025 accredited provider.



Certificate #4329.03