

重点 校对项

1. 版面尺寸

2. 材质标注

3. 物料编码

4. 颜色标注

5. 客户型号

6. 产品名称

7. 重量标注

8. 电压功率

9. 说明书装订要求

10. 警语/认证标志高度

11. 档位检查



(封面)

技术要求(版本号:B, 2020-01)

1. 文字图案印刷颜色为: 4色 ;
2. 该说明书的幅面大小为: A5 ;
3. 该说明书的装订方式为: 钉装 ; [70P以下为钉装, 70P以上为胶装(特殊要求除外)]
4. 说明书警语及认证标志应满足CE/UL标准, CE: 警语部分大写字母高度不低于3mm, CE标志不低于5mm, WEEE标志不低于7mm; UL: 大写字母字高不小于1/12”(2.11mm), 小写字母字高不小于1/16”(1.6mm), “IMPORTANT SAFEGUARDS”, “SAVE THESE INSTRUCTIONS”等词, 其字高不小于3/16”(4.8mm), IMPORTANT SAFEGUARDS 必须在最前面。
5. 产品应符合QMG-J53.021《产品说明书技术条件》的有关要求。
6. 有ROHS指令要求的物料应符合美的企业标准QML-J11.006《产品中限制使用有害物质的技术标准》。

16157100A00965

					净化器			TOSHIBA-KJ210G-T32 (CAF-Y36PH(W))-0501	
					说明书			材料:双胶纸 100克	
标记	处数	更改文件号	签字	日期	图样标记	重量	比例	广东美的生活电器制造有限公司	
制图		钟冠华	审核	卢灿飞	K	/	1:1		
设计		-----	标准化	古广君					
校对		-----	审定	古广君					
会签		-----	日期	2020-08-06	共 1 页		第 1 页		

1

2

3

4

5

6

TOSHIBA

OWNER'S MANUAL

Air Purifier CAF-Y36PH(W)

**READ AND SAVE THESE
INSTRUCTIONS**

Attention:

Pictures in the IM are for
reference only.



READ AND SAVE THESE INSTRUCTIONS

Statement

With the technological innovation and improvement of the product, the product manual contents of the same model as this product may be changed, and the updated part will not further notify.

All the illustrations shown in this manual are based on the appearance of the standard model purifier. They are for illustrative purposes only. The actual appearance of the purifier is subject to the purchased product.

Due to product improvement, some of the parameters may be changed. The changed parameters have no retroactive effect on this product. Please refer to the product nameplate parameters.

If there is any change in the content of this manual, our company will make announcement through the official website of the company without further notice one by one, and unless otherwise stated in the notice of announcement, the content of the change shall not be retroactive to this product in principle.

IMPORTANT SAFETY INSTRUCTIONS

Caution

Read Rules for Safe Operation and Instructions Carefully.

WARNING

- This appliance has a polarized plug (one blade is wider than the other).

To reduce the risk of electric shock, this plug is intended to fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Do not attempt to defeat this safety feature.

- To Reduce The Risk Of Fire Or Electric Shock, Do Not Use This Air Purifier With Any Solid-State Speed Control Device.

- Skin or eye damage may result from directly viewing the light produced by the lamp in this apparatus. Always disconnect power before relamping or servicing. Never replace the UV lamp without authorized technician!

1. Read all safety instructions before using the unit.
2. Use only a 220-240 volt outlet.
3. Please place the unit on the ground when using.
4. Do not use the unit if the power cord or plug is damaged or the connection to the wall outlet is loosened.
5. Periodically remove dust from the plug.
6. Do not insert fingers or foreign objects into the air intake or air outlet.
7. When removing the power plug, always hold the plug and never pull on the cord. Electrical shock and/or fire from a short circuit may occur as a result.
8. Do not remove the plug when your hands are wet.

9. Do not use this unit near gas appliances or fireplaces.

10. When cleaning the unit, or when the unit is not in use, be sure to unplug the unit. Electrical shock and/or fire from a short circuit may occur as a result.

11. If the power cord is damaged, it must be replaced by the manufacturer, its service agent, a Toshiba Service Center or similarly qualified person in order to avoid a hazard.

12. Do not operate when using aerosol insecticides or in rooms where there is oily residue, incense, sparks from lit cigarettes, chemical fumes in the air, or in locations where the unit may get wet, such as a bathroom.

13. Be cautious when cleaning the unit. Strong corrosive cleansers may damage the exterior


14. Only a Toshiba Authorized Service Center should service this air purifier. Contact the nearest Service Center for any problems, adjustments, or repairs.

15. When carrying or removing the unit, hold the unit by handle.


16. If this air purifier should cause interference to radio or television reception, try to correct the interference by one or more of the following measures:

- 1) Reorient or relocate the receiving antenna of radio or TV
- 2) Increase the separation distance between the unit and radio/TV receiver.
- 3) Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
- 4) Consult the dealer or an experienced radio/TV technician for help.

PRODUCT INTRODUCTION




INSTALLATION




1 Remove the back cover


Grasp the position of wedging block and pull outwards to remove the back cover




2 Install the Filter



Hold the drawstring at both of Filter assembly and remove the Filter assembly.




Disassemble the packaging bag of the Filter.



Install the Filter assembly. The activated carbon Filter is on the outside

Please make sure that the front side of filter elements installed correctly.

3 Install the back cover



Simultaneously slide the two left and right buckles at the bottom of the back cover into the machine body with both hands



Press the top with both hands simultaneously and insert the top two buckles into the machine body. At this time, the installation is in place.

4

USAGE



Purification volume button

Press this button to adjust the volume of purification, with low, medium and high grades

The status of the purification volume can be intuitively indicated by three indicators: LOW, MED, and HIGH.



UV button


Press this button to turn on the UV lamp when the switch is on, then press to off



On/off button

Press this button to start.
Press again, it will shut down.

This product will default to the last working gear each time you turn on the machine.




Control and Status Display Panel

This product uses a certain algorithm to calculate the life of the Filter with the opening time accumulated as a reference value. When the filter life is reached, the UV indicator will flash, at this time to remind the user to replace the filter; After the filter replacement is completed, long press the UV button for 3 seconds to reset the filter status; after reset, the UV indicator will no longer flash.

USAGE

Correct placement

In order to achieve better cleaning effect and avoid the influence of metal shielding effect on communication, please ensure that the air purifier is more than 30cm away from the wall and other obstructions when using it, and maintain a distance of more than 50cm from the metal/appliance.



MAINTENANCE



READ AND SAVE THESE INSTRUCTIONS

WARNING: RISK OF ELECTRIC SHOCK

These servicing instructions are for use by qualified personnel only. To reduce the risk of electric shock, do not perform any servicing other than that contained in the operating instructions unless you are qualified to do so!

Filter cleaning/replacement

Cleaning ● When the UV light on the display panel flashes, it prompts you to replace the filter



Please select a filter that matches the model of the machine for replacement. Please purchase from your local authorized dealer.



For more details on the installation of the filter, please see the "installation" section.



Press the UV button for 3 seconds, the filter resets and restarts the timer

- It is recommended to clean the filter twice a week and replace the filter half a year (adjust the cleaning and replacement cycle according to the use environment);
- Can not wash the filter;
- Smaller soft brushes or household vacuum cleaners are recommended for filter cleaning.
- When using the brush to clean, it should be brushed horizontally along the filter to avoid vertical brush, so as not to damage the filter;
- When cleaning with a vacuum cleaner, keep the suction outlet 5-10mm away from the surface of the filter so as not to damage the filter.
- When used under the strong odor produced by cigarettes, barbecues, etc., the filter may have an odor in a matter of weeks or months. Please clean and dry filter (2-5 days). If you still cannot eliminate the odor, replace the filter.

TECHNICAL PARAMETERS

1. The performance parameters in the table are measured before delivery and are for reference only.
2. Due to product improvement, the following parameters may be changed and shall refer to the product nameplate parameters.
3. The applicable area is according to the theoretical value calculated by $(0.07 \sim 0.12) \times \text{CADR}_{\text{particulate}}$ matter; with the use of different environments or outdoor pollution and other factors, the applicable area will also change.
4. Purifying principle: The air purifier blows air into the machine and filters the air through the built-in filter core. It can mainly play the role of filtering dust (such as PM2.5), formaldehyde, odor, sterilization and others.

Model	CAF-Y36PH(W)
High-grade CADR _{particulate}	210
Rated voltage (V-)	230
Rated frequency (Hz)	60
Rated power (W)	58
Noise [dB]	32-52
Dimensions (mm)	256x175x675

FAULT SELF-DETECTION

Before you ask for maintenance, please check according to the table below.

Problems encountered	Reasons	Solutions
Purifier cannot run	<ul style="list-style-type: none">- It is possible that the power cord is not plugged or poor contact with power cord- May not turn on the power switch- It is possible that the filter is not installed in place and safety switch is not triggered	<ul style="list-style-type: none">- Please connect power and make good contact- Please turn on the power switch- Please properly install the filter and buckle the back cover
The effect is bad to eliminate smoke and odor	<ul style="list-style-type: none">- It is possible that the filter assembly is not installed well- It is possible that the filter assembly has reached the end of life- It is possible that the air inlet is blocked by foreign matter	<ul style="list-style-type: none">- Please properly install the filter assembly- Please replace the new filter assembly- Please remove foreign matter from the air inlet
Filter cleaning light does not extinguish	<ul style="list-style-type: none">- It may be that the "UV" button is not long pressed for 3 seconds after the filter assembly is replaced.	<ul style="list-style-type: none">- After cleaning the filter assembly, long press the "UV" button for 3 seconds
It is hard to eliminate the odor and smoke	<ul style="list-style-type: none">- It may be that the filter assembly is also wrapped in a packaging bag	<ul style="list-style-type: none">- Please remove the packaging bag outside the filter assembly

Please send it to repair in case of the following:

1. If the operation is abnormal or the machine does not operate, and the above method is invalid;
2. Substances or water from the outside have entered and abnormal operation has occurred.

