

Bomar Ltd.
 www.bomar.ie
Bomar batch No: Q0510

Certificate of Analysis

Date format	DD.MM.YYYY
Creation date	31.01.2022
Your order no.	POR-05828
Date	07.12.2021
Delivery note	80931177 000010
Date of dispatch	31.01.2022
Our reference	866028 000010
Date	07.12.2021
Client number	204040
Date of arrival	08.02.2022

Material / Product / Description

101642 / / Citric Acid Anhydrous CAA N1560 in 25 kg bags

Shipping point

Jungbunzlauer Austria AG, Factory Pernhofen, 2064 Wulzeshofen

Batch	Quantity	Date of production	Date of expiry	Production plant, country	Country of Origin
1277943	13,125 KG	23.01.2022	01.2025	Pernhofen, AT	AT

Parameter	Unit	Specification	Value
Characteristics			conforms
colourless crystals or a white, crystalline powder; very soluble in water, freely soluble in ethanol (96%), sparingly soluble in ether			
Odour			conforms
typical, practically odourless			
Identification			conforms*
Appearance of solution			conforms*
clear and colourless			
Clarity of solution			conforms*
Colour of solution			conforms*
Assay	%	99,7 - 100,3	99,9
Water	%	<= 0,50	0,05
Readily carbonisable substances			conforms*
Calcium	mg/kg	<= 30	conforms*
Heavy metals	mg/kg	<= 5	conforms*
Iron	mg/kg	<= 3	conforms*
Arsenic	mg/kg	<= 1	conforms*
Lead	mg/kg	<= 0,5	conforms*
Mercury	mg/kg	<= 0,5	conforms*
Chloride	mg/kg	<= 5	conforms*
Oxalic acid / oxalate	mg/kg	<= 100	conforms*
Sulphate	mg/kg	<= 100	conforms*
Residue on ignition	%	<= 0,05	conforms*
Sulphated ash	%	<= 0,05	conforms*
Particles > 1.25 mm (mesh 14)	%	<= 5	conforms*
Particles < 0.40 mm (mesh 45)	%	<= 10	conforms*

We herewith confirm that this product is specified to meet the requirements of the latest edition of the European Pharmacopoeia (Ph. Eur.), the United States Pharmacopoeia (USP), the Food Chemicals Codex (FCC) and of Commission Regulation (EU) No 231/2012. All analytical methods are in accordance with the latest requirements of the Ph. Eur., the USP, the FCC or are equivalent. Test methods are available on request.

*) Analysis is confirmed based on In-Process-Control or by random testing.

QUALITY CONTROL MANAGER

MSc. Carina Pleil

FSSC 22000 certified by Lloyd's RQA- Reg. No. 10382348 Certificate Expiry on Aug. 27th, 2023
 GMP+B1+B3 for feed certified by Lloyd's RQA- Reg. No. 10373162 - Certificate Expiry on July 31st, 2023
 ISO 9001:2015 certified by Lloyd's RQA - Certificate No. 10370717 Certificate Expiry on July 8th, 2023
 This computer generated certificate is valid without signature.