

BOMAR

Material Safety Data Sheet

EU Regulation: 1907/2006





SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFICATION					
PRODUCT NAME	EUCALYPTUS GLOBULUS, ESSENTIAL OIL ORGANIC				
BIOLOGICAL DEFINITION	EUCALYPTUS GLOBULUS LEAF OIL IS THE VOLATILE OIL OBTAINED FROM THE FRESH LEAVES OF THE EUCALUPTUS, <i>EUCALYPTUS GLOBULUS</i>				
INCI NAME	EUCALYPTUS GLOBULUS LEAF OIL				
SYNONYMS & TRADE NAMES	-				
INTERNAL PRODUCT CODE	K0176				
CAS-No	8000-48-4/ 84625-32-1	EC No.	283-406-2	EINECS No.	283-406-2
1.2 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
COMPANY ADDRESS	Bomar Sea Road, Kilcoole, Co. Wicklow				
EMAIL	info@bomar.ie				
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
EMERGENCY CONTACTS	John Byrne 012875110				

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Bomar regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Bomar.

WWW.BOMAR.IE

BOMAR

SECTION 2: HAZARDS IDENTIFICATION	
2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.
CLASSIFICATION (67/548/EEC)	NO ADDITIONAL DATA AVAILABLE.
CLASSIFICATION (EU1272/2008)	PHYSICAL AND CHEMICAL HAZARDS FLAM. LIQ. 3 - H226 HUMAN HEALTH SKIN SENS. 1 - H317; ASP. TOX. 1 - H304 ENVIRONMENT AQUATIC CHRONIC 2 - H411
2.2 LABEL ELEMENTS	LABEL IN ACCORDANCE WITH REGULATION (EC) NO 1272/2008.
GHS LABEL	    GHS07 GHS08 GHS09 GHS02
SIGNAL WORD	DANGER..
CONTAINS	D-LIMONENE, ALPHA-PINENE, P-CYMENE, MYRCENE.
HAZARDS STATEMENT	H226 FLAMMABLE LIQUID AND VAPOUR. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315 CAUSES SKIN IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
PRECAUTIONARY STATEMENTS	P273 AVOID RELEASE TO THE ENVIRONMENT. P210 KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. NO SMOKING. P241 USE EXPLOSION-PROOF ELECTRICAL EQUIPMENT. P242 USE ONLY NON-SPARKING TOOLS. P243 TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE. P260 AVOID BREATHING VAPOUR/ SPRAY. P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION. P301+P310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER/ DOCTOR. P331 DO NOT INDUCE VOMITING. P391 COLLECT SPILLAGE. P262 DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. P303+P361+P353 IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER. P333+P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ ATTENTION. P370+P378 IN CASE OF FIRE: USE FOAM, CARBON DIOXIDE, DRY POWDER OR WATER FOG TO EXTINGUISH.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Bomar regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Bomar.

BOMAR

SUPPLEMENTARY PRECAUTIONARY STATEMENTS

P264 WASH CONTAMINATED SKIN THOROUGHLY AFTER HANDLING.
 P272 CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE.
 P362+P364 TAKE OFF CONTAMINATED CLOTHING AND WASH IT BEFORE REUSE.
 PP403+P235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
 P501 DISPOSE OF CONTENTS/ CONTAINER IN ACCORDANCE WITH NATIONAL REGULATIONS.

SECTION 16 (OTHER INFORMATION): RISK & SAFETY PHRASES IN FULL.

2.3 OTHER HAZARDS

ADVERSE PHYSIO-CHEMICAL PROPERTIES

THIS PRODUCT DOES NOT CONTAIN ANY SUBSTANCES CLASSIFIED AS PBT OR VPVB.

ADVERSE EFFECTS ON HUMAN HEALTH

FLAMMABLE LIQUID AND VAPOUR.

PBT OR VPVB ACCORDING TO ANNEX XIII

THE LIQUID MAY BE IRRITATING TO SKIN. FATAL IF SWALLOWED. MAY CAUSE SKIN SENSITISATION OR ALLERGIC REACTIONS IN SENSITIVE INDIVIDUALS.

SECTION 3: COMPOSITION OF INGREDIENTS

3.1 MIXTURES

>80.0% 1,8-CINEOL CAS No: 470-82-6 EC No: 207-431-5
 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, SKIN SENS. 1B - H317

≤ 10.0% D-LIMONENE CAS No: 5989-27-5 EC No: 227-813-5
 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410

≤ 9.0% ALPHA-PINENE CAS No: 80-56-8 EC No: 201-291-9
 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ACUTE TOX. 4 H302, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410

≤ 7.0% PARA-CYMENE CAS No: 99-87-6 EC No: 202-796-7
 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, REPR. 2 - H361, AQUATIC CHRONIC 2 - H411

≤ 6.0% GAMMA-TERPINENE CAS No: 99-85-4 EC No: 202-794-6
 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, REPR. 2 - H361, AQUATIC CHRONIC 2 - H411

≤ 2.0% MYRCENE CAS No: 123-35-3 EC No: 204-622-5
 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410

≤ 2.0% ALPHA-TERPINEOL CAS No: 98-55-5 EC No: 202-680-6
 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319

≤ 1.5% BETA-PINENE CAS No: 127-91-3 EC No: 204-872-5
 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Bomar regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Bomar.

BOMAR

SECTION 4: FIRST AID MEASURES	
4.1 DESCRIPTION OF FIRST AID MEASURES	
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
INGESTION	DO NOT INDUCE VOMITING. INGESTION MAY CAUSE NAUSEA AND VOMITING. IMMEDIATELY RINSE MOUTH AND PROVIDE FRESH AIR. GET MEDICAL ADVICE/ATTENTION.
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
EYE CONTACT	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.
4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	INHALATION: MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. SKIN CONTACT: MAY CAUSE AN ALLERGIC SKIN REACTION.
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	TREAT SYMPOOMATICALLY.
SECTION 5: FIRE FIGHTING MEASURES	
5.1 EXTINGUISHING MATERIAL	SUITABLE EXTINGUISHING MEDIA: CARBON DIOXIDE (CO ₂), DRY CHEMICAL, FOAM, WATER SPRAY. UNSUITABLE EXTINGUISHING MEDIA: DO NOT USE WATER JET AS AN EXTINGUISHER, AS THIS WILL SPREAD THE FIRE.
5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES
5.3 ADVICE FOR FIRE-FIGHTERS	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING. .
SECTION 6: ACCIDENTAL RELEASE MEASURES	
6.1 PERSONAL PRECAUTIONS	WEAR PROTECTIVE CLOTHING AS DESCRIBED IN SECTION 8 OF THIS SAFETY DATA SHEET. HANDLE THE PRODUCT USING PROTECTIVE GLOVES RESISTANT TO THE CHEMICALS EXPOSED. AVOID CONTACT WITH SKIN AND INHALATION OF ITS VAPOURS. MAINTAIN ADEQUATE VENTILATION IN THE WORKING AREA AFTER SPILLING.
6.2 ENVIRONMENTAL PRECAUTIONS	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP	ABSORB WITH LIQUID BINDING MATERIAL (E.G. SAND, DIATOMACEOUS EARTH, ACID OR UNIVERSAL BINDING AGENTS). COLLECT IN CLOSED AND SUITABLE CONTAINERS FOR DISPOSAL.
6.4 REFERENCES TO OTHER SECTIONS	REFER & CONSIDER SECTIONS 4, 7, 8 & 13.
SECTION 7: HANDLING & STORAGE	
7.1 PRECAUTIONS FOR SAFE-HANDLING	AVOID CONTACT WITH SKIN, EYES AND CLOTHING. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE RE-USE. DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. WEAR PERSONAL PROTECTIVE EQUIPMENT. DO NOT BREATHE VAPOURS OR SPRAY MIST. USE ONLY IN AREA PROVIDED WITH ADEQUATE VENTILATION. KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME. USE EXPLOSION-PROOF ELECTRICAL/VENTILATING/LIGHTING EQUIPMENT. USE ONLY NON-SPARKING TOOLS. TAKE NECESSARY ACTION TO AVOID STATIC DISCHARGE AS THIS MIGHT CAUSE IGNITION OF VAPOURS.
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	STORAGE CLASS: FLAMMABLE LIQUID STORAGE. STORE ONLY IN THE ORIGINAL RECEPTACLE. KEEP CONTAINER TIGHTLY SEALED. KEEP IN COOL, DRY, VENTILATED STORAGE AND CLOSED CONTAINERS. KEEP AWAY FROM HEAT.
7.3 SPECIFIC END USE(S)	NO ADDITIONAL DATA AVAILABLE.
SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION	

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Bomar regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Bomar.

BOMAR

8.1 CONTROL PARAMETERS	NO ADDITIONAL DATA AVAILABLE.
8.2 EXPOSURE CONTROLS	
	
EYE PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. AVOID CONTACT WITH EYES. WEAR APPROVED SAFETY GOGGLES. (EN166)
HAND PROTECTION	AVOID CONTACT WITH SKIN. WASH HANDS BEFORE BREAKS AND AT END OF WORK. WEAR PROTECTIVE GLOVES. DIN/EN 374. THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/ THE SUBSTANCE/ THE PREPARATION. PENETRATION TIME OF GLOVE MATERIAL: THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.
RESPIRATORY EQUIPMENT	GENERALLY UNNECESSARY IN A WELL VENTILATED AREA. IF VENTILATION IS INSUFFICIENT, RESPIRATORY PROTECTION MUST BE WORN.
HYGIENE MEASURES	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.
ENGINEERING MEASURES	PROVIDE ADEQUATE VENTILATION OR RESPIRATORY PROTECTION.
SKIN PROTECTION	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.
PERSONAL PROTECTION	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. AVOID CONTACT WITH SKIN AND EYES. USE PERSONAL PROTECTION ACCORDING TO DIRECTIVE 89/686/EEC.
OTHER PROTECTION	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.
PROCESS CONDITIONS	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.
ENVIROMENTAL EXPOSURE CONTROLS	AVOID DISCHARGING INTO DRAINAGE WATER.
SECTION 9: PHYSICAL & CHEMICAL PROPERTIES	
9.1 PHYSICAL & CHEMICAL PROPERTIES	
APPEARANCE	LIQUID
COLOUR	COLOURLESS - PALE YELLOW
ODOUR	FRESH, AROMATIC, CINEOLIC
RELATIVE DENSITY @ 20°C	APPROX. 0.915 @ 20°C
FLASH POINT (°C)	45.5 - 46.5°C PMCC (PENSKEY-MARTENS CLOSED CUP).
REFRACTIVE INDEX @ 20 °C	APPROX. 1.452 @ 20°C
SOLUBILITY IN WATER @ 20 °C	NO DATA
9.2 OTHER INFORMATION	MELTING POINT (°C) = +5 TO -20°C BOILING POINT (°C) = 153 - 184°C VAPOUR PRESSURE = CA 262 PA @ 25°C AUTO-IGNITION TEMPERATURE (°C) = 270°C
SECTION 10: STABILITY & REACTIVITY	
10.1 REACTIVITY	THE SUBSTANCE IS STABLE UNDER NORMAL STORAGE AND HANDLING CONDITIONS
10.2 CHEMICAL STABILITY	STABLE UNDER SUGGESTED STORAGE CONDITIONS (<15°C). STABLE UNDER NORMAL CONDITIONS.
10.3 POSSIBILITY OF HAZARDOUS REACTIONS	NONE UNDER NORMAL PROCESSING.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Bomar regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Bomar.

BOMAR

10.4 CONDITIONS TO AVOID	STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15°C. AVOID HEAT, FLAMES AND OTHER SOURCES OF IGNITION.
10.5 INCOMPATIBLE MATERIALS	AVOID CONTACT WITH STRONG ACIDS, ALKALIS OR OXIDISING AGENTS.
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 TOXICOLOGICAL EFFECTS	
ACUTE TOXICITY	NOT CLASSIFIED. ACUTE TOXICITY – ORAL (ORAL LD ₅₀) REACH DOSSIER INFORMATION. THE ORAL LD50 FOR EUCALYPTUS OIL IS HIGHER THAN 2000 MG/KG THEREFORE IT IS NOT CLASSIFIED ACCORDING TO THE ANNEX VI TO THE DIRECTIVE 67/548/EEC AND THE CLP REGULATION (EC) No (1272-2008). ACUTE TOXICITY – DERMAL (DERMAL LD ₅₀) REACH DOSSIER INFORMATION. THE DERMAL LD50 FOR EUCALYPTUS OIL IS HIGHER THAN 5000 MG/KG THEREFORE IT IS NOT CLASSIFIED ACCORDING TO THE ANNEX VI TO THE DIRECTIVE 67/548/EEC AND THE CLP REGULATION (EC) No (1272-2008). ACUTE TOXICITY – INHALATION NOT CLASSIFIED.
SKIN IRRITATION	CAUSES SKIN IRRITATION.
EYE DAMAGE OR IRRITATION	NOT CLASSIFIED.
RESPIRATORY OR SKIN SENSITIVITY	SKIN – MAY CAUSE AN ALLERGIC SKIN REACTION.
GERM CELL MUTAGENICITY	NOT CLASSIFIED.
CARCINOGENICITY	NOT CLASSIFIED.
REPRODUCTIVE TOXICITY	PRODUCT IS NOT CLASSIFIED AS TOXIC FOR REPRODUCTION BASED ON REACH DOSSIER DATA.
STOT – SINGLE EXPOSURE	NOT CLASSIFIED.
STOT – REPEATED EXPOSURE	NOT CLASSIFIED.
ASPIRATION HAZARD	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.
OTHER INFORMATION	NO DATA.

SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
12.2 PERSISTENCE & DEGRADABILITY	READILY BIODEGRADABLE.
12.3 BIO- ACCUMULATIVE POTENTIAL	EUCALYPTUS OIL IS A NATURAL COMPLEX SUBSTANCE. IT IS A MIXTURE OF SEVERAL COMPONENTS, BUT THREE OF THEM REPRESENT 90% OF THAT MIXTURE. LOG KOW OF EACH OF THESE THREE COMPONENTS WERE CALCULATED. THE RANGE OF THE LOG KOW VARIED FROM 2.84 TO 4.42.
12.4 MOBILITY IN SOIL	NO DATA
12.5 RESULTS OF PBT & VPVB ASSESSMENT	THIS PRODUCT DOES NOT CONTAIN ANY SUBSTANCES CLASSIFIED AS PBT OR VPVB.
12.6 OTHER ADVERSE EFFECTS	NO DATA.

SECTION 13: DISPOSAL INFORMATION

13.1 WASTE TREATMENT METHODS	DO NOT ALLOW ENTRY INTO DRAINS OR WATERWAYS. WASTE: WASTE MANAGEMENT IS CARRIED OUT WITHOUT ENDANGERING HUMAN HEALTH, WITHOUT HARMING THE
---	--

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Bomar regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Bomar.

BOMAR

ENVIRONMENT AND, IN PARTICULAR WITHOUT RISK TO WATER, AIR, SOIL, PLANTS OR ANIMALS. RECYCLE OR DISPOSE OF WASTE IN COMPLIANCE WITH CURRENT LEGISLATION, PREFERABLY VIA A CERTIFIED COLLECTOR OR COMPANY.
DO NOT CONTAMINATE THE GROUND OR WATER WITH WASTE. DO NOT DISPOSE OF WASTE INTO THE ENVIRONMENT.
SOILED PACKAGING:
EMPTY CONTAINER COMPLETELY. KEEP LABEL(S) ON CONTAINER.
DISPOSE OF VIA A CERTIFIED DISPOSAL CONTRACTOR.

SECTION 14: TRANSPORT INFORMATION

14.1 TRANSPORT INFORMATION

UN NUMBER

ROAD: 1169
SEA: 1169
AIR: 1169

14.2 UN SHIPPING NAME

EXTRACTS, AROMATIC, LIQUID.

14.3 TRANSPORT HAZARD CLASS(ES)

ADR/RID

ADR/RID- CLASS 3
ADR CLASSIFICATION CODE - F1
SPECIAL PROVISIONS - 601 604E
LIMITED QUANTITIES - 5L
EXPECTED QUANTITIES - E1
EMERGENCY ACTION CODE - 3Y
TUNNEL RESTRICTION CODE - D/E

IMDG

IMDG - CLASS 3
SPECIAL PROVISIONS - 601 640E
LIMITED QUANTITIES - 5L
EXPECTED QUANTITIES - E1
IMDG EMS - F-E, S-D
STOWAGE AND HANDLING - CATEGORY A

ICAO/IATA

ICAO/IATA- CLASS 3
IATA PROPER SHIPPING NAME - EXTRACTS, AROMATIC, LIQUID
EXPECTED QUANTITIES - E1

TRANSPORT LABELS



14.4 PACKING GROUP

ADR/RID/ADN PACKING GROUP: III
IMDG PACKING GROUP: III
ICAO PACKING GROUP: III

14.5 ENVIROMENTAL HAZARDS

ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT



The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Bomar regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Bomar.

BOMAR

14.6 SPECIAL PRECAUTIONS FOR USER	SEE SECTIONS 6 – 8.
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NOT APPLICABLE.
SECTION 15: REGULATORY INFORMATION	
15.1 PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION	
EU DIRECTIVES	REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION REGULATION (EC) NO1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716).
APPROVED CODE OF PRACTICE	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2 CHEMICAL SAFETY ASSESSMENT	AN ASSESSMENT HAS NOT BEEN EXECUTED AS THIS IS NOT A HAZARDOUS MATERIAL ACCORDING TO ARTICLE 31 OF REACH 1907/2006.

SECTION 16: OTHER INFORMATION	
HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL	H226 FLAMMABLE LIQUID AND VAPOUR. H302 HARMFUL IF SWALLOWED. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315 CAUSES SKIN IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H319 CAUSES SERIOUS EYE IRRITATION. H361 SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD. H400 VERY TOXIC TO AQUATIC LIFE. H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
OTHER INFORMATION	*THE CLP ADDITIVITY CALCULATION INCLUDES H361 – REPR. 2 (SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD). HOWEVER, PRODUCT CLASSIFIED ACCORDING TO REACH DATA, THEREFORE NOT CLASSIFIED AS TOXIC FOR REPRODUCTION REP.2.
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.	
ABBREVIATIONS & ACRONYMS:	
MSDS	MATERIAL SAFETY DATA SHEET.
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL.
ICAO	INTERNATIONAL CIVIL AVIATION ORGANIZATION.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Bomar regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Bomar.

BOMAR

ADN	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
TREM CARD	TRANSPORT EMERGENCY CARD.
STOT	SPECIFIC TARGET ORGAN TOXICITY.

DOCUMENTATION REVISION

DATE	CHANGE DESCRIPTION
10 TH APRIL 2018	DATA LAUNCH
FEBRUARY 2021	REVIEW

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Bomar regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Bomar.