BOMAR

Certificate of Analysis

Product Name:	Thyme Oil White		
Customer:	Bomar	Customer Ref:	45151-15
Date:	20/07/2023	Batch no:	R0765

Analytical Test	Specification	Result
Appearance	Clear liquid colourless to pale yellow	Conforms
Odour	Characteristic	Conforms
Specific Gravity @ 20°C (g/ml)	0.905 – 0.935	0.909
Refractive Index @ 20°C	1.491 – 1.510	1.497
Optical Rotation @ 20°C (Degrees)	-12.0 to 0.0	-4.6
Packing Date:		07/2023
Recommended re-test date:		07/2025
Commercial Expiry date:		07/2026

Storage	Shelf life of this product is influenced by many conditions of which temperature, exposure to light / air and general good storage are the major factors. Material stored in adverse conditions may deteriorate much faster. Our suggested "Re-test" date shown on this certificate reflects a minimum period in which we would expect product to remain in good usable conditions if stored as recommended. Thereafter its continued shelf life may be very much longer and we advise re-test at the indicated date and then every 3-6 months up to a suggested commercial expiry date as shown below. The expiry date is subjective and should be controlled by QC/QA. Typical indicators of re-test failure would be changes in organoleptic properties (clarity / colour / sediment / haze / off odour etc) Such changes may be gradual and slight and the commercial expiry date is intended to reflect a viable maximum proposal subject to earlier re-test approvals