

Material Safety Data Sheet

EU Regulation: 1907/2006

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING					
1.1 PRODUCT IDENTIFICATION					
PRODUCT NAME	YLANG YLANG COMPLETE, ESSENTIAL OIL ORGANIC				
BIOLOGICAL DEFINITION	CANANGA ODORATA FLOWER OIL IS THE OIL OBTAINED FROM THE FLOWER, CANANGA ODORATA, ANONACEAE.				
INCI NAME	Cananga Odorata Flower Oil				
SYNONYMS & TRADE NAMES	-				
INTERNAL PRODUCT CODE	K0494				
CAS-No	83863-30-3 / 8006-81-3 / 68606-83-7	EC No.	281-092-1	EINECS No.	281-092-1
1.2 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
COMPANY ADDRESS	Bomar Ltd Sea Road, Kilcoole, Co.Wicklow				
EMAIL	info@bomar.ie				
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DAT	1.3 Details of the supplier of the safety data sheet				
EMERGENCY CONTACTS	John Byrne 012875110				



1 ASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.	
CLASSIFICATION (EU1272/2008)	PHYSICAL HAZARDS: NOT CLASSIFIED. HEALTH HAZARDS: ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1B - H317, EYE IRRIT. 2 - H319, REPR. 2 - H361 ENVIRONMENTAL HAZARDS: AQUATIC CHRONIC 2 - H411	
.2 ABEL ELEMENTS	Label in accordance with Regulation (EC) No 1272/2008.	
GHS LABEL	GHS07 GHS08 GHS09	
Signal Word	DANGER	
CONTAINS	BETA-CARYOPHYLLENE, P-CRESYL METHYLETHER	
HAZARDS STATEMENT	H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H361 Suspected of damaging the unborn child. H411 Toxic to aquatic life with long lasting effects.	
Precautionary Statements	P261 AVOID BREATHING VAPOURS/SPRAY. P273 AVOID RELEASE TO THE ENVIRONMENT. P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION. P301+P310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER/DOCTOR. P302+P352 IF ON SKIN: WASH WITH PLENTY OF WATER. P305+P351+P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. P331 DO NOT INDUCE VOMITING. P333+P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. P337+P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION. P391 COLLECT SPILLAGE. P501 DISPOSE OF CONTENTS IN ACCORDANCE WITH LOCAL, STATE OR NATIONAL LEGISLATION.	
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	P264 WASH HANDS AND EXPOSED SKIN THOROUGHLY AFTER HANDLING.	
	Section 16 (Other Information): Risk & Safety phrases in full.	
2.3 Other Hazards		
ADVERSE PHYSIO-CHEMICAL PROPERTIES	NO DATA	
Adverse effects on human health	NO DATA	
PBT OR VPVB ACCORDING TO ANNEX XIII	NO DATA.	

SECTION 3: COMPOSITION OF INGREDIENTS



25.0 - 35.0% BETA-CARYOPHYLLENE CAS No: 87-44-5 FC No: 201-746-1

CLASSIFICATION (EC 1272/2008) - H413

ASP. TOX. 1 - H304, SKIN SENS. 1B - H317, AQUATIC CHRONIC 4

≤15.3% BENZYL BENZOATE CAS No: 120-51-4 EC No: 204-402-9 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302, AQUATIC CHRONIC 2 - H411

≤9.0% LINALOOL CAS No: 78-70-6 EC No: 201-134-4

CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, SKIN SENS. 1B - H317, EYE IRRIT. 2 - H319

≤6.5% BENZYL SALICYLATE CAS No: 118-58-1 EC No: 204-262-9 CLASSIFICATION (EC 1272/2008) SKIN SENS. 1B - H317, EYE IRRIT. 2 - H319, AQUATIC CHRONIC 3 - H412

1.0 - 5.0% BENZYL ACETATE CAS No: 140-11-4 EC No: 205-399-7

CLASSIFICATION (EC 1272/2008) AQUATIC CHRONIC 3 - H412

1.0 - 5.0% P-CRESYL METHYLETHER CAS No: 104-93-8 EC No: 203-253-7 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ACUTE TOX. 4 - H302, SKIN IRRIT. 2 - H315, REPR. 2 -

H361, AQUATIC CHRONIC 3 - H412

1.0 - 5.0% METHYL BENZOATE CAS No: 93-58-3 EC No: 202-259-7

CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302

1.0 - 5.0% GERANYL ACETATE CAS No: 105-87-3 EC No: 203-341-5

CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC CHRONIC 3 - H412

≤2.0% EUGENOL CAS No: 97-53-0 EC No: 202-589-1 CLASSIFICATION (EC 1272/2008) SKIN SENS. 1B - H317, EYE IRRIT. 2 - H319

1.0 - 2.0% CINNAMYL ACETATE EC No: 203-121-9 CAS No: 103-54-8

CLASSIFICATION (EC 1272/2008) EYE IRRIT. 2 - H319

≤1.25% FARNESOL CAS No: 4602-84-0 EC No: 225-004-1

CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, SKIN SENS. 1B - H317, AQUATIC ACUTE 1 - H400,

AQUATIC CHRONIC 1 - H410

≤0.90% GERANIOL CAS No: 106-24-1 EC No: 203-377-1 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, EYE DAM. 1 - H318

≤0.45% LIMONENE CAS No: 5989-27-5

S No: 5989-27-5 EC No: 227-813-5 Flam. Liq. 3 - H226, Asp. Tox. 1 - H304, Skin Irrit. 2 - H315, CLASSIFICATION (EC 1272/2008)

SKIN SENS. 1 - H317, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410

≤0.40 ISOEUGENOL CAS No: 97-54-1 EC No: 202-590-7

CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302, ACUTE TOX. 4 - H312, SKIN IRRIT. 2 - H315,

SKIN SENS. 1 - H317, EYE IRRIT. 2 H319

≤0.25% BENZYL CINNAMATE CAS No: 103-41-3 EC No: 203-109-3

CLASSIFICATION (EC 1272/2008) SKIN SENS. 1B - H317, AQUATIC CHRONIC 2 - H411

≤0.20% CITRONELLOL CAS No: 106-22-9 EC No: 203-375-0

CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, SKIN SENS. 1B - H317, EYE IRRIT. 2 - H319

≤0.10% BENZYL ALCOHOL CAS No: 100-51-6 EC No: 202-859-9 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302, EYE IRRIT. 2 - H319, ACUTE TOX. 4 - H332

≤0.10% METHYL EUGENOL CAS No: 93-15-2 EC No: 202-223-0

CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302, MUTA. 2 - H341, CARC. 2 - H351

3.1 SUBSTANCES



4.1 DESCRIPTION OF FIRST AID MEASURES		
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.	
INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.	
Ingestion	GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.	
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSIST	
EYE CONTACT	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ADVICE/ATTENTION. CONTINUE TO RINSE.	
4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	No additional data available.	
4.3 NDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR PECIAL TREATMENT REQUIRED	TREAT SYMPTOMATICALLY.	
SECTION 5: FIRE FIGHTING MEASURES		
5.1 EXTINGUISHING MATERIAL	FOAM, CO2, DRY CHEMICAL POWDER.	
5-2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	A FIRE WILL OFTEN PRODUCE A THICK BLACK SMOKE. EXPOSURE TO DECOMPOSITION PRODUCTS MAY BE HAZARDOUS TO HEALTH. DO NOT BREATHE IN SMOKE. THERMAL DECOMPOSITION OR COMBUSTION PRODUCTS MAY INCLUDE THE FOLLOWING SUBSTANCES:	
MIXTORE	CARBON DIOXIDE (CO2), CARBON MONOXIDE (CO), OTHER TOXIC GASES.	
	i ii i	
5.3	CONTAINERS CLOSE TO FIRE SHOULD BE REMOVED OR COOLED WITH WATER. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS:	
ADVICE FOR FIRE-FIGHTERS	CONTAINERS CLOSE TO FIRE SHOULD BE REMOVED OR COOLED WITH WATER. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.	
ADVICE FOR FIRE-FIGHTERS SECTION 6: ACCIDENTAL RELEASE MEAS 6.1	CONTAINERS CLOSE TO FIRE SHOULD BE REMOVED OR COOLED WITH WATER. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING. URES ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN	
ADVICE FOR FIRE-FIGHTERS SECTION 6: ACCIDENTAL RELEASE MEAS 6.1 PERSONAL PRECAUTIONS 6.2	CONTAINERS CLOSE TO FIRE SHOULD BE REMOVED OR COOLED WITH WATER. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING. URES ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN EYES AND CLOTHING. DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY	
ADVICE FOR FIRE-FIGHTERS SECTION 6: ACCIDENTAL RELEASE MEAS 6.1 PERSONAL PRECAUTIONS 6.2 ENVIRONMENTAL PRECAUTIONS 6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING	CONTAINERS CLOSE TO FIRE SHOULD BE REMOVED OR COOLED WITH WATER. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING. URES ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN EYES AND CLOTHING. DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES. REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN	
6.2	CONTAINERS CLOSE TO FIRE SHOULD BE REMOVED OR COOLED WITH WATER. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING. URES ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN EYES AND CLOTHING. DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES. REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN	
ADVICE FOR FIRE-FIGHTERS SECTION 6: ACCIDENTAL RELEASE MEAS 6.1 PERSONAL PRECAUTIONS 6.2 ENVIRONMENTAL PRECAUTIONS 6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP 6.4	CONTAINERS CLOSE TO FIRE SHOULD BE REMOVED OR COOLED WITH WATER. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING. URES ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN EYES AND CLOTHING. DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES. REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.	
ADVICE FOR FIRE-FIGHTERS SECTION 6: ACCIDENTAL RELEASE MEAS 6.1 PERSONAL PRECAUTIONS 6.2 ENVIRONMENTAL PRECAUTIONS 6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP 6.4 REFERENCES TO OTHER SECTIONS	CONTAINERS CLOSE TO FIRE SHOULD BE REMOVED OR COOLED WITH WATER. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING. URES ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN EYES AND CLOTHING. DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES. REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.	
SECTION 6: ACCIDENTAL RELEASE MEAS 6.1 PERSONAL PRECAUTIONS 6.2 ENVIRONMENTAL PRECAUTIONS 6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP 6.4 REFERENCES TO OTHER SECTIONS SECTION 7: HANDLING & STORAGE	CONTAINERS CLOSE TO FIRE SHOULD BE REMOVED OR COOLED WITH WATER. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING. URES ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN EYES AND CLOTHING. DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES. REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS. REFER & CONSIDER SECTIONS 4, 7, 8, & 13. HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AN HOT SURFACES NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK O	



8.1 NO DATA. **CONTROL PARAMETERS** 8.2 **EXPOSURE CONTROLS EYE PROTECTION** WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. HAND PROTECTION WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING RESPIRATORY EQUIPMENT CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7. HYGIENE MEASURES GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. ENGINEERING MEASURES PROVIDE ADEQUATE VENTILATION. WEAR APPROPRIATE PROTECTIVE CLOTHING TO PREVENT SKIN CONTACT. **SKIN PROTECTION** WORK CLOTHING WORN BY PERSONNEL SHALL BE LAUNDERED REGULARLY. AFTER CONTACT WITH THE PRODUCT, ALL PARTS OF THE BODY THAT HAVE BEEN EXPOSED MUST BE WASHED THOROUGHLY. PERSONAL PROTECTION USE OF CHEMICAL RESISTANT CLOTHING IS RECOMMENDED WHEN HANDLING. **OTHER PROTECTION** WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS. PROCESS CONDITIONS ENSURE AREA IS WELL VENTILATED, AVOID VAPOUR INHALATION, SAFETY SHOWER & EYE BATH. **ENVIROMENTAL EXPOSURE CONTROLS** AVOID DISCHARGING INTO DRAINAGE WATER, ONLY ELIMINATE BY AUTHORISED COMPANIES. **SECTION 9: PHYSICAL & CHEMICAL PROPERTIES** 9.1 **PHYSICAL & CHEMICAL PROPERTIES** APPEARANCE LIQUID COLOUR YELLOW - BROWN YELLOW. ODOUR CHARACTERISTIC. RELATIVE DENSITY APPROX. 0.950 @ 20°C FLASH POINT (°C) REFRACTIVE INDEX @ 20 °C APPROX. 1.485 @ 20°C SOLUBILITY IN WATER @ 20 °C THE PRODUCT IS INSOLUBLE IN WATER. NO DATA. **OTHER INFORMATION SECTION 10: STABILITY & REACTIVITY** 10.1 PRESENTS NO SIGNIFICANT REACTIVITY HAZARDS. BY ITSELF OR IN CONTACT WITH WATER, STABLE UNDER NORMAL REACTIVITY TEMPERATURE AND STORAGE CONDITIONS AND RECOMMENDED USE. 10.2 STABLE UNDER THE RECOMMENDED HANDLING AND STORAGE CONDITIONS IN SECTION 7. **CHEMICAL STABILITY** 10.3 NOT EXPECTED UNDER NORMAL CONDITIONS OF USE. **POSSIBILITY OF HAZARDOUS REACTIONS** 10.4

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Bomar regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Bomar.

AVOID HEAT, FLAMES AND OTHER SOURCES OF IGNITION.

CONDITIONS TO AVOID



10.5 INCOMPATIBLE MATERIALS	AVOID STRONG ACIDS, ALKALI OR OXIDISING AGENTS.
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	NOT EXPECTED UNDER NORMAL TEMPERATURE CONDITIONS AND RECOMMENDED USE. THERMAL DECOMPOSITION MAY RELEASE/FORM OXIDES OF CARBON (CARBON MONOXIDE, CARBON DIOXIDE) AND OTHER TOXIC GASES.

CECTION 11 Towns and the second secon		
SECTION 11: TOXICOLOGICAL INFORMATION		
11.1 TOXICOLOGICAL EFFECTS		
Acute Toxicity	NOT CLASSIFIED.	
SKIN IRRITATION	Causes skin irritation	
EYE DAMAGE OR IRRITATION	Causes serious eye irritation	
RESPIRATORY OR SKIN SENSITIVITY	MAY CAUSE AN ALLERGIC SKIN REACTION.	
GERM CELL MUTAGENICITY	NOT CLASSIFIED.	
CARCINOGENICITY	NOT CLASSIFIED.	
REPRODUCTIVE TOXICITY	SUSPECTED OF DAMAGING THE UNBORN CHILD	
STOT – SINGLE EXPOSURE	NOT CLASSIFIED.	
STOT – REPEATED EXPOSURE	NOT CLASSIFIED.	
ASPIRATION HAZARD	MAYBE FATAL IF SWALLOWED AND ENTERS AIRWAYS.	
OTHER INFORMATION	NO DATA.	
SECTION 12: ECOLOGICAL INFORMATION 12.1	_	
Toxicity	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS	
12.2 PERSISTENCE & DEGRADABILITY	NO DATA	
12.3 BIO- ACCUMULATIVE POTENTIAL	NO DATA	
12.4 MOBILITY IN SOIL	THE PRODUCT IS INSOLUBLE IN WATER.	
12.5 RESULTS OF PBT & VPVB ASSESSMENT	NO ADDITIONAL DATA AVAILABLE.	
12.6 OTHER ADVERSE EFFECTS	DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.	
SECTION 13: DISPOSAL INFORMATION	·	



14.1 Transport Information	
	ROAD: 3082
UN NUMBER	RAIL: 3082
14.2	AIR: 3082
UN SHIPPING NAME	ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID N.O.S.
14.3 Transport hazard class(es)	ADR/RID ADR/RID—CLASS 9 ADR CLASSIFICATION CODE — M6 SPECIAL PROVISIONS — 274 335 375 601 LIMITED QUANTITIES — 51 EXPECTED QUANTITIES — E1 EMERGENCY ACTION CODE — *3Z IMDG IMDG — CLASS 9 SPECIAL PROVISIONS — 274 335 375 601 LIMITED QUANTITIES — 51 EXPECTED QUANTITIES — 51 IMDG EMS — F-A, S-F STOWAGE AND HANDLING — CATEGORY A ICAO/IATA ICAO/IATA—CLASS 9 IATA PROPER SHIPPING NAME - ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID N.O.S EXPECTED QUANTITIES — E1 TRANSPORT LABELS
14.4 Packing Group	ADR/RID PACKING GROUP III IMDG PACKING GROUP III ICAO PACKING GROUP III
14.5 Enviromental Hazards	ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT
14.6 Special precautions for user	SEE SECTIONS 6 – 8.
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NOT APPLICABLE.
SECTION 15: REGULATORY INFORMATION	
15.1 PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION	
EU DIRECTIVES	Regulation (EC) No $1907/2006$ of the European Parliament and of the council of $18^{\rm th}$
- Directives	DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with Bomar regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from Bomar.



STATUTORY INSTRUMENTS	CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION REGULATION (EC) NO1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS). THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009)
APPROVED CODE OF PRACTICE	NO 716). CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2 CHEMICAL SAFETY ASSESSMENT	-

SECTION 16: OTHER INFORMATION		
Hazard and/ or Precautionary Statements in full	H226 FLAMMABLE LIQUID AND VAPOUR. H301 TOXIC IF SWALLOWED. H302 HARMFUL IF SWALLOWED AND ENTERS AIRWAYS. H311 TOXIC IN CONTACT WITH SKIN. H312 HARMFUL IN CONTACT WITH SKIN. H315 CAUSES SKIN IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H318 CAUSES SERIOUS EYE DAMAGE. H319 CAUSES SERIOUS EYE IRRITATION. H331 TOXIC IF INHALED. H341 SUSPECTED OF CAUSING GENETIC DEFECTS. H351 SUSPECTED OF CAUSING CANCER. H361 SUSPECTED OF CAUSING FERTILITY OR THE UNBORN CHILD. H400 VERY TOXIC TO AQUATIC LIFE. H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.	
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.		
ABBREVIATIONS & ACRONYMS:		
MSDS	MATERIAL SAFETY DATA SHEET.	
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.	
CAS	CHEMICAL ABSTRACT SERVICE.	
IMDG	International Maritime code for Dangerous Goods.	
ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MERCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).	
RID	International Carriage of Dangerous Goods by Rail.	
ICAO	International Civil Aviation Organization.	
ADN	International Carriage of Dangerous Goods by Inland Waterways,	
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.	
Trem Card	TRANSPORT EMERGENCY CARD.	
STOT		
3101	SPECIFIC TARGET ORGAN TOXICITY.	



DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
10 TH APRIL 2018	Data Launch
2021	Review