



bespoke skincare innovations			
1. Identification of the substances / mixture and of the company/undertaking.			
1.1 Product identifier: Caraway Oil Europe at 009			
Substance name:			
Biological Definition			
INCI Name	Article number: AROUK2	10	
Synonyms & Trade Names			
EC NO: 288-921-6	CAS NO: 8000-42-8	EINECS CAS Number:	
Index No:	Reach Registration No:		
1.2 Relevant identified uses of the sub	stance or mixture and use	s advised against	
Identified uses: Multi uses			
Uses advised against: No further relevant information available.			
1.3 Details of the supplier of the safety	1.3 Details of the supplier of the safety data sheet		
Company	Penny Price Aromatherapy Ltd		
	Unit D3 Radius Court		
	Maple Drive		
	Hinckley		
	Leicestershire LE10 3BE		
Email	info@penny-price.com		
1.4 Emergency Telephone Number			
	9am – 2pm. <u>Or call NHS 1</u>	<u>11 or NHS 999</u>	

2. Hazards Identification			
2.1 Classification of the substance or	mixture		
Classified according to Regulation	Physical and	Flam. Liq. 4 – H227	
(EC) 1272/2008 (CLP) as amended	Chemical		
	Hazards		
	Human Health	Skin Irrit. 2 – H315	Skin Sens. 1 – H317
		Acute Tox. 4 – H312	Acute Tox. 5 – H303
		Asp. Tox. 1 - H304	
	Environment	Aquatic Acute. 1- H400	Aquatic Chronic. 3 – H412

2.2 Label Element Labelling according to Regulation (EC) No.1272/2008:



Label elements

GHS label elements: The substance is classified and labelled according to the Globally Harmonised System (GHS).

Signal Word. DANGER
Hazard-determining components of labelling:
Carvone (ISO)
d-limonene
Myrcene





Alpha- Pinene			
Hazard statements.			
H226	Flammable liquid and vapour.	H227	Combustible liquid
H303	May be harmful if swallowed	H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin.	H315	Causes skin irritation.
H317	May cause an allergic skin reaction.	H319	Causes serious eye irritation.
H400	Very toxic to aquatic life	H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects	H412	Harmful to aquatic life with long lasting effects
Precautionary state	nents.		
P301+P310	IF SWALLOWED: Immediately call a	a POISON	CENTER / doctor.
P331	Do NOT induce vomiting.		
P362+P364	Take off contaminated clothing and wash it before reuse.		
P405	Store locked up.		
P501	Dispose of contents/ contain in accordance with local/ regional/ national / international regulations.		
Supplementary Prec	autionary Statements:		
2.3 Other hazards	PBT: Not applicable		
- Results of PBT	vPvB: Not applicable		
and vPvB			
According to	According to		
Annex XIII	nnex XIII		
Adverse Physio-	Adverse Physio-		
chemical	hemical		
Properties			
Adverse Effects on			
Human Health			

3. 1 Composition / i	nformation on ingredients:		
Chemical characte	risation: Substances		
CAS No. Description	on		
8000-42-8 caraway	oil		
Identification num	ıber(s)		
EC number: 288-92	21-6		
Substance name	Index number under CLP Annex VI	Weight % content (or range)	CL, M-Factor, ATE
carvone (ISO)	CAS: 99-49-0 EINECS: 202-759-5	50-90%	Skin Sens. 1B, H317 Flam. Liq. 4, H227 Acute Tox. 5, H303 Acute Tox. 5, H313





Aroma Formulations bespoke skincare innovations

			Aquatic Acute 2, H401
d-limonene	CAS: 5989-27-5	25-50%	Flam. Liq. 3, H226
	EINECS: 227-813-5		Asp. Tox. 1, H304
			Aquatic Acute 1, H400
			Skin Irrit. 2, H315
			Skin Sens. 1B, H317
			Aquatic Chronic 3, H412
Myrcene	CAS: 123-35-3	<u>></u> 1%	Flam. Liq. 3, H226
	EINECS: 204-622-5		Asp. Tox. 1, H304
			Aquatic Acute 1, H400
			Aquatic Chronic 2, H411
			Skin Irrit. 2, H315
			Eye Irrit. 2A, H319

4.1 General	Immediately remove any clothing soiled by the product.
	Symptoms of poisoning may even occur after several hours; therefore,
	medical observation for at least 48 hours after the accident.
Inhalation	Remove person to fresh air and keep comfortable for breathing.
	Obtain medical attention if required.
Eye contact	Rinse cautiously with water for several minutes. Remove contact
	lenses if present and easy to do – continue rinsing. If irritation persists
	seek medical advice / attention.
Skin contact	Take off all contaminated clothing. Rinse skin with water/shower. If
	irritation persists seek medical attention.
Ingestion	Rinse mouth out with water. Do NOT induce vomiting. Immediately
-	call POISON CENTER or GP. Do not give milk or fatty oils.
4.2 Most important symptoms a	nd effects, both acute and delayed:
	No further relevant information available.
4.3 Indication of any immediate	medical attention and special treatment need
	No further relevant information available.
5. Firefighting Measures	
5.1 Extinguishing Media:	
Suitable extinguishing media:	CO2, powder, or water spray. Fight larger fires with water spray or
	alcohol resistant foam.
Unsuitable extinguishing media:	Water with full jet.
5.2 Special hazards arising from t	the substances or mixture:
S.E Special nazaras ansing nom	Carbon monoxide (CO)
Hazardous combustion products	

6.1 Personal precautions, protective equipment, and emergency procedures

6.1.1 For non-emergency personnel





Protective equipment:	Wear protective equipment. Keep unprotected persons away.	
Emergency procedures:		
6.1.2 For Emergency responders		
6.2 Environmental precautions	Do not allow product to reach sewage system or any water course.	
	Prevent seepage into sewage system, work pits and cellars.	
	Inform respective authorities in case of seepage into water course or	
	sewage system.	
	Do not allow to enter sewers/ surface or ground water.	
6.3 Methods for cleaning up – 6.3.1	Absorb with liquid-binding material (sand, diatomite, acid binders,	
For containment:	universal binders, sawdust).	
	Dispose contaminated material as waste according to item 13.	
	Ensure adequate ventilation.	
6.3.2 For cleaning up:		
6.3.3. Other information:		
6.4 Reference to other sections	See Section 7 for information on safe handling.	
	See Section 8 for information on personal protection equipment.	
	See Section 13 for disposal information.	

7. Handling and storage		
7.1 Precautions for s	afe handling	
Protective measures	:	
Prevent formation of a	aerosols.	
Handle in a well-venti	lated area, away from sources of ignition. DO NOT SMOKE.	
Apply good manufact	uring practice and industrial hygiene practices, ensuring proper workplace ventilation.	
Observe good person	al hygiene, and do not eat, drink, or smoke whilst handling.	
Measures to	Keep ignition sources away – Do not smoke.	
prevent fire:		
Measures to		
prevent aerosol		
and dust		
generation:		
Measures to		
protect the		
environment:		
Advice on general		
occupational		
hygiene:		
7.2 Conditions for safe storage, including any incompatibilities		
Technical		
measures and		
storage conditions:		





Aroma Formulations bespoke skincare innovations

Packaging	
Materials:	
Requirements for	Store only in unopened original receptacles.
storage and	Keep receptacle tightly sealed.
vessels:	Store in the dark.
Storage Class:	
Further	
information on	
storage containers:	
7.3 Specific end	No further relevant information available.
use(s).	
Recommendations:	
Industrial sector	
specific solutions:	
-	

8. Exposure controls/Personal protection:			
Additional information about design of technical facilities: No further data; see item 7.			
8.1 Control parameters			
Ingredients with limit values that requ	Ingredients with limit values that require monitoring at the workplace: Not required.		
Additional information: The lists valid of	during the making were used as basis.		
8.2 Exposure controls			
Engineering Measures	Ensure good ventilation of working area.		
General protective and hygienic	Keep away from foodstuffs, beverages, and feed.		
measures:	Immediately remove all soiled and contaminated clothing.		
	Wash hands before breaks and at the end of work.		
8.2.2 Personal Protection equipment			
8.2.2.1 Eye / face protection	Avoid contact with the eyes and skin. Googles recommended during		
	refilling.		
8.2.2.2 Skin Protection	Avoid contact with the skin.		
Hand protection	Protective gloves		
	The glove material has to be impermeable and resistant to the		
	product/ the substance/ the preparation.		
	Due to missing tests no recommendation to the glove material can be		
	given for the product/ the preparation/ the chemical mixture.		
	Selection of the glove material on consideration of the penetration		
	times, rates of diffusion and the degradation.		
	Material of gloves		
	Nitrile rubber, NBR		
	The selection of the suitable gloves does not only depend on the		
	material, but also on further marks of quality and varies from		
	manufacturer to manufacturer.		
	Penetration time of glove material		
	The exact break through time has to be found out by the		
	manufacturer of the protective gloves and has to be observed.		





Other skin protection	
8.2.2.3 Respiratory protection	Not required.
Ventilation	
8.2.2.4 Thermal hazards	
8.2.3 Environmental exposure	
controls	
9. Physical and chemical properties- C	<u>of A</u>
9.1 Information on basic physical and	chemical properties
Colour	According to product specification
Appearance	Liquid
Odour	Characteristic.
Melting Point / freezing point	Undetermined.
Boiling point /Initial boiling point &	
boiling range	
Flammability (solid, gas)	Not applicable
Lower and upper explosion limit	Not determined
Flash point (closed cup-ASTM D6450)	62°C
Auto- ignition temperature	Not determined
Explosive properties	Not determined
Decomposition temperature	Not applicable.
рН	
Kinematic Viscosity	
Solubility in / Miscibility with Water	Not miscible or difficult to mix.
Solubility in other Solvents	
Partition coefficient n-octanol/ water	
(log value)	
Vapour Pressure	Not determined
Relative density at 20°C	0.901 – 0.920
Evaporation rate	Not determined
Relative vapour density	
Particle characteristics	
Explosive Properties	
Oxidising Properties	
9.2 Other information	No further relevant information available.
Specific gravity d_{20}^{20}	
Optical rotation @ 20 ⁰ C	
Refractive index @ 20 ⁰ C	
Typical analysis of major components	

10. Stability and reactivity	
10.1 Reactivity	No further relevant information available.
10.2 Chemical Stability	





Thermal decomposition / conditions	No decomposition if used according to specifications.
to be avoided:	
10.3 Possibility of hazardous	No dangerous reactions known.
reactions:	
10.4 Conditions to avoid:	No further relevant information available.
10.5 Incompatible Materials:	No further relevant information available.
10.6 Hazardous Decomposition	No dangerous decomposition products known.
Products	

11. Toxicological inf	11. Toxicological information		
11.1 Information on	hazard classes as defined in Regulation (E	EC) No 1272 /2008	
Information on Toxi	cological Effects		
Acute toxicity:	Acute toxicity:		
LD/ LC50 values relevant for classification:			
Oral	LD50	3,200 mg /kg (Rat)	
Skin corrosion			
/irritation:			
Seriously eye	Irritant to skin and mucous membranes.		
damage/irritation:			
Respiratory or skin	Sensitisation possible through skin contact.		
sensitisation:			
Germ cell			
mutagenicity:			
Carcinogenicity:			
Reproductive			
toxicity:			
Summary of			
evaluation of the			
CMR properties:			
STOT- single			
exposure,			
STOT-repeated			
exposure:			
Aspiration hazard:			

12. Ecological information	
12.1 Toxicity	Aquatic toxicity: No further relevant information available.
12.2 Persistency & degradability	No further relevant information available.
12.3 Bio accumulative potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
Ecotoxical Effects:	
Remarks	Very toxic for fish
	Harmful to fish
Additional ecological information:	
General notes:	





	Do not allow product to reach ground water, water course or sewage
	system.
	Danger to drinking water if even small quantities leak into the ground.
	Very toxic for aquatic organisms.
	Harmful to aquatic organisms
12.5 Results of PBT and vPvB Not applicable	
Assessment	
12.6 Endocrine disrupting properties	
12.7 Other adverse effects	
	No further relevant information available.

13. Disposal considerations	
13.1 Waste treatment methods	Must not be disposed together with household rubbish. Do not allow product to reach sewage system.
13.1.1. Product /Packaging disposal:	Disposal must be made according to official regulations.
13.1.2 Waste treatment-relevant	
information:	
13.1.3 Sewage disposal-relevant	
information:	
13.1.4 Other disposal-relevant	Dispose of the contents / contain in accordance with local / regional /
recommendations:	national / international regulations.

14. Transport information	
14.1 UN Number	
ADR, IMDG, IATA	UN3082
14.2 UN proper Shipping name	
ADR.	UN308 2 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (DIPENTENE, Myrcene)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(DIPENTENE, Myrcene), MARINE POLLUTANT
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(DIPENTENE, Myrcene)
14.3 Transport hazard class(es) ADR,	
	9 (M6) Miscellaneous dangerous substances and articles
. Class	9
. Label	^
IMDG, IATA	
	9 Miscellaneous dangerous substances and articles.





9
Product contains environmentally hazardous substances: d-limonene
Yes
Symbol (fish and tree)
Symbol (fish and tree)
Symbol (fish and tree)
Warning: Miscellaneous dangerous substances and articles.
90
F-A, S- F
A
Not applicable
5L
Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
3
-
5L
Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum
net quantity per outer packaging: 1000 ml
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (DIPENTENE, MYRCENE), 9, III

15 Regulatory information

15.1 Safety, health, and environmental regulations / legislation specific for the substance or mixture

Directive 2012/18/EU

. Named dangerous substances - ANNEX I Substance is not listed.

. Seveso category E1 Hazardous to the Aquatic Environment

. Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

. Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

16. Other information

(i)	Indication of Changes: Revised Safety Data Sheet Format: From March 2019. – Section 2 and 3
	have changed places, additional points added under each section in line with Regulation EC) No
	1272/2008 Version 4.2 March 2021'.

(ii) Abbreviations and acronyms:





DNEL: Derived No-Effect Level. **PNEC:** Predicted No- Effect Concentration. **ADR:** European agreement concerning the international carriage of dangerous goods by road. **RID:** Regulations concerning the International carriage of Dangerous goods by rail. IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the 'International Civil Aviation Organisation" (ICAO) **IMDG:** International Maritime Code for Dangerous Goods IATA: International Air Transport Association ICAO: International Maritime Dangerous Goods. **GHS:** Globally Harmonised System of Classification and Labelling of Chemicals **EINECS:** European Inventory of Existing Commercial Chemical Substances **ELINCS:** European List of Notified Chemical Substances **CAS:** Chemical Abstracts Service (division of the American Chemical Society) WGK: Water Hazard Class. LC50: Lethal concentration, 50 percent LD50: Lethal Dose, 50 percent PBT: Persistent, Bio accumulative and Toxic vPvB: Very Persistent and very Bio accumulative Flam. Lig: Flammable Liquid **AT:** Acute Toxicity - O = Oral / D = Dermal / I = InhalationAsp: Aspiration Hazard Skin Corr/ Irrit: Skin Corrosion / Irritation Skin Sens: Skin Sensation Eye Dam/ Irrit: Eye damage / Irritation Muta: Mutagenic **Carc:** Carcinogenic Resp: Respiration Sensitive Repro: Reproductive Sensitive EH A: Environmental Hazard Aquatic Acute EH C: Environmental Hazard Aquatic Chronic Key Literature references and sources of date. (iii) Classification and procedure used to derive the classification for mixtures according to (iv) Regulation (EC) 1272/2008 (CLP):

-	-
Classification according to Regulation (EC) 1272/2008(CLP)	Classification procedure
(v) Relevant H- statements (number and full text):	





(vi) Training		
advice:		
(vii) Further		
information:		
Shelf life	Minimum 12 months when stored in the advised conditions.	
QC requirements		
In line with general	product specification. Always satisfy suitability for specific application. Retest after 6	
months.		
Disclaimer:		
The data provided in	n this material safety data sheet is meant to represent typical data/analysis for this product	
and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is		
date supplied without warranty, expressed, or implied, regarding its correctness or accuracy. It is the user's		
responsibility to determine safe conditions for the use of this product and to assume liability for loss, injury,		
damage, or expense arising from improper use of this product. The information provided does not constitute a		
contract to supply to any specification or for any given application and buyers should seek to verify their		
requirements and product use.		