



bespoke skilicate innovations			
<b><u>1. Identification of the substances / mixture and of the company/undertaking.</u></b>			
1.1 Product identifier: Lavender spike oil (L	. latifolia)		
Substance name:	-		
Biological Definition	Product Name:		
INCI Name			
Synonyms & Trade Names	None		
EC NO:	CAS NO:	EINECS CAS Number:	
Index No:	<b>Reach Registration No:</b>		
1.2 Relevant identified uses of the substant	1.2 Relevant identified uses of the substance or mixture and uses advised against		
Identified uses:			
Uses advised against:			
1.3 Details of the supplier of the safety data sheet			
Company	Penny Price Aromatherapy Ltd		
	Unit D3 Radius Court		
	Maple Drive		
	Hinckley		
	Leicestershire LE10 3BE		
Email	info@penny-price.com		
1.4 Emergency Telephone Number	00 44 (0) 1455 251020 opening hours	s Mon – Thurs 9am – 5pm, Fri	
	9am – 2pm. Or call NHS 111 or NHS	999	

2. Hazards Identification			
2.1 Classification of the substance or mixture			
Classified according to Regulation (EC) 1272/2008 (CLP) as amended	Physical and Chemical Hazards	Flam. Liq. 3 – H226	
	Human Health	Acute Tox. Inhalation. 3 – H332	Skin Corr / Irrit. 4 – H315
		Eye Dam / Irrit. 2 – H319	Skin Sens. H317
		STOT (single). 2 – H371	
	Environment	Aquatic Environme Hazard Category 2	5
		Aquatic Environme Hazard Category 3	5
2.2 Label Element Labelling according to Regulation (EC) No 1272/2008			

2.2 Label Element Labelling according to Regulation (EC) No.1272/2008:



Signal Word. WARNING

Hazard statements.





H226	Flammable liquid and vapour	H315	Causes skin irritation.	
H317	May cause an allergic skin reaction	H319	Causes serious eye irritation	
H332	Harmful if inhaled	H371	May cause damage to organs	
H411	Toxic to aquatic life with long lasting effects.	H412	Harmful to aquatic life with long lasting effects	
Precautionary statements.		•		
P210	Keep away from heat, spark smoking	Keep away from heat, sparks, open flames and hot surfaces No		
P233	Keep container tightly close	d.		
P240	Ground/bond container and		g equipment.	
P241			ating and lighting equipment.	
P242	Use only non-sparking tools			
P243	Take precautionary measure		t static discharge	
P260	Do not breathe vapour or d	ust.	<u> </u>	
P264		Wash hands and other contacted skin thoroughly after handling.		
P270		Do no eat, drink or smoke when using this product.		
P271	Use only outdoors or in a w			
P272		Contaminated work clothing should not be allowed out of the		
P273		Avoid release to the environment.		
P280		Wear protective gloves/eye protection/face protection.		
P303/361/353		IF ON SKIN (or hair): Remove/Take off immediately all		
	contaminated clothing. Rins		-	
P304/340		IF INHALED: Remove victim to fresh air and keep at rest in a		
	position comfortable for bre		•	
P305/351/338	IF IN EYES: Rinse cautiously		er for several minutes.	
	-		d easy to do. Continue rinsing	
P309/311	IF exposed or if you feel unv			
	doctor/physician.			
P312	Call a POISON CENTER or d	octor/ph	ysician if you feel unwell	
P333/313	If skin irritation or rash occu	If skin irritation or rash occurs: Get medical advice/attention.		
P337/313	If eye irritation persists: Get	If eye irritation persists: Get medical advice/attention		
P362	Take off contaminated cloth	Take off contaminated clothing and wash before reuse.		
P370/378	In case of fire: Use for extine	tion: Foa	m, Dry chemical, Carbon	
	dioxide.			
P391	Collect spillage			
P403/235	Store in a well-ventilated pl	ace. Keep	o cool.	
P405	Store locked up.			
P405		Dispose of contents/container to: approved disposal site.		





2.3 Other hazards – Results of PBT and	None
vPvB According to Annex XIII	
Adverse Physio-chemical Properties	
Adverse Effects on Human Health	

3.1 Composition /	information on ingredients:		
Product identifier: La	avender spike oil (L. latifolia); CAS:	8016-78-2	
Substance name	Index number under CLP	Weight %	CL, M-Factor, ATE
	Annex VI	content (or	
		range)	
Linalool	CAS: 78-70-6	50%	Skin Irrit. 2 - H315
	EC: 201-134-4		Eye Irrit. 2 - H319
1,4-Cineole	CAS: 470-67-7	30%	Flam. Liq. 3- H226
	EC: 207-428-9		
Camphor	CAS: 76-22-2,	15%	Flam. Sol. 2 - H228
	464-49-3,		Acute Tox. 4 – H302
	21368-68-3		Acute Tox. 4 – H332
	EC: 200-945-0		STOT SE 2 - H371
d-Limonene	CAS: 5989-27-5	3%	Flam. Liq. 3 - H226
	EC: 227-813-5		Skin Irrit. 2 – H315
			Skin Sens. 1B – H317
			Asp. Tox 1 – H304
			Aquatic Acute 1 – H410
			Aquatic Chronic 1- H410

4. First Aid Measures	
4.1 General	Immediately remove any clothing soiled by the product.
	IF exposed or if you feel unwell: Call a POISON CENTER or doctor.
Inhalation	Remove person to fresh air and keep comfortable for breathing.
	Obtain medical attention if required.
Eye contact	Rinse cautiously with water for several minutes. Remove contact
	lenses if present and easy to do – continue rinsing. If irritation
	persists seek medical advice / attention.
Skin contact	Take off all contaminated clothing. Rinse skin with water/shower.
	If irritation persists seek medical attention.
Ingestion	Immediately call a poison centre
4.2 Most important symptoms and effects	, both acute and delayed:
Causes skin irritation.	
May cause an allergic skin reaction.	
Causes serious eye irritation.	
Harmful if inhaled.	
May cause damage to organs.	





4.3 Indication of any immediate medical attention and special treatment need		
None expected, see Section 4.1 for further information.		
5. Firefighting Measures		
5.1 Extinguishing Media:		
Suitable extinguishing media:	Carbon dioxide, dry chemical, foam	
Unsuitable extinguishing media:	No data available	
5.2 Special hazards arising from the substances or mixture:		
Hazardous combustion products:	Carbon monoxide, unidentified organic compounds	
5.3 Advice for firefighters	Incase of insufficient ventilation, wear suitable respiratory	
_	equipment	

6 Accidental release measures		
6.1 Personal precautions, protective equipment, and emergency procedures		
6.1.1 For non-emergency personnel		
Protective equipment:	Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.	
Emergency procedures:	No Data available	
6.1.2 For Emergency responders	No Data available	
6.2 Environmental precautions	Keep away from drains, surface and ground water, and soil.	
6.3 Methods for cleaning up – 6.3.1 For containment:		
6.3.2 For cleaning up:	Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.	
6.3.3. Other information:	No Data available	
6.4 Reference to other sections	Also refer to sections 8 and 13.	

7. Handling and storage	
7.1 Precautions for safe handling	
Protective measures:	
Keep away from heat, sparks, open flames an	d hot surfaces No smoking.
Do not eat, drink or smoke when using this p	roduct.
Measures to prevent fire:	No Data available
Measures to prevent aerosol and dust	No Data available
generation:	
Measures to protect the environment:	No Data available
Advice on general occupational hygiene:	No Data available
7.2 Conditions for safe storage, including any incompatibilities	





Technical measures and storage conditions:	Ground/bond container and receiving equipment. Use only non- sparking tools. Take precautionary measures against static discharge
Packaging Materials:	No Data available
Requirements for storage and vessels:	No Data available
Storage Class: Further information on storage containers:	No Data available
7.3 Specific end use(s).	Use in accordance with good manufacturing and industrial hygiene practices.
Recommendations:	No Data available
Industrial sector specific solutions:	No Data available

8. Exposure controls/Personal protection:		
8.1 Control parameters		
8.2 Exposure controls	Not Applicable	
Engineering Measures		
8.2.2 Personal Protection equipment		
8.2.2.1 Eye / face protection	Wear protective gloves/eye protection/face protection	
8.2.2.2 Skin Protection	Wear protective gloves/eye protection/face protection	
Hand protection	Wear protective gloves/eye protection/face protection	
Other skin protection	N/A	
8.2.2.3 Respiratory protection	<ul> <li>Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel:</li> <li>a) Increase ventilation of the area with local exhaust ventilation.</li> <li>b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters.</li> <li>c) Use closed systems for transferring and processing this material.</li> <li>Also refer to Sections 2 and 7.</li> </ul>	
Ventilation	Not Applicable	
8.2.2.4 Thermal hazards	Not Applicable	
8.2.3 Environmental exposure controls		
9. Physical and chemical properties- C of		
9.1 Information on basic physical and chemical	mical properties	
Colour	Colourless to pale yellow	
Appearance	Clear mobile liquid	
Odour	Camphorated, reminiscent of Lavender	
Melting Point / freezing point		





Boiling point /Initial boiling point & boiling	Not determined
range	
Flammability	
Lower and upper explosion limit	
Flash point <sup>0</sup> C	57°C
Auto- ignition temperature	
Decomposition temperature	
рН	Not determined
Kinematic Viscosity	
Solubility(ies)	Not determined
Solubility in other Solvents	
Partition coefficient n-octanol/ water (log	
value)	
Vapour Pressure	Not determined
Density and /or relative density	
Relative density	Not determined
Particle characteristics	
Explosive Properties	
Oxidising Properties	
9.2 Other information	None Available
Specific gravity	
Optical rotation @ 20 <sup>o</sup> C	
Refractive index @ 20 <sup>0</sup> C	
Typical analysis of major components	

10. Stability and reactivity	
10.1 Reactivity	Presents no significant reactivity hazard, by itself or in contact with
	water.
10.2 Chemical Stability	Good stability under normal storage conditions.
10.3 Possibility of hazardous reactions:	Not expected under normal conditions of use.
10.4 Conditions to avoid:	Avoid extreme heat.
10.5 Incompatible Materials:	Avoid contact with strong acids, alkalis or oxidising agents.
10.6 Hazardous Decomposition Products	Not expected.

# 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272 /2008	
Information on Toxicological Effects	
Assumed Toxicity Value (LD50 or ATE) for Acu	ite Oral Toxicity: 3200 mg/kg
Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: Not Applicable	
Assumed Toxicity Value (LC50 or ATE) for Acu	ite Inhalation Toxicity: 3
Inhalation Route: Dust/mist	
Refer to Section 2 for additional information.	
Acute toxicity:	
Skin corrosion /irritation:	Causes skin irritation
Seriously eye damage/irritation:	Causes serious eye irritation.





Respiratory or skin sensitisation:	Harmful if inhaled.
	May cause an allergic skin reaction.
Germ cell mutagenicity:	
Carcinogenicity:	
Reproductive toxicity:	
Summary of evaluation of the CMR	May cause damage to organs.
properties:	
STOT- single exposure,	
STOT-repeated exposure:	
Aspiration hazard:	

12. Ecological information	
12.1 Toxicity	Toxic to aquatic life with long lasting effects.
	Harmful to aquatic life with long lasting effects
12.2 Persistency & degradability	Not available
12.3 Bio accumulative potential	Not available
12.4 Mobility in soil	Not available
12.5 Results of PBT and vPvB Assessment	This substance does not meet the PBT/vPvB criteria of REACH,
	annex XIII.
12.6 Endocrine disrupting properties	
12.7 Other adverse effects	Not available

13. Disposal considerations	
13.1 Waste treatment methods	Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment
13.1.1. Product /Packaging disposal:	Empty containers should be taken to an approved waste handling site for recycling or disposal.
13.1.2 Waste treatment-relevant information:	Not available
13.1.3 Sewage disposal-relevant information:	Not available
13.1.4 Other disposal-relevant recommendations:	Dispose of contents and containers in accordance with local / regional / national / international regulations.

14. Transport information	
14.1 UN Number or ID number	UN1169
14.2 UN proper Shipping name	EXTRACTS, AROMATIC, LIQUID
14.3 Transport hazard class(es)	3
Sub Risk	-
14.4 Packing group	111
14.5 Environmental hazards	This is an environmentally hazardous substance.
14.6 Special precautions for user	None additional
14.7 Transport in bulk according to Annex II	Not applicable
of MARPOL73/78 and the IBC Code	

### 15 Regulatory information





one Additional	
5.2 Chemical Safety Assessment	A Chemical Safety Assessment has not been carried out for this
	product.
6. Other information	
	ed Safety Data Sheet Format: From March 2019. – Section 2 and 3
÷	nal points added under each section in line with Regulation EC) No
1272/2008 Version 4.2 March	· · ·
ey to revisions: SECTION 3: Compositi	
(ii) Abbreviations and acronyms	
<b>DNEL:</b> Derived No-Effect Level.	
<b>PNEC:</b> Predicted No- Effect Concentration	ation.
	g the international carriage of dangerous goods by road.
	rnational carriage of Dangerous goods by rail.
<b>u</b>	ations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Org	
	e 'International Civil Aviation Organisation" (ICAO)
<b>IMDG:</b> International Maritime Code for	-
IATA: International Air Transport Asso	5
ICAO: International Maritime Danger	
5	Classification and Labelling of Chemicals
<b>EINECS:</b> European Inventory of Existin	•
<b>ELINCS:</b> European List of Notified Ch	-
-	sion of the American Chemical Society)
<b>WGK:</b> Water Hazard Class.	
<b>LC50:</b> Lethal concentration, 50 percer	nt
<b>LD50:</b> Lethal Dose, 50 percent	
<b>PBT:</b> Persistent, Bio accumulative and	Toxic
<b>vPvB:</b> Very Persistent and very Bio ac	
Acute Tox. 4 Acute Toxicity - Oral C	
Acute Tox. 4 Acute Toxicity - Inhalat	
	uatic Environment - Acute Hazard Category 1
	Aquatic Environment - Long-term Hazard Category 1
Asp. Tox 1 Aspiration Hazard Catego	ory 1
Eye Irrit. 2 Eye Damage / Irritation C	e .
Flam. Liq. 3 Flammable Liquid, Haza	
Flam. Sol. 2 Flammable Solid, Hazard	d Category 2
H226 Flammable liquid and vapour.	
H228 Flammable solid.	
H302 Harmful if swallowed.	
H304 May be fatal if swallowed and e	enters airways.
H315 Causes skin irritation.	tion
H317 May cause an allergic skin reac H319 Causes serious eye irritation.	1011.
H319 Causes serious eye initiation. H332 Harmful if inhaled.	
H371 May cause damage to organs.	





According to Regulation (EC) No.1272/2008

H410 Very toxic to aquatic life with long lasting effects.

P210 Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

- P241 Use explosion-proof electrical, ventilating and lighting equipment.
- P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe vapour or dust.

P261 Avoid breathing vapour or dust.

P264 Wash hands and other contacted skin thoroughly after handling.

P270 Do no eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/eye protection/face protection.

P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P301/312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302/352 IF ON SKIN: Wash with plenty of soap and water.

303/361/353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309/311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P330 Rinse mouth. P331 Do NOT induce vomiting.

P332/313 If skin irritation occurs: Get medical advice/attention.

P333/313 If skin irritation or rash occurs: Get medical advice/attention.

P337/313 If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P370/378 In case of fire: Use for extinction: Foam, Dry chemical, Carbon dioxide.

P391 Collect spillage.

P403/235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container to: approved disposal site.

STOT SE 2 Specific Target Organ Toxicity (Single Exposure) Category 2

Skin Irrit. 2 Skin Corrosion / Irritation Category 2

Skin Sens. 1B Sensitization - Skin Category 1B

(iii) Key Literature references and sources of date.

# (iv) Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 (CLP):

### Classification according to Regulation (EC) 1272/2008(CLP)

### **Classification procedure**

### (v) Relevant H-statements (number and full text):

(vi) Training advice:

(vii) Further information:





# Penny Price Aromatherapy/ Aroma Formulations **SAFETY DATA SHEET**

According to Regulation (EC) No.1272/2008

## QC requirements

In line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

### Disclaimer:

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is date supplied without warranty, expressed, or implied, regarding its correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product and to assume liability for loss, injury, damage, or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification or for any given application and buyers should seek to verify their requirements and product use.