



1. Identification of the substances / mixture and of the company/undertaking. **1.1 Product identifier:** Myrtle oil EQA68091(Contains:Eucalyptol, Geraniol, alpha-Pinene, d-Limonene) Substance name: **Biological Definition** Product Name: Myrtle oil EQA68091 **INCI** Name Synonyms & Trade Names None EC NO: CAS NO: **EINECS CAS Number:** Index No: **Reach Registration No:** 1.2 Relevant identified uses of the substance or mixture and uses advised against **Identified uses:** Uses advised against: 1.3 Details of the supplier of the safety data sheet Penny Price Aromatherapy Ltd Company Unit D3 Radius Court Maple Drive Hinckley Leicestershire LE10 3BE Email info@penny-price.com 00 44 (0) 1455 251020 opening hours Mon – Thurs 9am – 5pm, Fri **1.4 Emergency Telephone Number** 9am – 2pm. <u>Or call NHS 1</u>11 or NHS 999

2. Hazards Identification			
2.1 Classification of the substance or mixt	ture		
Classified according to Regulation (EC)	Physical and		
1272/2008 (CLP) as amended	Chemical		
	Hazards		
	Human Health	Skin Corr / Irrit. 2 –	Eye Dam /Irrit. 2 -H319
		H315	
		Skin Sens. 1 – H317	
	Environment	Aquatic Environment - Lo	ong-term Hazard
		Category 2 – H411	-

2.2 Label Element Labelling according to Regulation (EC) No.1272/2008:



 Hazard statements.

 H304
 May be fatal if swallowed and enters airways.
 H315
 Causes skin irritation.

 H317
 May cause an allergic skin reaction.
 H319
 Causes serious eye irritation.





Penny Price Aromatherapy/ Aroma Formulations SAFETY DATA SHEET

According to Regulation (EC) No.1272/2008

H411	Toxic to aquatic life with long lasting effects		
Supplemental Inform	ation: EUH208, Contains . May produce a	an allergic	reaction.
Precautionary state			
P261	Avoid breathing vapour or dust.		
P264	Wash hands and other contacted skin t	horoughly	y after handling.
P272	Contaminated work clothing should no	5,00	
P273	Avoid release to the environment.		•
P280	Wear protective gloves/eye protection/	/face prote	ection.
P301/310	IF SWALLOWED: Immediately call a POI		
P302/352	IF ON SKIN: Wash with plenty of soap and water.		
P305/351/338	IF IN EYES: Rinse cautiously with water f	for severa	l minutes. Remove contact lenses, if
	present and easy to do. Continue rinsin	ng.	
P331	Do NOT induce vomiting.		
P333/313	If skin irritation or rash occurs: Get med	dical advic	e/attention.
P337/313	If eye irritation persists: Get medical adv	vice/atten	tion.
P362	Take off contaminated clothing and wa	ish before	reuse
P391	Collect spillage.		
P405	Store locked up		
P501	Dispose of contents/container to: appro	oved disp	osal site.
Supplementary Pred	cautionary Statements:		
2.3 Other hazards –	Results of PBT and vPvB According to	Annex X	III - None
Adverse Physio-che	mical Properties		
Adverse Effects on I	Human Health		

3. 1 Composition / information on ingredients:			
Substance name	Index number under CLP Annex VI	Weight % content (or range)	CL, M-Factor, ATE
alpha-Pinene	CAS: 80-56-8 EC: 201-291-9	32%	Flam. Liq. 3 - H226 Skin Irrit. 2 – H315 Skin Sens. 1B – H317, Asp. Tox 1 -H304
d-Limonene	CAS: 5989-27-5 EC: 227-813-5	14.8%	Flam. Liq. 3 - H226 Skin Irrit. 2 – H315 Skin Sens. 1B – H317- Asp. Tox 1 – H304 Aquatic Acute 1 – H410 Aquatic Chronic 1 - H410
Eucalyptol	CAS: 470-82-6 EC: 207-431-5	12%	Flam. Liq. 3 – H226 Skin Sens. 1B - H317
1,4-Cineole	CAS: 470-67-7 EC: 207-428-9	10%	Flam. Liq. 3 - H226
Camphene	CAS: 79-92-5	6%	Flam. Liq. 3 – H226





bespoke skincare innovations The English Arom.

	EC: 201-234-8		Flam. Sol. 2 – H228
			Eye Irrit. 2 – H319
			Aquatic Acute 1 – H410
			Aquatic Chronic 1 - H410
Geranyl acetate	CAS: 105-87-3	5%	Skin Irrit. 2 – H315
	EC: 203-341-5		Skin Sens. 1 – H317
			Aquatic Chronic 3 - H412
Linalool	CAS: 78-70-6	3.8%	Skin Irrit. 2 – H315
	EC: 201-134-4		Eye Irrit. 2 - H319
Linalyl acetate	CAS: 115-95-7	2%	Skin Irrit. 2 – H315
	EC: 204-116-4		Eye Irrit. 2 - H319
alpha-Terpineol	CAS: 98-55-5	1.6%	Skin Irrit. 2 – H315
	EC: 202-680-6		Eye Irrit. 2 -H319
Geraniol	CAS: 106-24-1	0.8%	Skin Irrit. 2 – H315
	EC: 203-377-1		Eye Dam. 1 – H317
			Skin Sens. 1 - H318
Methyl eugenol	CAS: 93-15-2	0.4%	Acute Tox. 4 – H302
	EC: 202-223-0		Muta. 2 – H341
			Carc. 2 - H351
alpha-Cedrene	CAS: 469-61-4	0.08%	Asp. Tox 1 – H304
	EC: 207-418-4		Aquatic Acute 1 – H410
			Aquatic Chronic 1 - H410
Substances with C	ommunity workplace expo	sure limits, not listed	above: Not Applicable

greater than 0.1%: Not Applicable

4. First Aid Measures	
4.1 General	Immediately remove any clothing soiled by the product.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Obtain medical attention if required.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If irritation persists seek medical advice / attention.
Skin contact	Take off all contaminated clothing. Rinse skin with water/shower. If irritation persists seek medical attention.
Ingestion	Immediately call a poison centre
4.2 Most important symptoms and	effects, both acute and delayed:
May be fatal if swallowed and enters	airways
Causes skin irritation.	
May cause an allergic skin reaction.	
Causes serious eye irritation.	
4.3 Indication of any immediate me	edical attention and special treatment need

4.3 Indication of any immediate medical attention and special treatment need

None expected, see Section 4.1 for further information.





Т

5. Firefighting Measures		
5.1 Extinguishing Media:		
Suitable extinguishing media:	Carbon dioxide, dry chemical, foam	
Unsuitable extinguishing media:	No data available	
5.2 Special hazards arising from the substances or mixture:		
Hazardous combustion products:	Carbon monoxide, unidentified organic compounds	
5.3 Advice for firefighters	Incase of insufficient ventilation, wear suitable respiratory	
	equipment	

6 Accidental release measures		
6.1 Personal precautions, protective equipment, and emergency procedures		
6.1.1 For non-emergency personnel		
Protective equipment:	Avoid inhalation. Avoid contact with skin and eyes. See protective	
	measures under Section 7 and 8.	
Emergency procedures:	No Data available	
6.1.2 For Emergency responders	No Data available	
6.2 Environmental precautions	Keep away from drains, surface and ground water, and soil.	
6.3 Methods for cleaning up – 6.3.1 For		
containment:		
6.3.2 For cleaning up:	Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.	
6.3.3. Other information:	No Data available	
6.4 Reference to other sections	Also refer to sections 8 and 13.	

7. Handling and storage

7.1 Precautions for safe handling

Protective measures:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

Measures to	No Data available
prevent fire:	
Measures to	No Data available
prevent aerosol	
and dust	
generation:	
Measures to	No Data available
protect the	
environment:	
Advice on general	No Data available
occupational	
hygiene:	





Aroma Formulations bespoke skincare innovations

7.2 Conditions for sa	fe storage, including any incompatibilities
Technical	Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond
measures and	container and receiving equipment. Use explosion-proof electrical, ventilating and lighting
storage conditions:	equipment. Use only non-sparking tools. Take precautionary measures against static
	discharge.
Packaging	No Data available
Materials:	
Requirements for	No Data available
storage and	
vessels:	
Storage Class:	No Data available
Further	
information on	
storage containers:	
7.3 Specific end	Use in accordance with good manufacturing and industrial hygiene practices.
use(s).	
Recommendations:	No Data available
Industrial sector	No Data available
specific solutions:	

8. Exposure controls/Personal protection	on:
8.1 Control parameters	
8.2 Exposure controls	Not Applicable
Engineering Measures	
8.2.2 Personal Protection equipment	
8.2.2.1 Eye / face protection	Wear protective gloves/eye protection/face protection
8.2.2.2 Skin Protection	Wear protective gloves/eye protection/face protection
Hand protection	Wear protective gloves/eye protection/face protection
Other skin protection	N/A
8.2.2.3 Respiratory protection	 Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material. Also refer to Sections 2 and 7.
Ventilation	Not Applicable
8.2.2.4 Thermal hazards	Not Applicable
8.2.3 Environmental exposure controls	





9. Physical and chemical properties- C of	
9.1 Information on basic physical and cl	nemical properties
Colour	
Appearance	Not determined
Odour	Not determined
Melting Point / freezing point	
Boiling point /Initial boiling point & boiling range	Not determined
Flammability	
Lower and upper explosion limit	
Flash point ⁰ C	70°C
Auto- ignition temperature	
Decomposition temperature	
рН	Not determined
Kinematic Viscosity	
Solubility(ies)	Not determined
Solubility in other Solvents	
Partition coefficient n-octanol/ water (log value)	
Vapour Pressure	Not determined
Density and /or relative density	
Relative density	Not determined
Particle characteristics	
Explosive Properties	
Oxidising Properties	
9.2 Other information	None available
Specific gravity	
Optical rotation @ 20 ⁰ C	
Refractive index @ 20 ⁰ C	
Typical analysis of major components	

10. Stability and reactivity10.1 ReactivityPresents no significant reactivity hazard, by itself or in contact with
water.10.2 Chemical StabilityGood stability under normal storage conditions.10.3 Possibility of hazardous reactions:Not expected under normal conditions of use.10.4 Conditions to avoid:Avoid extreme heat.10.5 Incompatible Materials:Avoid contact with strong acids, alkalis or oxidising agents.10.6 Hazardous DecompositionNot expected.ProductsNot expected.

11. Toxicological information	
11.1 Information on hazard classes as defined in Regulation (EC) No 1272 /2008	





bespoke skilledre innovatio	
Information on Toxi	cological Effects
Assumed Toxicity Val	ue (LD50 or ATE) for Acute Oral Toxicity: 4882.83
Assumed Toxicity Val	ue (LD50 or ATE) for Acute Dermal Toxicity: Not Applicable
Assumed Toxicity Val	ue (LC50 or ATE) for Acute Inhalation Toxicity: Not Available
Inhalation Route: N	ot Available
Information about ha	zardous ingredients in the mixture. Not Applicable
Refer to Sections 2 ar	nd 3 for additional information.
Acute toxicity:	
Skin corrosion	Causes skin irritation.
/irritation:	
Seriously eye	Causes serious eye irritation.
damage/irritation:	
Respiratory or skin	May cause an allergic skin reaction.
sensitisation:	
Germ cell	
mutagenicity:	
Carcinogenicity:	
Reproductive	
toxicity:	
Summary of	
evaluation of the	
CMR properties:	
STOT- single	
exposure,	
STOT-repeated	
exposure:	
Aspiration hazard:	May be fatal if swallowed and enters airways.

12. Ecological information	
12.1 Toxicity	Toxic to aquatic life with long lasting effects
12.2 Persistency & degradability	Not available
12.3 Bio accumulative potential	Not available
12.4 Mobility in soil	Not available
12.5 Results of PBT and vPvB	This substance does not meet the PBT/vPvB criteria of REACH,
Assessment	annex XIII.
12.6 Endocrine disrupting properties	
12.7 Other adverse effects	None available

13. Disposal considerations	
13.1 Waste treatment methods	Dispose of in accordance with local regulations. Avoid disposing
	into drainage systems and into the environment.
13.1.1. Product /Packaging disposal:	Empty containers should be taken to an approved waste handling
	site for recycling or disposal.
13.1.2 Waste treatment-relevant	Not available
information:	





13.1.3 Sewage disposal-relevant information:	Not available
13.1.4 Other disposal-relevant recommendations:	Dispose of contents / containers in accordance with local / regional / national / international regulations.

14. Transport information	
14.1 UN Number or ID number	UN3082
14.2 UN proper Shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dLimonene, Camphene)
14.3 Transport hazard class(es)	9
Sub Risk:	-
14.4 Packing group	III
14.5 Environmental hazards	This is an environmentally hazardous substance.
14.6 Special precautions for user	None additional
14.7 Transport in bulk according to Annex	Not applicable
II of MARPOL73/78 and the IBC Code:	

15 Regulatory information	
15.1 Safety, health, and environmental re	gulations / legislation specific for the substance or mixture
None additional	
15.2 Chemical Safety Assessment	A Chemical Safety Assessment has not been carried out for this
	product.

<u>16. Othe</u>	er information
(i)	Indication of Changes: Revised Safety Data Sheet Format: From March 2019. – Section 2 and 3
	have changed places, additional points added under each section in line with Regulation EC) No
	1272/2008 Version 4.2 March 2021'.
(ii)	Abbreviations and acronyms:
DNE	: Derived No-Effect Level.
PNEC	Predicted No- Effect Concentration.
ADR:	European agreement concerning the international carriage of dangerous goods by road.
RID:	Regulations concerning the International carriage of Dangerous goods by rail.
ΙΑΤΑ	-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO	: International Civil Aviation Organisation
ICAO	-TI: Technical Instructions by the 'International Civil Aviation Organisation" (ICAO)
IMDO	: International Maritime Code for Dangerous Goods
ΙΑΤΑ	: International Air Transport Association
ICAO	: International Maritime Dangerous Goods.
GHS:	Globally Harmonised System of Classification and Labelling of Chemicals
EINE	CS: European Inventory of Existing Commercial Chemical Substances
ELIN	CS: European List of Notified Chemical Substances
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
WGK	: Water Hazard Class.
LC50	: Lethal concentration, 50 percent
LD50	: Lethal Dose, 50 percent





PBT: Persistent, Bio accumulative and Toxic vPvB: Very Persistent and very Bio accumulative Acute Tox. 4 Acute Toxicity - Oral Category 4 Aquatic Acute 1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Asp. Tox 1 Aspiration Hazard Category 1 Carc. 2 Carcinogenicity Category 2 Eye Dam. 1 Eye Damage / Irritation Category 1 Eye Irrit. 2 Eye Damage / Irritation Category 2 Flam. Lig. 3 Flammable Liquid, Hazard Category 3 Flam. Sol. 2 Flammable Solid, Hazard Category 2 H226 Flammable liquid and vapour. H228 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. 2 Germ Cell Mutagenicity Category 2 P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces. - No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do no eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P281 Use personal protective equipment as required. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P301/312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.





bespoke skincare innovations The English Aromatherapy Company
P308/313 IF exposed or concerned: Get medical advice/attention.
P310 Immediately call a POISON CENTER or doctor/physician.
P330 Rinse mouth.
P331 Do NOT induce vomiting.
P332/313 If skin irritation occurs: Get medical advice/attention.
P333/313 If skin irritation or rash occurs: Get medical advice/attention.
P337/313 If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.
P363 Wash contaminated clothing before reuse.
P370/378 In case of fire: Use for extinction: Foam, Dry chemical, Carbon dioxide.
P391 Collect spillage.
P403/235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P501 Dispose of contents/container to: approved disposal site.
Skin Irrit. 2
Skin Corrosion / Irritation Category 2
Skin Sens. 1 Sensitization - Skin Category 1
Skin Sens. 1B Sensitization - Skin Category 1B
(iii) Key Literature references and sources of date.
(iv) Classification and procedure used to derive the classification for mixtures according to
(iv) Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 (CLP):
Regulation (EC) 1272/2008 (CLP):
Regulation (EC) 1272/2008 (CLP): Classification according to Regulation (EC) 1272/2008(CLP)
Regulation (EC) 1272/2008 (CLP): Classification according to Regulation (EC) 1272/2008(CLP) Classification procedure
Regulation (EC) 1272/2008 (CLP): Classification according to Regulation (EC) 1272/2008(CLP) Classification procedure (v) Relevant H-statements (number and full text):
Regulation (EC) 1272/2008 (CLP): Classification according to Regulation (EC) 1272/2008(CLP) Classification procedure
Regulation (EC) 1272/2008 (CLP): Classification according to Regulation (EC) 1272/2008(CLP) Classification procedure (v) Relevant H-statements (number and full text): (vi) Training advice:
Regulation (EC) 1272/2008 (CLP): Classification according to Regulation (EC) 1272/2008(CLP) Classification procedure (v) Relevant H-statements (number and full text): (vi) Training advice: (vii) Further information:
Regulation (EC) 1272/2008 (CLP): Classification according to Regulation (EC) 1272/2008(CLP) Classification procedure (v) Relevant H-statements (number and full text): (vi) Training advice: (vi) Further information: Shelf life Minimum 12 months when stored in the advised conditions.
Regulation (EC) 1272/2008 (CLP): Classification according to Regulation (EC) 1272/2008(CLP) Classification procedure (v) Relevant H-statements (number and full text): (vi) Training advice: (vii) Training advice: (vii) Further information: Shelf life Minimum 12 months when stored in the advised conditions. QC requirements
Regulation (EC) 1272/2008 (CLP): Classification according to Regulation (EC) 1272/2008(CLP) Classification procedure (v) Relevant H-statements (number and full text): (vi) Training advice: (vii) Further information: Shelf life Minimum 12 months when stored in the advised conditions. QC requirements In line with general product specification. Always satisfy suitability for specific application. Retest after 6
Regulation (EC) 1272/2008 (CLP): Classification according to Regulation (EC) 1272/2008(CLP) Classification procedure (v) Relevant H-statements (number and full text): (vi) Training advice: (vii) Training advice: (vii) Further information: Shelf life Minimum 12 months when stored in the advised conditions. QC requirements In line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.
Regulation (EC) 1272/2008 (CLP): Classification according to Regulation (EC) 1272/2008(CLP) Classification procedure (v) Relevant H-statements (number and full text): (vi) Training advice: (vi) Training advice: (vii) Further information: Shelf life Minimum 12 months when stored in the advised conditions. QC requirements In line with general product specification. Always satisfy suitability for specific application. Retest after 6 months. Disclaimer: The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is
Regulation (EC) 1272/2008 (CLP): Classification according to Regulation (EC) 1272/2008(CLP) Classification procedure (v) Relevant H-statements (number and full text): (vi) Training advice: (vi) Training advice: (vi) Training advice: (vii) Further information: Shelf life Minimum 12 months when stored in the advised conditions. QC requirements In line with general product specification. Always satisfy suitability for specific application. Retest after 6 months. Disclaimer: The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is date supplied without warranty, expressed, or implied, regarding its correctness or accuracy. It is the user's
Regulation (EC) 1272/2008 (CLP): Classification according to Regulation (EC) 1272/2008(CLP) Classification procedure (v) Relevant H-statements (number and full text): (vi) Training advice: (vi) Further information: Shelf life Minimum 12 months when stored in the advised conditions. QC requirements In line with general product specification. Always satisfy suitability for specific application. Retest after 6 months. Disclaimer: The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is date supplied without warranty, expressed, or implied, regarding its correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product and to assume liability for loss, injury,
Regulation (EC) 1272/2008 (CLP): Classification according to Regulation (EC) 1272/2008(CLP) Classification procedure (v) Relevant H-statements (number and full text): (vi) Training advice: (vi) Training advice: (vi) Further information: Shelf life Minimum 12 months when stored in the advised conditions. QC requirements In line with general product specification. Always satisfy suitability for specific application. Retest after 6 months. Disclaimer: The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is date supplied without warranty, expressed, or implied, regarding its correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product and to assume liability for loss, injury, damage, or expense arising from improper use of this product. The information provided does not constitute a
Regulation (EC) 1272/2008 (CLP): Classification according to Regulation (EC) 1272/2008(CLP) Classification procedure (v) Relevant H-statements (number and full text): (vi) Training advice: (vii) Further information: Shelf life Minimum 12 months when stored in the advised conditions. QC requirements In line with general product specification. Always satisfy suitability for specific application. Retest after 6 months. Disclaimer: The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is date supplied without warranty, expressed, or implied, regarding its correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product and to assume liability for loss, injury, damage, or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification or for any given application and buyers should seek to verify their
Regulation (EC) 1272/2008 (CLP): Classification according to Regulation (EC) 1272/2008(CLP) Classification procedure (v) Relevant H-statements (number and full text): (vi) Training advice: (vi) Further information: Shelf life Minimum 12 months when stored in the advised conditions. QC requirements In line with general product specification. Always satisfy suitability for specific application. Retest after 6 months. Disclaimer: The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is date supplied without warranty, expressed, or implied, regarding its correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product and to assume liability for loss, injury, damage, or expense arising from improper use of this product. The information provided does not constitute a