


<b>1. Identification of the substances / mixture and of the company/undertaking.</b>			
<b>1.1 Product identifier:</b> Neroli Oil			
<b>Substance name:</b>			
<b>Biological Definition</b>	<b>Product Name:</b> Neroli Oil		
<b>INCI Name</b>	Citrus Aurantium Flower Oil		
<b>Synonyms &amp; Trade Names</b>			
<b>EC NO:</b>	<b>CAS NO:</b> 8016-38-4	<b>EINECS CAS Number:</b> 232-433-8	
<b>Index No:</b>	<b>Reach Registration No:</b>		
<b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b>			
<b>Identified uses:</b>			
<b>Uses advised against:</b>			
<b>1.3 Details of the supplier of the safety data sheet</b>			
<b>Company</b>	Penny Price Aromatherapy Ltd		
	Unit D3 Radius Court		
	Maple Drive		
	Hinckley		
	Leicestershire LE10 3BE		
<b>Email</b>	info@penny-price.com		
<b>1.4 Emergency Telephone Number</b>	00 44 (0) 1455 251020 opening hours Mon – Thurs 9am – 5pm, Fri 9am – 2pm. <u>Or call NHS 111 or NHS 999</u>		

<b>2. Hazards Identification</b>			
<b>2.1 Classification of the substance or mixture</b>			
<b>Classified according to Regulation (EC) 1272/2008 (CLP) as amended</b>	Physical and Chemical Hazards		
	Human Health	Skin Corr / Irrit. 2 – H315	Eye Dam / Irrit. 1 – H318
		Skin Sens. 1 – H317	Aspiration Hazard. 1 – H304
	Environment	Aquatic Environment - Long-term Hazard Category 2 – H411	
<b>2.2 Label Element Labelling according to Regulation (EC) No.1272/2008:</b>			
			
<b>Signal Word. DANGER</b>			
<b>Hazard statements.</b>			
H304	May be fatal if swallowed and enters airways.	H315	Causes skin irritation.
H317	May cause an allergic skin reaction	H318	Causes serious eye damage.

H411	Toxic to aquatic life with long lasting effects.		

**Precautionary statements.**

P261	Avoid breathing vapour or dust
P264	Wash hands and other contacted skin thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P331	Do NOT induce vomiting.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container to: approved disposal site.

**Supplementary Precautionary Statements:**


**2.3 Other hazards – Results of PBT and vPvB According to Annex XIII**

None

**Adverse Physio-chemical Properties**

**Adverse Effects on Human Health**

**3. 1 Composition / information on ingredients:**

Substance name	Index number under CLP Annex VI	Weight % content (or range)	CL, M-Factor, ATE
Linalool	CAS: 78-70-6 EC: 201-134-4	20-<50%	Skin Irrit. 2 - H315 Eye Irrit. 2 -H319
d-Limonene	CAS: 5989-27-5 EC: 227-813-5	10-<20%	Flam. Liq. 3 - H226 Skin Irrit. 2 – H315 Skin Sens. 1B – H317 Asp. Tox 1 - H304 Aquatic Acute 1- H410 Aquatic Chronic 1 - H410
alpha-Pinene	CAS: 80-56-8 EC: 201-291-9	10-<20%	Flam. Liq. 3 – H226 Skin Irrit. 2 – H315 Skin Sens. 1B – H317 Asp. Tox 1 - H304
Linalyl acetate	CAS: 115-95-7	5-<10%	Skin Irrit. 2 – H315

	EC: 204-116-4		Eye Irrit. 2 - H319
Geranyl acetate	CAS: 105-87-3 EC: 203-341-5	1-<5%	Skin Irrit. 2 – H315 Skin Sens. 1 - H317 Aquatic Chronic 3 - H412
Nerolidol (isomer unspecified)	CAS: 7212-44-4 EC: 230-597-5	1-<5%	Eye Irrit. 2 – H319 Aquatic Acute 1 – H410 Aquatic Chronic 1 - H410
Geranio	CAS: 106-24-1 EC: 203-377-1	1-<5%	Skin Irrit. 2 – H315 Eye Dam. 1 – H317 Skin Sens. 1 - H318
alpha-Terpineol	CAS: 98-55-5 EC: 202-680-6	1-<5%	Skin Irrit. 2 – H315 Eye Irrit. 2 - H319
Farnesol	CAS: 4602-84-0 EC: 225-004-1	1-<5%	Skin Irrit. 2 – H315 Eye Irrit. 2 – H319 Skin Sens. 1B -H317
Myrcene	CAS: 123-35-3 EC: 204-622-5	1-<5%	Flam. Liq. 3 – H226 Skin Irrit. 2 – H315 Eye Irrit. 2 – H319 Asp. Tox 1 - H304

<b>4. First Aid Measures</b>	
<b>4.1 General</b>	Immediately remove any clothing soiled by the product.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Obtain medical attention if required.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If irritation persists seek medical advice / attention.
Skin contact	Take off all contaminated clothing. Rinse skin with water/shower. If irritation persists seek medical attention.
Ingestion	Immediately call a poison centre
<b>4.2 Most important symptoms and effects, both acute and delayed:</b>	
May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.	
<b>4.3 Indication of any immediate medical attention and special treatment need</b>	
None expected, see Section 4.1 for further information.	
<b>5. Firefighting Measures</b>	
<b>5.1 Extinguishing Media:</b>	
<b>Suitable extinguishing media:</b>	Carbon dioxide, dry chemical, foam
<b>Unsuitable extinguishing media:</b>	No data available
<b>5.2 Special hazards arising from the substances or mixture:</b>	

<b>Hazardous combustion products:</b>	Carbon monoxide, unidentified organic compounds
<b>5.3 Advice for firefighters</b>	Incase of insufficient ventilation, wear suitable respiratory equipment

<b>6 Accidental release measures</b>	
<b>6.1 Personal precautions, protective equipment, and emergency procedures</b>	
<b>6.1.1 For non-emergency personnel</b>	
<b>Protective equipment:</b>	Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.
<b>Emergency procedures:</b>	No Data available
<b>6.1.2 For Emergency responders:</b>	No Data available
<b>6.2 Environmental precautions:</b>	Keep away from drains, surface and ground water, and soil.
<b>6.3 Methods for cleaning up – 6.3.1 For containment:</b>	
<b>6.3.2 For cleaning up:</b>	Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.
<b>6.3.3. Other information:</b>	No Data available
<b>6.4 Reference to other sections</b>	Also refer to sections 8 and 13.

<b>7. Handling and storage</b>	
<b>7.1 Precautions for safe handling</b>	
<b>Protective measures:</b> Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.	
<b>Measures to prevent fire:</b>	No Data available
<b>Measures to prevent aerosol and dust generation:</b>	No Data available
<b>Measures to protect the environment:</b>	No Data available
<b>Advice on general occupational hygiene:</b>	No Data available
<b>7.2 Conditions for safe storage, including any incompatibilities</b>	
<b>Technical measures and storage conditions:</b>	Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.
<b>Packaging Materials:</b>	No Data available

<b>Requirements for storage and vessels:</b>	No Data available
<b>Storage Class:</b>	No Data available
<b>Further information on storage containers:</b>	
<b>7.3 Specific end use(s).</b>	Use in accordance with good manufacturing and industrial hygiene practices.
<b>Recommendations:</b>	No Data available
<b>Industrial sector specific solutions:</b>	No Data available

### **8. Exposure controls/Personal protection:**

<b>8.1 Control parameters</b>	
<b>8.2 Exposure controls</b>	Not Applicable
<b>Engineering Measures</b>	
<b>8.2.2 Personal Protection equipment</b>	
8.2.2.1 Eye / face protection	Wear protective gloves/eye protection/face protection
8.2.2.2 Skin Protection	Wear protective gloves/eye protection/face protection
Hand protection	Wear protective gloves/eye protection/face protection
Other skin protection	N/A
8.2.2.3 Respiratory protection	Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material. Also refer to Sections 2 and 7.
Ventilation	Not Applicable
8.2.2.4 Thermal hazards	Not Applicable
<b>8.2.3 Environmental exposure controls</b>	

### **9. Physical and chemical properties- C of A**

<b>9.1 Information on basic physical and chemical properties</b>	
Colour	Pale yellow to yellow amber
Appearance	Clear mobile liquid
Odour	Citrus
Melting Point / freezing point	

Boiling point /Initial boiling point & boiling range	Not determined
Flammability	
Lower and upper explosion limit	
Flash point °C	70°C
Auto- ignition temperature	
Decomposition temperature	
pH	Not determined
Kinematic Viscosity	
Solubility(ies)	Not determined
Solubility in other Solvents	
Partition coefficient n-octanol/ water (log value)	
Vapour Pressure	Not determined
Density and /or relative density	
Relative density	Not determined
Particle characteristics	
Explosive Properties	
Oxidising Properties	
<b>9.2 Other information</b>	None Available
Specific gravity	
Optical rotation @ 20°C	
Refractive index @ 20°C	
Typical analysis of major components	

<b>10. Stability and reactivity</b>	
<b>10.1 Reactivity</b>	Presents no significant reactivity hazard, by itself or in contact with water.
<b>10.2 Chemical Stability</b>	Good stability under normal storage conditions.
<b>10.3 Possibility of hazardous reactions:</b>	Not expected under normal conditions of use.
<b>10.4 Conditions to avoid:</b>	Avoid extreme heat.
<b>10.5 Incompatible Materials:</b>	Avoid contact with strong acids, alkalis or oxidising agents.
<b>10.6 Hazardous Decomposition Products</b>	Not expected.

<b>11. Toxicological information</b>	
<b>11.1 Information on hazard classes as defined in Regulation (EC) No 1272 /2008</b>	
<b>Information on Toxicological Effects</b>	
Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: 4550 mg/kg	
Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: Not Applicable	
Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Not Available	
Inhalation Route: Not Available	
Refer to Section 2 for additional information.	
<b>Acute toxicity:</b>	

<b>Skin corrosion /irritation:</b>	Causes skin irritation.
<b>Seriously eye damage/irritation:</b>	Causes serious eye damage.
<b>Respiratory or skin sensitisation:</b>	May cause an allergic skin reaction.
<b>Germ cell mutagenicity:</b>	
<b>Carcinogenicity:</b>	
<b>Reproductive toxicity:</b>	
<b>Summary of evaluation of the CMR properties:</b>	
<b>STOT- single exposure,</b>	
<b>STOT-repeated exposure:</b>	
<b>Aspiration hazard:</b>	May be fatal if swallowed and enters airways.

## **12. Ecological information**

<b>12.1 Toxicity</b>	Toxic to aquatic life with long lasting effects.
<b>12.2 Persistency &amp; degradability</b>	Not available
<b>12.3 Bio accumulative potential</b>	Not available
<b>12.4 Mobility in soil</b>	Not available
<b>12.5 Results of PBT and vPvB Assessment</b>	This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.
<b>12.6 Endocrine disrupting properties</b>	
<b>12.7 Other adverse effects</b>	Not available

## **13. Disposal considerations**

13.1 Waste treatment methods	Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment.
13.1.1. Product /Packaging disposal:	Empty containers should be taken to an approved waste handling site for recycling or disposal.
13.1.2 Waste treatment-relevant information:	Not available
13.1.3 Sewage disposal-relevant information:	Not available
13.1.4 Other disposal-relevant recommendations:	Dispose of contents / containers in accordance with local / regional/ national / international regulations.

## **14. Transport information**

14.1 UN Number or ID number	UN3082
-----------------------------	--------

14.2 UN proper Shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dLimonene, Nerolidol (isomer unspecified))
14.3 Transport hazard class(es) Sub Risk:	9 -
14.4 Packing group	III
14.5 Environmental hazards	This is an environmentally hazardous substance.
14.6 Special precautions for user	None Additional
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable

### 15 Regulatory information

#### 15.1 Safety, health, and environmental regulations / legislation specific for the substance or mixture

None additional	
15.2 Chemical Safety Assessment	A Chemical Safety Assessment has not been carried out for this product.

### 16. Other information

**(i) Indication of Changes: Revised Safety Data Sheet Format:** From March 2019. – Section 2 and 3 have changed places, additional points added under each section in line with Regulation EC) No 1272/2008 Version 4.2 March 2021’.

Concentration % Limits: EH C2=13.16% EH C3=1.31% SCI 2=11.24% EDI 1=100.00% EDI 2=11.63% EDI 2A=11.63% SS 1=6.67% AH 1=25.00%

Total Fractional Values: EH C2=7.60 EH C3=76.16 SCI 2=8.90 EDI 1=1.00 EDI 2=8.60 EDI 2A=8.60 SS 1=15.00 AH 1=4.00

**(ii) Abbreviations and acronyms:**

**DNEL:** Derived No-Effect Level.

**PNEC:** Predicted No- Effect Concentration.

**ADR:** European agreement concerning the international carriage of dangerous goods by road.

**RID:** Regulations concerning the International carriage of Dangerous goods by rail.

**IATA-DGR:** Dangerous Goods Regulations by the “International Air Transport Association” (IATA)

**ICAO:** International Civil Aviation Organisation

**ICAO-TI:** Technical Instructions by the ‘International Civil Aviation Organisation” (ICAO)

**IMDG:** International Maritime Code for Dangerous Goods

**IATA:** International Air Transport Association

**ICAO:** International Maritime Dangerous Goods.

**GHS:** Globally Harmonised System of Classification and Labelling of Chemicals

**EINECS:** European Inventory of Existing Commercial Chemical Substances

**ELINCS:** European List of Notified Chemical Substances

**CAS:** Chemical Abstracts Service (division of the American Chemical Society)

**WGK:** Water Hazard Class.

**LC50:** Lethal concentration, 50 percent

**LD50:** Lethal Dose, 50 percent

**PBT:** Persistent, Bio accumulative and Toxic

**vPvB:** Very Persistent and very Bio accumulative

Aquatic Acute 1 Hazardous to the Aquatic Environment - Acute Hazard Category 1

Aquatic Chronic 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1



Aquatic Chronic 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3  
Asp. Tox 1 Aspiration Hazard Category 1  
Eye Dam. 1 Eye Damage / Irritation Category 1  
Eye Irrit. 2 Eye Damage / Irritation Category 2  
Flam. Liq. 3 Flammable Liquid, Hazard Category 3  
H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H410 Very toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.  
P210 Keep away from heat, sparks, open flames and hot surfaces. - No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical, ventilating and lighting equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P261 Avoid breathing vapour or dust.  
P264 Wash hands and other contacted skin thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/eye protection/face protection.  
P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P302/352 IF ON SKIN: Wash with plenty of soap and water.  
P303/361/353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/physician.  
P331 Do NOT induce vomiting.  
P332/313 If skin irritation occurs: Get medical advice/attention.  
P333/313 If skin irritation or rash occurs: Get medical advice/attention.  
P337/313 If eye irritation persists: Get medical advice/attention.  
P362 Take off contaminated clothing and wash before reuse.  
P370/378 In case of fire: Use for extinction: Foam, Dry chemical, Carbon dioxide.  
P391 Collect spillage.  
P403/235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.  
P501 Dispose of contents/container to: approved disposal site.  
Skin Irrit. 2 Skin Corrosion / Irritation Category 2  
Skin Sens. 1 Sensitization - Skin Category 1  
Skin Sens. 1B Sensitization - Skin Category 1B

**(iii) Key Literature references and sources of date.**

<b>(iv) Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 (CLP):</b>	
<b>Classification according to Regulation (EC) 1272/2008(CLP)</b>	
<b>Classification procedure</b>	
<b>(v) Relevant H-statements (number and full text):</b>	
<b>(vi) Training advice:</b>	
<b>(vii) Further information:</b>	
<b>Shelf life</b>	Minimum 12 months when stored in the advised conditions.
<b>QC requirements</b>	
In line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.	
<b>Disclaimer:</b>	
The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is date supplied without warranty, expressed, or implied, regarding its correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product and to assume liability for loss, injury, damage, or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification or for any given application and buyers should seek to verify their requirements and product use.	