



. Identification of the substances / mixture and of the company/undertaking.					
1.1 Product identifier: Patchouli Oil Dark Indonesia					
Substance name:					
Biological Definition	Article Number:	CARUK200)		
INCI Name					
Synonyms & Trade N	lames				
EC NO: 939	-227-3	CAS NO:	CAS NO: EINECS CAS Number:		
Index No:		Reach Registra	tion No: 0	1-2119967775-18-00	007
1.2 Relevant identific	ed uses of the substar	ice or mixture a	nd uses ac	lvised against	
Identified uses:					
Uses advised against	•				
1.3 Details of the sup	pplier of the safety da	ta sheet			
Company		Penny Price Aro	matherapy	Ltd	
		Unit D3 Radius (Court		
		Maple Drive			
		Hinckley			
		Leicestershire LE	10 3BE		
Email		info@penny-price.com			
1.4 Emergency Telep	hone Number	00 44 (0) 1455 251020 opening hours Mon – Thurs 9am – 5pm, Fri			
		9am – 2pm. <u>Or call NHS 111 or NHS 999</u>			
2 Usesuda Idantifia					1
2. Hazards Identifica	<u>ation</u> the substance or mixt				
Classified according	_	Physical and Chemical			
1272/2008 (CLP) as a	amenaea	Hazards			
		Human Health	Asp. Tox.	1 4204	
		пишан пеанн	Asp. Tox.	1 – пои4	
		Environment	Aquatic (Chronic. 2 – H411	
		Environment	Aquatic	JIIOIIIC. 2 – 11411	
2 2 Lahel Flement La	belling according to F	Pegulation (FC) I	l No 1272/2	ากกร	
Z.Z Laber Liement La	beiling according to r	regulation (EC)	10.1212,2	.000.	
业					
Signal Word. DANG	iER				
	components of labell	ing:			
alpha-Guaiene	•				
beta-Caryophyllene					
Hazard statements.					
H304	May be fatal if swallov	ved and enters	H315	Causes skin irritatio	n
	airways.				
H317	May cause an allergic	skin reaction	H319	Causes serious eye	irritation.





H411	Toxic to aquatic life with long lasting effects.	H413	May cause long lasting harmful effects	
	errects.		to aquatic life.	
Precautionary state	ments.			
P273	Avoid release to the environment.			
P301+P310	IF SWALLOWED: Immediately call a PC	ISON CEN	NTER / doctor.	
P331	Do NOT induce vomiting,			
P391	Collect spillage.			
P405	Store locked up.			
P501	Dispose of contents/container in accordance with local/ regional / national/ international			
	regulations.			
Supplementary Pre	cautionary Statements:			
Additional	EUH208 Contains beta-Caryophyllene.	May prod	duce an allergic reaction.	
Information				
2.3 Other hazards	PBT: Not applicable.			
Results of PBT	vPvB: Not applicable.			
and vPvB				
According to				
Annex XIII				
Adverse Physio-				
chemical				
Properties				
Adverse Effects on				
Human Health				

3. 1 Composition / information on ingredients:

CAS No. Description Patchouli oil

. Identification number(s)

. **EC number:** 939-227-3

. Additional information: Trade name: Patchouli oil

Registration name (EC no): 1,4-dimethyl-7-(prop-1-en-2-yl)-1,2,3,4,5,6,7,8-octahydroazulene; 2,2,6,8-tetramethyltricyclo [5.3.1.03,8] undecan-3-ol; 3,8-dimethyl-5-(prop-1-en-2-yl)-1,2,3,3a,4,5,6,7-octahydroazulene (939-227-3)

IUPAC name:IUPAC name: 1,4-dimethyl-7-(prop-1-en-2-yl)-1,2,3,4,5,6,7,8-octahydroazulene; 2,2,6,8-tetramethyltricyclo [5.3.1.03,8]undecan-3-ol; 3,8-dimethyl-5-(prop-1-en-2-yl)-1,2,3,3a,4,5,6,7-octahydroazulene

Other identifiers, EC and CAS Numbers: Patchouli oil Pogostemon cablin (CAS number: 8014-09-3 CAS EU / 84238-39-1, EINECS:282-493-4)

Substance name	Index number under CLP Annex VI	Weight % content (or range)	CL, M-Factor, ATE
alpha-Guaiene	CAS: 3691-12-1	10-25%	Asp. Tox. 1 – H304 Skin Irrit. 2 – H315





			Eye Irrit. 2 – H319
beta-Caryophyllene	CAS: 87-44-5	1-10%	Asp. Tox. 1 – H304
	EINECS: 201-746-1		Skin Sens. 1B – H317
			Aquatic Chronic. 4 -H413

4. First Aid Measures		
4.1 General	Immediately remove any clothing soiled by the product.	
Inhalation	Remove person to fresh air and keep comfortable for breathing. Obtain medical attention if required.	
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If irritation persists seek medical advice / attention.	
Skin contact	Take off all contaminated clothing. Rinse skin with water/shower. If irritation persists seek medical attention.	
Ingestion	Rinse mouth out with water. Do NOT induce vomiting. Immediately call POISON CENTER or GP. Do not give milk or fatty oils.	
4.2 Most important symptoms and effects		
	No further relevant information available.	
4.3 Indication of any immediate medical a	ttention and special treatment need	
	No further relevant information available.	
5. Firefighting Measures		
5.1 Extinguishing Media:		
Suitable extinguishing media:	Use as appropriate: Carbon dioxide (CO2), dry chemical or foam.	
Unsuitable extinguishing media:	Water with full jet.	
5.2 Special hazards arising from the subst	ances or mixture: None	
Hazardous combustion products:	Carbon monoxide (CO)	
5.3 Advice for firefighters	No special measures required.	
6 Accidental release measures		
	oment, and emergency procedures: Not required.	
6.1.1 For non-emergency personnel	intent, and emergency procedures. Not required.	
Protective equipment:		
Emergency procedures:		

6 Accidental release measures	
6.1 Personal precautions, protective equip	oment, and emergency procedures: Not required.
6.1.1 For non-emergency personnel	
Protective equipment:	
Emergency procedures:	
6.1.2 For Emergency responders	
6.2 Environmental precautions	Do not allow product to reach sewage system or any water course.
	Inform respective authorities in case of seepage into water course





or sewage system. Do not allow to enter sewers/ surface or ground
water.
Absorb with liquid-binding material (sand, diatomite, acid binders,
universal binders, sawdust). Dispose contaminated material as
waste according to item 13.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

6.4 Reference to other	er sections	See Section 7 for information on safe handling.
		See Section 8 for information on personal protection equipment.
		See Section 13 for disposal information.
7		
7. Handling and stor		
7.1 Precautions for sa		
Protective measures:		
Prevent formation of a		DO NOT CMOKE
	•	sources of ignition. DO NOT SMOKE.
	• .	ustrial hygiene practices, ensuring proper workplace ventilation.
•		eat, drink, or smoke whilst handling.
Measures to	No special measures r	requirea.
prevent fire:		
Measures to		
prevent aerosol		
and dust		
generation:		
generation.		
Measures to		
protect the		
environment:		
Advice on general		
occupational		
hygiene:		
	fe storage, including	any incompatibilities
Technical .		
measures and		
storage conditions:		
Packaging		
Materials:		
iviatei iais.		
Requirements for	Store only in unopene	ed original receptacles.
storage and	, , , , , , , , , , , , , , , , , , , ,	3 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
vessels:		





bespoke skincare innovation	INS The Eaglish Acomatherapy Company	
Storage Class:	Keep receptacle tightly sealed.	
Further	Store in the dark.	
information on		
storage containers:		
7.3 Specific end	No further relevant information available.	
use(s).		
Recommendations:		
Industrial sector		
specific solutions:		

8. Exposure controls/Personal protection: 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: Not required. . Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls General protective and hygienic measures: Keep away from foodstuffs, beverages, and feed. Wash hands before breaks and at the end of work **Engineering Measures** Ensure good ventilation of working area. 8.2.2 Personal Protection equipment 8.2.2.1 Eye / face protection Googles recommended during refilling. 8.2.2.2 Skin Protection Hand protection **Protection of hands:** The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. . Material of gloves: Nitrile rubber, NBR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. . **Penetration time of glove material**: The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Other skin protection 8.2.2.3 Respiratory protection Not required. Ventilation 8.2.2.4 Thermal hazards 8.2.3 Environmental exposure controls 9. Physical and chemical properties- C of A 9.1 Information on basic physical and chemical properties

V4 20.05.2021 C. Lenton





Colour	According to specification
Appearance	Liquid
Odour	Characteristic
Melting Point / freezing point	-50°C
Boiling point /Initial boiling point & boiling	
range	
Flammability (Solid, gas):	Not applicable
Lower and upper explosion limit	Not determined.
Flash point (closed cup – ASTM D6450):	114°C
Ignition temperature	230-250°C
Decomposition temperature	Not determined.
Auto-ignition temperature	Not determined.
рН	
Kinematic Viscosity	
Solubility in / Miscibility with Water	Not miscible or difficult to mix.
Solubility in other Solvents	
Partition coefficient n-octanol/ water (log	
value)	
Vapour Pressure	Not determined.
Density and /or relative density	0.952 -0.980
Evaporation rate	Not determined
Relative vapour density	
Particle characteristics	
Explosive Properties	Product does not present an explosion hazard.
Oxidising Properties	
9.2 Other information	No further relevant information available.
Specific gravity d ₂₀ ²⁰	
Optical rotation @ 20°C	
Refractive index @ 20°C	
Typical analysis of major components	
10 Stability and resetivity	

10. Stability and reactivity		
10.1 Reactivity	No further relevant information available.	
10.2 Chemical Stability		
Thermal decomposition / conditions to	No decomposition if used according to specifications.	
be avoided:		
10.3 Possibility of hazardous reactions:	No dangerous reactions known.	
10.4 Conditions to avoid:	No further relevant information available.	
10.5 Incompatible Materials:	No further relevant information available.	
10.6 Hazardous Decomposition	No dangerous decomposition products known.	
Products		

11. Toxicological information
11.1 Information on hazard classes as defined in Regulation (EC) No 1272 /2008





Information on			
Toxicological			
Effects			
Acute toxicity:	Based on a	vailable data, the classification criteria are not met.	
LD/LC50 values relev	vant for clas	sification:	
Oral	LD50	>5g/kg (RAT)	
		The acute median lethal oral dose (LD50) to rats to the test material was	
		found to be >5.0g/kg bodyweight.	
Dermal	LD50	>5,000 mg/kg (LAP)	
		Following exposure of seven rabbits to 5g/kg be of test substance there	
		were no deaths. The substance is therefore estimated to have a LD50 of	
		greater than 2000mg/kg bw.	
Skin corrosion	Based on available data, the classification criteria are not met.		
/irritation:			
Seriously eye	Based on available data, the classification criteria are not met.		
damage/irritation:			
Respiratory or skin	Based on available data, the classification criteria are not met.		
sensitisation:			
Germ cell	Based on available data, the classification criteria are not met.		
mutagenicity:			
Carcinogenicity:	Based on a	Based on available data, the classification criteria are not met.	
Reproductive	Based on a	Based on available data, the classification criteria are not met.	
toxicity:			
Summary of			
evaluation of the			
CMR properties:			
STOT- single	Based on a	Based on available data, the classification criteria are not met.	
exposure,			
STOT-repeated	Based on available data, the classification criteria are not met.		
exposure:			
Aspiration hazard:	May be fata	al if swallowed and enters airways.	

12. Ecological information	
12.1 Toxicity	
Aquatic toxicity	No further relevant information available.
12.2 Persistency & degradability	No further relevant information available.
12.3 Bio accumulative potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
Ecotoxical effects:	
Remark:	Toxic for fish
Additional ecological information:	
General notes:	Do not allow undiluted product or large quantities of it to reach
	ground water, water course or sewage system.
	Also poisonous for fish and plankton in water bodies.





	Toxic for aquatic organisms.
12.5 Results of PBT and vPvB	PBT: Not applicable.
Assessment	vPvB: Not applicable.
12.6 Endocrine disrupting properties	
12.7 Other adverse effects	No further relevant information available.

13. Disposal considerations	
13.1 Waste treatment methods	Must not be disposed together with household rubbish. Do not
	allow product to reach sewage system.
13.1.1. Product /Packaging disposal:	Uncleaned packaging: Disposal must be made according to official
	regulations.
13.1.2 Waste treatment-relevant	
information:	
13.1.3 Sewage disposal-relevant	
information:	
13.1.4 Other disposal-relevant	Dispose of contents / container in accordance with local / regional
recommendations:	/ national/ international regulations.

14. Transport information	
14.1 UN Number or ID number	UN3082
14.2 UN proper Shipping name	
. ADR	U N 3 0 8 2 E N V I R O N M E N T A L L Y H A Z A R D O U S SUBSTANCE, LIQUID, N.O.S. (beta-Caryophyllene, alpha-Guaiene)
. IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (beta-Caryophyllene, alpha-Guaiene), MARINE POLLUTANT
. IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (beta-Caryophyllene, alpha-Guaiene)
14.3 Transport hazard class(es) . ADR	
	9(M6) Miscellaneous dangerous substances and articles.
. Class	9
. Label	
14.4 Packing group	
. ADR, IMDG, IATA	III
14.5 Environmental hazards:	
. Marine pollutant:	Yes
	Symbol (fish and tree)
. Special marking (ADR):	Symbol (fish and tree)
. Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Hazard identification number (Kemler	
Code):	90





EMS Number:	ГАСГ
	F-A, S-F
Stowage Category	A
14.7 Transport in bulk according to Annex	
II of Marpol and the IBC Code	Not applicable.
Transport / Additional	
ADR	
. Limited quantities (LQ)	5L
. Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	-
IMDG	
. Limited quantities (LQ)	5L
. Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30ml
	Maximum net quantity per outer packaging: 1000ml
. UN "Model Regulation".	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
-	N.O.S. (BETA – CARYOPHYLLENE, ALPHAA- GUAIENE), 9, III

15 Regulatory information

15.1 Safety, health, and environmental regulations / legislation specific for the substance or mixture

Directive 2012/18/Eu

Named dangerous substances - ANNEX I Substance is not listed.

- . **Seveso category** E2 Hazardous to the Aquatic Environment
- . Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- . Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- . REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

15.2 Chemical Safety Assessment	A Chemical Safety Assessment has not been carried out.
---------------------------------	--

16. Other information

(i) Indication of Changes: Revised Safety Data Sheet Format: From March 2019. – Section 2 and 3 have changed places, additional points added under each section in line with Regulation EC) No 1272/2008 Version 4.2 March 2021'.

(ii) Abbreviations and acronyms:

DNEL: Derived No-Effect Level.

PNEC: Predicted No- Effect Concentration.

ADR: European agreement concerning the international carriage of dangerous goods by road.

RID: Regulations concerning the International carriage of Dangerous goods by rail.

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (LATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the 'International Civil Aviation Organisation" (ICAO)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association **ICAO:** International Maritime Dangerous Goods.

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances





ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

WGK: Water Hazard Class.

LC50: Lethal concentration, 50 percent

LD50: Lethal Dose, 50 percent

PBT: Persistent, Bio accumulative and Toxic **vPvB:** Very Persistent and very Bio accumulative

Flam. Liq: Flammable Liquid

AT: Acute Toxicity – O = Oral / D = Dermal / I = Inhalation

Asp: Aspiration Hazard

Skin Corr/ Irrit: Skin Corrosion / Irritation

Skin Sens: Skin Sensation

Eye Dam/ Irrit: Eye damage / Irritation

Muta: Mutagenic **Carc:** Carcinogenic

Resp: Respiration Sensitive **Repro**: Reproductive Sensitive

EH A: Environmental Hazard Aquatic Acute **EH C**: Environmental Hazard Aquatic Chronic

- (iii) Key Literature references and sources of date.
- (iv) Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 (CLP):

Classification	Classification procedure
according to	
Regulation (EC)	
1272/2008(CLP)	
(v) Relevant H-	
statements	
(number and full	
text):	
(vi) Training	
advice:	
(vii) Further	
information:	
Shelf life	Minimum 12 months when stored in the advised conditions.

QC requirements

In line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

Disclaimer:

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is date supplied without warranty, expressed, or implied, regarding its correctness or accuracy. It is the user's





responsibility to determine safe conditions for the use of this product and to assume liability for loss, injury, damage, or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification or for any given application and buyers should seek to verify their requirements and product use.