

Prepared for:

TROVE LLC

1153 Bergen Pkwy, Suite I-317
EVERGREEN, CO USA 80439

Trove CBD Oil 750 - Lemon

Batch ID or Lot Number: 256-OL-09	Test, Test ID and Methods: Various	Matrix: Unit	Page 1 of 2
Reported: 29Jun2023	Started: 29Jun2023	Received: 27Jun2023	


Cannabinoids - Colorado Compliance


Test ID: T000247487

Methods: TM14 (HPLC-DAD): Potency – Standard

Cannabinoid Analysis	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	2.307	6.815	ND	ND	# of Servings = 1 Sample Weight=28.21g
Cannabichromenic Acid (CBCA)	2.110	6.233	ND	ND	
Cannabidiol (CBD)	6.812	17.539	755.249	26.77	
Cannabidiolic Acid (CBDA)	6.987	17.989	ND	ND	
Cannabidivarin (CBDV)	1.611	4.148	ND	ND	
Cannabidivarinic Acid (CBDVA)	2.914	7.504	ND	ND	
Cannabigerol (CBG)	1.310	3.869	ND	ND	
Cannabigerolic Acid (CBGA)	5.475	16.175	ND	ND	
Cannabinol (CBN)	1.709	5.048	ND	ND	
Cannabinolic Acid (CBNA)	3.736	11.036	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	6.523	19.270	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	5.924	17.501	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	5.249	15.506	ND	ND	
Tetrahydrocannabivarin (THCV)	1.191	3.519	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	4.630	13.677	ND	ND	
Total Cannabinoids			755.249	26.77	
Total Potential THC			ND	ND	
Total Potential CBD			755.249	26.77	

Final Approval


Karen Winternheimer
29Jun2023
01:22:00 PM MDT
PREPARED BY / DATE


Sam Smith
29Jun2023
01:24:00 PM MDT
APPROVED BY / DATE

Prepared for:
TROVE LLC

1153 Bergen Pkwy, Suite I-317
EVERGREEN, CO USA 80439

Trove CBD Oil 750 - Lemon

Batch ID or Lot Number: 256-OL-09	Test, Test ID and Methods: Various	Matrix: Unit	Page 2 of 2
Reported: 29Jun2023	Started: 29Jun2023	Received: 27Jun2023	

Microbial Contaminants - Colorado Compliance

Test ID: T000247488
Methods: TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorado Panel)

	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
Salmonella	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval

 Eden Thompson-Wright 30Jun2023 03:01:00 PM MDT	 Brianne Maillot 30Jun2023 03:25:00 PM MDT
PREPARED BY / DATE	APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/a8f0eb8b-2027-46d2-a1a0-8cba10943357>

Definitions
LOD = Limit of Detection, ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation, PPB = Parts per Billion, % = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)). Fail equates to a concentration level of Delta 9-THC, on a dry weight basis, higher than 0.3 percent + or - the measurement uncertainty. Total Potential THC is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step. Total THC = THC + (THCa *(0.877)). ALOQ = Above Limit Of Quantitation (defined by dynamic range of the method), CFU/g = Colony Forming Units per Gram. Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU.

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA. Some tests listed on this COA may not be within our scope of A2LA accreditation. Please visit [A2LA for more details.](#)



Cert #4329.02
a8f0eb8b202746d2a1a08cba10943357.1