

Aaira Mini

INSTRUCTION MANUAL



Thank you for your purchase. Now you can **breathe easy.**

The Aaira Mini is a comprehensive device used to remove the bacteria and viruses from the air you breathe. It generates hypochlorous acid (HOCI) to sterilize the air while incorporating a cold evaporation filter (CEF).

All the things you need to know are here.

Safety Instructions
Product Overview
How It Works4
Unpacking and Setup
Getting Started
Control Panel
Cleaning Your Aaira Mini
CEF Replacement
Troubleshooting
Product Specifications9
Product Warranty9
FCC Statement

Your safety is important to us.

Read all safety instructions before you use the device.



WARNING! TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK OR INJURY PLEASE ADHERE TO THE FOLLOWING:

- ! Use only as described in the instruction manual. Do not carry out any maintenance other than that shown in this guide or as advised by customer support. Any other use not recommended by the manufacturer may cause fire, electric shock or injury.
- ! Ensure the machine is fully assembled in accordance with the instructions before use
- ! Do not move the machine while it is plugged in or powered on. Make sure the machine is powered off and unplugged before moving.
- ! When moving the machine, hold it by the base of the water tank and please take care to avoid spilling the water inside the machine. If water is spilled while moving, wipe the machine dry with a clean cloth before use. If water is spilled inside the machine while moving, do not use and allow the water in the machine to dry completely before.

- ! THIS MACHINE IS NOT INTENDED FOR USE BY CHILDREN. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children. This appliance can be used by children 8 years and above if supervised.
- ! This machine is not intended for use by persons with reduced physical, sensory or reasoning capabilities or lack of experience or knowledge unless they have been given supervision or instruction concerning the use of the machine by a person responsible for their safety.
- ! Do not use the machine on wet surfaces or outdoors. Do not use in bathrooms.

 Never operate the machine where it may fall in the bath or other water container.

 Do not use or store it where it may get wet or in the immediate surroundings of a bath, shower or swimming pool.

- ! Do not pour water into any openings except for the water tank. When refilling, only do so as described in this guide. DO NOT USE HOT WATER.
- ! DO NOT LOCATE DIRECTLY BELOW A MAIN ELECTRICITY SUPPLY SOCKET.
- ! This machine may have hot parts inside.
 Do not use in areas where fuel, paint
 or flammable liquids are present. Keep
 combustible materials away from the
 machine. DO NOT USE NEAR FURNACES,
 FIREPLACES, STOVES OR OTHER HIGHTEMPERATURE HEAT SURFACES
- ! To reduce the risk of electric shock, this machine has a polarized plug. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician to install the proper outlet.

 Do not change the plug in any way. (Not applicable in UK).
- ! Always plug directly into a wall socket.

 Never use the machine with an extension cord as overloading may result in the cord overheating or catching fire.
- ! Do not unplug by pulling the cord from the socket. To unplug, grasp the plug, not the cord
- ! Do not handle any part of the plug with wet hands.
- ! Do not use the machine with a damaged cord or plug. If the cord is damaged it must be replaced.
- ! Do not allow the area around the machine to become damp or wet. If dampness occurs, turn the output of the humidifier down or use intermittently. Do not allow absorbent materials, such as carpeting, curtains, drapes, or tablecloths, to become damp.

- ! If the machine is not working properly, has received a sharp blow, has been dropped or damaged, do not use the machine and contact customer support for repair.
- ! Do not use the machine on a soft or unstable surface. ALWAYS PLACE THE MACHINE ON A FIRM, FLAT, LEVEL SURFACE.
- ! DO NOT COVER THE MACHINE WHILE IN USE.
- Never leave water in the reservoir when not in use. Empty and clean before storage.
 Clean before next use.
- ! When removing the cold evaporation filter, take care to keep your fingers clear from in between the filter and the machine base.
- ! Turn off all controls before unplugging. Always unplug the machine if not in use and while filling or cleaning.
- ! For best performance, place the machine on the floor at least 3 feet from any wall or appliances.
- ! READ AND SAVE THESE INSTRUCTIONS.
- ! THIS MACHINE IS INTENDED FOR HOUSEHOLD AND INDOOR USE ONLY.
- ! Warning: Micro-organisms that may be present in the water or in the environment where the appliance is used or stored, can grow in the water reservoir and be blown in the air causing very serious health risks when the water is not renewed and the tank is not cleaned properly every 3 days.

Read all safety instructions in the quick start guide, instruction manual, and on device.



Product Overview



- 1. Water Tank
- 2. Cold Evaporation Filter (CEF)
- 3. Cold Evaporation Filter Lid (CEF Lid)
- **4.** Top Cover
- 5. Salt Bottle with 1 Gram Scoop
- 6. Power Cord
- 7. Pre-Filter

How It Works

The Aaira Mini has a two-stage cleaning system to disinfect the air. A fan draws air in through the pre-filter at the bottom of the purifier. Inside, the air passes through the Cold Evaporation Filter and exits through the top cover. The two stages to the air purifier are:

STAGE 1: Pre-filter.

The pre-filter has a screen that captures large airborne particles.

STAGE 2: Cold Evaporation Filter (CEF).

The CEF absorbs the HOCl water generated in the water tank. The HOCl water is evaporated as air passes through the CEF. This disperses the HOCl molecules throughout the airspace in the room allowing it to destroy a variety of bacteria and viruses.

Unpacking and Setup

- 1. Remove the air purifier from the box and check that all the items are included. It is a good idea to keep the packaging for storage or in the event it must be shipped back for service.
- **2.** Remove the top cover and make sure the CEF and CEF lid are securely in place.
- 3. Place the Aaira Mini on a flat, solid surface in proximity to an AC electrical outlet.
- 4. Connect the power cord to the Sterilizer, and route the power cord to the outlet, but do not plug it in yet. Make sure that the power cord is out of the way and does not pose a tripping hazard, and is out of reach of children and pets.

Getting Started



Make sure the Cold Evaporation Filter (CEF) is secure and the CEF lid is locked in place.





Fill salt bottle with non-iodized salt and place 2 scoops (2 grams) on top sides of the lid.





Close the top cover.



Fill to max water line with water, washing all salt off the CEF lid.







Press the power button to turn on and select fan setting.



Control Panel





On/Off

Powers the unit on and off



Fan Speed

(Sleep/2/3) Three fan speeds, including an ultra-quiet sleep mode



Timer

(2H/4H/8H) Set the timer to have the machine turn off automatically



Disinfect

On and flashing when generating HOCI.



CEF Replacement Indicator

Time to change the filter



Low Salt Alert

Solid salt level indicator Solid blue light Sound alert

What to do:

- 1. Power off device
- **2.** Add 2 scoops (2 grams) of non-iodized salt
- 3. Fill water to MAX line



(FLASHING)

High Salt Alert

Flashing salt level indicator Flashing blue light Sound alert

What to do:

- 1. Power off device
- 2. Empty water tank
- 3. Rinse the CEF
- **4.** Add 2 scoops (2 grams)
- of non-iodized salt

 5. Fill water to MAX line



(SOLID)

Low Water Alert

Solid water level indicator Flashing blue light Sound alert

What to do:

- 1. Power off device
- 2. Fill water to MAX line

Cleaning Your Aaira Mini

The unit should be cleaned regularly. Clean the water tank with fresh water. Use a clean, dry cloth for the external surfaces of the machine. If water stays in the tank for 7 days, empty it and prepare a fresh salt water mixture to continue operation.

Maintenance Alert

Flashing water level indicator Flashing salt level indicator Flashing blue light Sound alert

What to do:

- 1. Power off device
- 2. Empty water tank
- 3. Rinse the CEF
- **4.** Add 3 scoops (3 grams) of non-iodized salt
- 5. Fill with water to MAX line

Descaling

Lime scale builds up in the machine over time. To ensure THE best performance, descale monthly.

What to do:

- 1. Power off device
- 2. Empty water tank
- 3. Take out the CEF
- **4.** Add 5ml of 5% white vinegar; leave for 1 hour (**do not** turn device power on)
- **5.** Empty and clean water tank with fresh water

Storage

When the device is not used for an extended time, we recommend that you empty the water tank and remove the CEF to let it dry, then store it in a cool dry place. Do not store the device where it might be exposed to excessive moisture or direct sunlight. The device may not operate effectively in very low temperatures. The device can be damaged when exposed to sub-freezing temperatures.

CEF Replacement

- 1. Remove the CFF lid
- 2. Unscrew the CEF from the tank and discard. NOTE: Handle the new CEF by the end caps to avoid touching the element, this will prevent possible contamination of the filter element.
- **3.** Remove the replacement CEF from packaging and screw it into the bottom of the water tank. Plug in the power cord.
- **4.** Turn on the Sterilizer and press and hold the Sterilize button for three seconds to reset the filter life countdown.

If you replace the filter before the accumulated life time is reached, the filter life timer cannot be reset. To purchase replacement filters, please visit: www.dhlifelabs.com

Troubleshooting

Symptom	Probable Cause/Solution
Low air flow	Check that Pre-Filter and the air inlet are free from obstructions and not blocked by dust, trash, etc. Clean as necessary.
Emits a chlorine (disinfection) smell	Chlorine smell is normal. You can change to sleep mode to minimize the smell in the room.
Air from the Sterilizer smells bad	Check that water tank and CEF are clean. Clean water tank regularly and replace CEF as necessary.
The Sterilizer has been tipped over or fallen	Immediately unplug the power cord. Lift up the Sterilizer and wipe off any water on the surface of the machine. Allow the Sterilizer to completely dry before resuming operation.
Water added to Water Tank, and water level indicator is still flashing	Please discard all water in the tank and check again. If it still does not work, contact Customer Assistance.
Salt Level indicator displayed even after salt has been added	It takes some time to dissolve the salt and monitor the actual concentration. If it still does not work after some time, discard salt water solution and mix a new batch per the instructions carefully.
Salt Level indicator flashing after salt has been added	Make sure amount of salt added is correct. If necessary discard salt water solution and mix a new batch per the instructions carefully.

For any issues not covered here, contact Customer Assistance.

7

Device Specifications

AAE-30WN06
21 Watts
US 120V, 60Hz / UK 220-240V~, 50/60Hz
3 levels (Sleep/ 2/ 3)
Max. 52 dB
2H/4H/8H
1800 ml (60.87oz)
2 scoops of non-iodized salt: 1800 ml (60.87 oz) of water
ABS, Glossy White & Silver belt
320 ft² (29.7 m²)
- Filter Replacement Reminder: Cold evaporation filter - Salt Level Reminder - Water Level Reminder
11.8" h x 8.7" w (300 mm h x 222 mm w)
5.29 lbs (2.4 kg)

Product Warranty

This 2 year limited warranty applies to repair or replacement of product found to be defective in material or workmanship. This warranty does not apply to damage resulting from commercial, abusive, unreasonable use or supplemental damage. Defects that are the result of normal wear and tear will not be considered manufacturing defects under this warranty.

DH Lifelabs IS NOT LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ON THIS PRODUCT IS LIMITED TO THE DURATION OF THIS WARRANTY.

Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages or limitations on how long an implied warranty lasts, so the above limitations or

exclusions may not apply to you. This warranty gives you specific legal rights, and you also may have other rights which vary from jurisdiction to jurisdiction. This warranty applies only to the original purchaser of this product from the original date of purchase. At its option, D&HLifelabs will repair or replace this product if it is found to be defective in material or workmanship. This warranty does not cover damage resulting from any unauthorized attempts to repair or from any use not in accordance with the instruction manual. This warranty does not cover the filter except for material or workmanship defects.

FCC Statement

Supplier's Declaration of Comformity:

Trade Name: DH Lifelabs

Models: AAE-30WB06 / AAE-30WN06 Responsible Party: Dernier & Hamlyn Inc.

Address: Dernier & Hamlyn Inc., 720 Northgate Parkway, Wheeling, IL 60090

Telephone Number: 1-877-548-9722

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Caution: The user is cautioned that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the
 receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

