



PICO MINI

Fully featured, compact & cost-effective the World's Smallest Media Player

The PICO MINI is a compact yet fully featured digital signage player designed to deliver an extraordinary impact when communicating with a targeted audience for internal information distribution or customer facing messaging and promotion. Available at a great price point, this is the ideal choice for the budget conscious.

Easily connecting to either the Sedao LFD or similar, the PICO MINI uses the SedaoLive CLOUD solution to display dynamic digital signage messages how you want them, when you want them.



twitter.com/GreenMonkeyAV



facebook.com/GreenMonkeyAudioVisual

Visit: www.gmav.co.uk

 **greenmonkey** AV

Tel: 0161 850 9696

Fax: 0161 850 1708

Email: sales@gmav.co.uk

Green Monkey AV | PO Box 767 | Northwich | Cheshire | CW9 9TR



- Manage your display from your online account using any internet connected device, any time, anywhere
- Choose from a range of modern templates with varying multimedia zones including built in time and date widgets
- Add your logo, colour scheme and theme image to the templates for a personalised display
- Update your message with text, images, videos, news feeds, pdfs, PowerPoint and more
- Send emergency messages instantly
- Easy to use and designed for non-graphic/non-technical users
- Cost effective with no ongoing costs for a single screen with basic plan features

Easy to follow Set-up Wizard for a complete Out-of-the-Box customer experience to get you started today!



Specification

ImageFlyer Cloud Edition

Ultra-mini small form player 95.4mm x 63mm x 8mm

Fanless, zero noise chassis

2 x USB type C Ports

USB Type-C to HDMI / 2 x USB Type-A adapter

802.11ac built in wifi for convenient networking

4 GByte high speed onboard Memory

32 GBytes eMMC onboard Storage

Micro USB power adaptor

Win IOT

Wall mounting bracket included

12 month RTB warranty



Flash animations



Clocks



Animated text



News feeds



PowerPoint



Photos/ Slideshow



Movies

twitter.com/GreenMonkeyAV

facebook.com/GreenMonkeyAudioVisual

Visit: www.gmav.co.uk

greenmonkey^{AV}

Tel: 0161 850 9696


Fax: 0161 850 1708

Email: sales@gmav.co.uk

Green Monkey AV | PO Box 767 | Northwich | Cheshire | CW9 9TR

Company Reg. No. 04349039. VAT No. 781 9692 73





Large Format Displays

Sleek, slim, stylish 4K professional displays with maximum visual impact for your signage experience

4K

4K ultra HD resolution

The Sedao LFD delivers the ultimate sharp, clear and precise definition ensuring your engagement with your audience is a vivid signage experience.



5 year de-install and re-install warranty

This unique market warranty adds extra value to your investment giving you the confidence of knowing your screen has a 5 year option.



16/7 operation

16 hours playout a day providing you with the flexibility to allocate and display your screen/s in places that are open for long periods of time.



Landscape & portrait

Dual orientation versatility enabling you to create engaging content to suit the location of the screen installation.



USB media playback

This USB feature offers a simple way to playout photos and videos in a slideshow with autoplay or manual operation.



OPS PC slot*

OPS Slot allows for connection of any Open Pluggable Specification module to add built in computing capabilities to the panel.



Removable logo

The removable logo ensures your message is surrounded by a sleek and stylish frame without additional branding to detract from the display on the screen.



Power management scheduling

Be environmentally friendly and reduce energy consumption using the power management scheduling feature to start up and shut down during operational periods only.


Product specifications

PANEL				
Diagonal Screen Size (inches)	49"	55"	65"	75"
Product Code	1290007	1290001	1290002	1290008
Panel Technology	IPS, Edge LED	IPS, Edge LED	VA, Direct LED	IPS, Edge LED
Maximum Daily Usage Hours	16/7	16/7	16/7	24/7
Display Colours	8 Bit, 16.7 M Colors	8 Bit, 16.7 M Colors	8 Bit, 16.7 M Colors	10bit(D), 1.07 Billion colours
Orientation	Landscape/Portrait	Landscape/Portrait	Landscape/Portrait	Landscape/Portrait
Viewing Angle	178°	178°	178°	178°
Brightness (Cd/m2)	400	400	400	400
Panel Life Time (Typ.) (Hr)	30000	30000	30000	50000
Response Time (ms)	6	9	6.5	8
H-Freq (KHz)	67.5	67.5	135	135
V-Freq (Hz)	60	60	120	60
INPUTS				
HDMI 2.0 support	2	2	2	2
VGA	✓	✓	✓	✓
USB 2.0	2 (1 x internal)	2 (1 x internal)	2 (1 x internal)	2 (1 x internal)
USB 3.0	1	1	1	1
USB Support Type	Photo/Video/MP3 with autoplay	Photo/Video/MP3 with autoplay	Photo/Video/MP3 with autoplay	Photo/Video/MP3 with autoplay
RS232	9 pin DSUB	9 pin DSUB	9 pin DSUB	9 pin DSUB
LAN (RJ45)	✓	✓	✓	✓
YPbPr	✓	✓	✓	✓
Audio (Twin Phono)	✓	✓	✓	✓
SUPPORTED INPUT RESOLUTIONS				
HDMI	3840 x 2160	3840 x 2160	3840 x 2160	3840 x 2160
VGA (D-Sub)	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
OUTPUTS				
HDMI	✓	✓	✓	✓
Mini Jack (Audio)	✓	✓	✓	✓
RCA (L/R)	✓	✓	✓	✓
Speakers (W)	2X8	2X8	2X8	2X12
Headphone	✓	✓	✓	✓
FEATURES				
Daisy Chain HDMI I/O	✓	✓	✓	✓
UHD Daisychaining	✓	✓	✓	✓
Wireless (2.4GHz / 5GHz)	✓ (802.11 a/b/g/n support)	✓ (802.11 a/b/g/n support)	✓ (802.11 a/b/g/n support)	✓ (802.11 a/b/g/n support)
OPS Slot	✓	✓	✓	✓
Built in Scheduler	✓	✓	✓	✓
Real time clock	Manual/Network/No backup/NTP	Manual/Network/No backup/NTP	Manual/Network/No backup/NTP	Manual/Network/No backup/NTP
CEC	✓	✓	✓	✓
ARC	✓	✓	✓	✓
POWER				
Power Supply	110 VAC - 240 VAC - 50/60 Hz	110 VAC - 240 VAC - 50/60 Hz	110 VAC - 240 VAC - 50/60 Hz	110 VAC - 240 VAC - 50/60 Hz
Avg on mode (W)	78	79	118	244
Active Standby Consumption (W)	17.35	17.35	13.61	22.61
Standby Consumption (Wz)	≤0.5	≤0.5	≤0.5	≤0.5
OPERATION				
Temperature Conditions (°C)	0 – 40	0 – 40	0 – 40	0 – 40
Humidity (%)	0 – 90	20 – 80	0 – 90	20 – 80
MECHANICAL				
Product Dimensions (mm) (WxDxH)	1097 x 630 x 69	1236 x 709 x 69	1459 x 841 x 96	1684 x 967 x 100
Product Weight (kg)	15.7	22	25.6	37
Bezel Width (mm)	8 (T/L/R) 12 (B)	9.5 (T/L/R) 11 (B)	15 (T/L/R) 21 (B)	16 (T/L/R) 23 (B)
Package Dimensions (mm) (WxHxD)	1215 x 775 x 165	1340 x 870 x 170	1620 x 1006 x 190	1948 x 1170 x 210
Package Weight (kg)	20.15	31.5	33.5	52
Vesa Mounting (mm)	200 x 200	400 x 400	400 x 400	600 x 400



SedaoLive Rooms, versatile enterprise room booking system

- Dedicated enterprise room booking system
- Versatile and adaptable as a digital signage system
- Integrates with SedaoLive CLOUD and Clevertouch for digital signage messaging
- Personalised branding for company or visitor logos
- Uses Microsoft Exchange or Outlook 365 Calendar for desktop to display booking management
- Reduces labour time putting up notices on meeting room doors
- Reduces time locating availability meeting room space
- Instantly schedules and reserves the room
- Displays availability with green light when available, red light when in use
- Customisable default timing to 'check in' to the room before reverting back to available
- Enable rooms to be returned to available from the source if meetings finish early



Specification

DISPLAY PANEL	
Panel	10.1"
Active Area (mm)	216.96(H)x135.6(V)
Aspect Ratio	16:10
Resolution	1280*800
Brightness	300 cd/m2
Contrast Ratio	800:1
Viewing Angle (CR>10)	85/85/85/85
TOUCH	
Touch type	Capacitive touch
Touch Points	10 Points
Touch Accuracy	±1.5mm
Response Time	16ms
SYSTEM	
Operation system	Android 6.0
CPU Octa-core cortex	A53 1.5GHz,RockChip,RK3368
GPU	PowerVR G6110 GPU
RAM	2GB
Storage	8GB

PORTS	
Audio and video interface	HDMI
Network Interface	Ethernet
Storage extension	SD
OTHER PARAMETERS	
Product Size(mm)	255x172x29
Package Size (mm)	416x358x243 (5 Pics)
VESA (mm)	75x75
Screen hanging mode	Cross
Weight (kg)	Net 0.89 Gross10.1 (5Pics)
Speaker	2x1.5 W
Management software	GTV
Input voltage	12V/2A
Accessories	Power adapter
Certification	CE/ FCC/ RoHS
LED Light Bar	Built-In LED Lighting
Power	Wifi and/or Power over Ethernet
Mount	Wall bracket

Schematic Drawing

