
FBI -907



START HERE, OPEN ORIGINAL ENERGYI



Thanks for purchasing the EBL® Products!
For safety purpose, please read this manual carefully before using it.

General Information

Detailed instruction is provided in this manual (the charger function, safety usage and notice)

Safety Standard

Meet the safety standard of CE, RoHS,FCC

Product Overview

- This charger is only charging for AA/AAA batteries made of NI-MH or Ni-CD.
- 4 independent bay, can charge 1 to 4 pc AA / AAA rechargeable batteries individually.
- ► LCD screen indicates the charging progress status.
- LCU screen indicates the charging progress status.
 This LCD battery charger uses the MCU control, -\(\Delta\) intelligent control fast charging mode, providing the constant current & constant voltage safety model.
 - ▶ Worldwide usage, more convenient: 100-240V AC 50-60Hz

Electrical Specification

Input: 100-240V AC, 50/60 Hz, 0.5A Max

1 x AA 1.2VDC 2000mA; 1 x AAA 1.2VDC 2000mA; 2 x AA 1.2VDC 1000mA; 2 x AAA 1.2VDC 1000mA; 3 x AA 4.12VDC 500mA; 3 x AAA 1.2VDC 500mA; 4 x AAA 1.2VDC 500mA; 4 x AAA 1.2VDC 500mA; 5 x AAA 1.2VDC 500mA; 6 x AAA 1.2VDC 500mA; 6 x AAA 1.2VDC 500mA; 7 x AAA 1.2VDC 500mA; 7 x AAA 1.2VDC 500mA; 8 x AAA 1.2VDC 500mA; 8 x AAAA 1.2VDC 500mA; 8 x AAAAA 1.2VDC 500mA; 8 x AAAA 1.2VDC 500mA; 8 x AAAAA 1.2VDC 500mA; 8

Environment Conditions

Using Environment: Temperature: 0-40°C; Humidity;<80% Storage Environment: Temperature: -10-40°C; Humidity;<80% Work Temperature: Surface temperature of charger≤60°C

Heing Instruction

- Place the battery inside the charger correctly by making sure the +/- pole of the battery is corresponding to the +/- pole of the charger, otherwise the battery will not charged or burning out the charger.
- ► Connect the charger to AC nower

Surface temperature of hottery<45°C

The charger will charge the battery when plug in, and the LCD turns to green, each slot has a battery icon shows the charging progress independently, battery icon stop flashing when fully charged jobes not be to CD light will keep lighting all the lime.

 The charger could charge AA/AAA Ni-MH Ni-CD rechargeable batteries.

Cautions

- The charger could charge compatible battery, please do not charge other type battery.
- In order to reach peak performance, please use the charger indoor under air flow condition.
- Using this charger within the temperature between 0~40°C.
 It is normal phenomenon that the battery is warmer than room temperature when charging. The temperature will automatically decrease to normal after fully charged.
- Cutting off the power when you don't need to charge the battery and take the battery out after fully charged.
- ► Children should not use the charger without adult's supervision.

Warning

- ► It may cause electric shock hazard if using the charger incorrectly.
- ► The charger is using for indoor only, keep it away from moist and
- Put it into safe place where the children could not reach.
- Do not disassemble or reassemble the charger for safety reason.

Warranty

- We provide 30 days worry-free money back and one year limited warranty
- Any problem, please feel free mail to the email address: service@eblmall.com
- ▶ Website: www.eblmall.com

Size & Weight

Size	68 mm x 114 mm x 28.3 mm	П
Weight	100 g	П



3